

6. [In this question **i** and **j** are horizontal unit vectors.]

A particle P of mass 2kg moves under the action of two forces, $(p\mathbf{i} + q\mathbf{j})\text{N}$ and $(2q\mathbf{i} + p\mathbf{j})\text{N}$, where p and q are constants.

Given that the acceleration of P is $(\mathbf{i} - \mathbf{j}) \text{ m s}^{-2}$

- (a) find the value of p and the value of q . (5)

(b) Find the size of the angle between the direction of the acceleration and the vector \mathbf{j} . (2)

At time $t = 0$, the velocity of P is $(3\mathbf{i} - 4\mathbf{j}) \text{ m s}^{-1}$

At $t = T$ seconds, P is moving in the direction of the vector $(11\mathbf{i} - 13\mathbf{j})$.

- (c) Find the value of T . (5)



DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

Question 6 continued

Leave
blank



Leave
blank

Question 6 continued

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA



DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

Question 6 continued

Leave
blank

Q6

(Total 12 marks)



P 6 8 7 8 3 A 0 2 1 2 8