

- 8 (a) (i) Expand $\left(1 + \frac{x}{2}\right)^{-3}$ in ascending powers of x up to and including the term in x^3 , expressing each coefficient as an exact fraction in its lowest terms.
- (ii) Find the range of values for which your expression is valid. (4)

- (b) Express $(2 + x)^{-3}$ in the form $A(1 + Bx)^{-3}$ where A and B are rational numbers whose values should be stated. (2)

$$f(x) = \frac{(1 + 4x)}{(2 + x)^3}$$

- (c) Obtain a series expansion for $f(x)$ in ascending powers of x up to and including the term in x^2 . (2)

- (d) Hence obtain an estimate, to 3 significant figures, of $\int_0^{0.2} \frac{(1 + 4x)}{(2 + x)^3} dx$ (3)

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA



DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

Question 8 continued

Handwriting practice area with 20 horizontal dotted lines for writing the answer to Question 8.



P 4 7 8 7 8 A 0 2 1 3 6

Question 8 continued

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA



DO NOT WRITE IN THIS AREA

(Total for Question 6 is 11 marks)

