

Mark Scheme (Results)

January 2021

Pearson Edexcel International GCSE In Physics (4PH1) Paper 2PR

Edexcel and BTEC Qualifications

Edexcel and BTEC qualifications are awarded by Pearson, the UK's largest awarding body. We provide a wide range of qualifications including academic, vocational, occupational and specific programmes for employers. For further information visit our qualifications websites at www.edexcel.com or www.btec.co.uk. Alternatively, you can get in touch with us using the details on our contact us page at www.edexcel.com/contactus.

Pearson: helping people progress, everywhere

Pearson aspires to be the world's leading learning company. Our aim is to help everyone progress in their lives through education. We believe in every kind of learning, for all kinds of people, wherever they are in the world. We've been involved in education for over 150 years, and by working across 70 countries, in 100 languages, we have built an international reputation for our commitment to high standards and raising achievement through innovation in education. Find out more about how we can help you and your students at: www.pearson.com/uk

January 2021
Publications Code 4PH1_2PR_2101_MS
All the material in this publication is copyright
© Pearson Education Ltd 2021

General Marking Guidance

- All candidates must receive the same treatment. Examiners must mark the first candidate in exactly the same way as they mark the last.
- Mark schemes should be applied positively. Candidates must be rewarded for what they have shown they can do rather than penalised for omissions.
- Examiners should mark according to the mark scheme not according to their perception of where the grade boundaries may lie.
- There is no ceiling on achievement. All marks on the mark scheme should be used appropriately.
- All the marks on the mark scheme are designed to be awarded. Examiners should always award full marks if deserved, i.e. if the answer matches the mark scheme. Examiners should also be prepared to award zero marks if the candidate's response is not worthy of credit according to the mark scheme.
- Where some judgement is required, mark schemes will provide the principles by which marks will be awarded and exemplification may be limited.
- When examiners are in doubt regarding the application of the mark scheme to a candidate's response, the team leader must be consulted.
- Crossed out work should be marked UNLESS the candidate has replaced it with an alternative response.

Question number		Answer	Notes	Marks
1 (a)	(i)	B – QR; A is not correct as the substance is a solid C is not correct as the substance is a liquid D is not correct as the substance is boiling		1
((ii)	A – PQ; B is not correct as the substance is part solid, part liquid C is not correct as the substance is a liquid D is not correct as the substance is boiling		1
((iii)	any irregular , spaced out collection of particles;		1
((iv)	D – they move quickly and randomly; A is not correct as this is how particles in a solid move B is not correct as only particles at 0 K can theoretically be stationary C is not correct as this is how particles in a liquid move		1
(b)	(i)	thermometer;	allow temperature sensor, temperature probe	1
	(ii)	80 (°C);		1
(c)		temperature difference = 27 (°C); substitution; evaluation; e.g. $\Delta T = 37 - 10 = 27 (°C)$ energy = 1.2 × 840 × 27 (energy =) 27 000 (J)	allow ECF from incorrect temperature difference 37296, 10080 = 2 marks allow 27216, 27220, 27200	3

(Total for Question 1 = 8 marks)

Question number			Answer	Notes	Marks
2	(a)	(i)	centre of gravity / centre of mass;	allow centre of weight	1
		(ii)	balance / newtonmeter;	allow <u>newton</u> scales ignore scales	1
	(b)	(i)	moment = force × (perpendicular) distance;	allow standard symbols and rearrangements e.g. moment = F × d ignore m for moment	1
		(ii)	substitution;		1
			e.g. 0.68 × 4.3 (= 2.924 N cm)		
		(iii)	idea that anti-clockwise moment = clockwise moment; rearrangement;	stated or implied by working	3
			evaluation; e.g. 2.9 = F × 11 F = 2.9 / 11	allow ECF from (ii)	
			(F =) 0.26 (N)	allow 0.2636 0.2658 allow 0.27 condone 0.263	

(Total for Question 2 = 6 marks)

Question number		Answer	Notes	Marks
3 (a)		(to the) left; (because) repulsion (due to like magnetic poles);	allow towards A, away from B ignore backwards reject if mention of charge	2
(b)	(i)	0.045 (kg m/s);	allow 'the same'	1
	(iii)	momentum of B after collision = 0.045 – (-0.021); evaluation; e.g. 0.0450.021 (momentum =) 0.066 (kg m/s) substitution into F = change in momentum / time taken; evaluation;	allow 0.024 for 1 mark allow 0.045 + 0.021 allow ECF from (ii) use of 0.024 from (ii) gives 0.126 (N)	2
	(iv)	e.g. F = 0.066 / 0.19 (F =) 0.35 (N) (to the) right;	allow 0.347 (N) allow towards B, away from A	1

(Total for Question 3 = 8 marks)

Question number	Answer	Notes	Marks
4 (a) (i)	speed = frequency × wavelength;	allow standard symbols and rearrangements e.g. v = f × λ	1
(ii)	determination of period; conversion from ms to s; evaluation of frequency; substitution into $v = f \times \lambda$; evaluation of speed; e.g. period = 4 squares period = $(4 \times 1 =) 4$ ms frequency $(= 1/4 \times 10^{-3}) = 250$ (Hz) speed = 1.4×250 speed = 350 (m/s)	allow ECF from incorrect frequency -1 for POT error 175, 700 (m/s) = 3 marks allow 0.004 (s)	5
(b)	any five from: MP1. reference to reaction time;	ignore descriptions of different experimental methods allow description of reaction time issues	5
	MP2. suggestion that light flash and sound may not be at the same time;		
	MP3. idea that distance is too short (to give accurate value);		
	MP4. idea that ruler is not appropriate to measure this distance;	allow suggestion that trundle wheel/tape measure should be used	
	MP5. idea of mis-counting the number of ruler lengths;	useu	
	MP6. idea of zero error on ruler;		
	MP7. idea of ruler not going in a straight line;	allow ground not being level	
	MP8. idea of lack of repeats;		
	MP9. idea that time of travel is too short to be measured by a human;		

(Total for Question 4 = 11 marks)

Question number	Answer	Notes	Marks
5 (a)		allow alternative method of finding the time taken and then using average speed = distance/time	3
	substitution into $v^2 = u^2 + 2as$; rearrangement; evaluation; e.g.	1371-1372 = 2 marks	
	$75^2 = (0^2 +) 2 \times 4.1 \times s$ s = 5625 / 8.2 (s =) 690 (m)	allow 686, 685.9756	
(b) (i)	any two from: MP1. idea of radiation that is always present / present everywhere; MP2. idea of no 'obvious' source; MP3. any valid source of background radiation given e.g. radon/rocks/cosmic rays/medical or military activity/the Sun etc.;		2
(ii)	any three from: MP1. idea that excessive exposure time can be harmful/increases risk; MP2. idea that dosage is higher (at maximum height); MP3. idea that increased risk of cancer; MP4. idea that there is less atmosphere to absorb cosmic radiation;	allow cell mutation for cancer	3
	MP5. cosmic rays/radiation is increased;		

(Total for Question 5 = 8 marks)

Question number	Answer	Notes	Marks
6 (a)	 any two from: MP1. CMBR appears to be the same in all directions / is everywhere; MP2. (which) implies all parts of the Universe were in contact a long time ago; MP3. wavelength has increased (as the universe has expanded); MP4. Universe was (significantly) hotter long ago; 	allow implication of idea of coming from single point allow red-shift of radiation allow frequency has decreased allow RA	2
(b)	change in wavelength = 78 (nm); substitution; rearrangement; evaluation; e.g. (683 - 605 =) 78 (nm) 78 / 605 = v / c v = 3.0 × 10 ⁸ × (78/605) (v =) 3.9 × 10 ⁷ (m/s)	ignore units -1 for POT error use of incorrect source wavelength gives 3.4×10 ⁷ (m/s) = 3 marks allow 3.86×10 ⁷ (m/s)	4

(Total for Question 6 = 6 marks)

Question number	Answer	Notes	Marks
7 (a)	movement of electrons; bucket gains electrons;	scores both marks	2
(b)	(droplets in each stream are) like/same charge; (like charges) repel;	ignore attraction to bucket	2
(c) (i)	use of KE = $\frac{1}{2}$ mv ² ; substitution; evaluation; e.g. KE = $\frac{1}{2}$ mv ² KE = $\frac{1}{2}$ × 6.2 × 10 ⁻⁹ × 3.8 ²	stated or implied by working -1 for POT error allow 4.4×10-8, 4.47×10-8 = 2 marks	3
(ii)	(KE =) 4.5×10^{-8} (J) substitution into Q = It; rearrangement; evaluation; e.g. 1.1×10^{-10} = current × 9.2×10^{-3} current = 1.1×10^{-10} / 9.2×10^{-3} current = 1.2×10^{-8} (A)	allow 4.4764 × 10 ⁻⁸ (J) stated or implied by working -1 for POT error allow 1.195 × 10 ⁻⁸ (A)	3
(iii)	substitution into E = QV; conversion of kV to V; evaluation; e.g. E = $1.1 \times 10^{-10} \times 1.7$ 1.7 kV = 1700 V (E =) 1.9×10^{-7} (J)	allow valid substitution into E=VIt ignore units allow 1700 or ×1000 seen anywhere in working -1 for POT error allow 1.87 × 10 ⁻⁷ (J), 1.88 × 10 ⁻⁷ (J), 1.8768 × 10 ⁻⁷ (J)	3

Question number	Answer	Notes	Marks
8 (a)	any four from: MP1. idea that step-down means secondary voltage is less than primary voltage; MP2. current in (primary) coil produces magnetic field;	allow RA	4
	MP3. the current is changing / has frequency of 50 Hz; MP4. causing a (changing) magnetic field in the core; MP5. the core strengthens the magnetic field;	allow recognition that alternating current is used	
	MP6. the secondary coil experiences a changing magnetic field; MP7. which induces a voltage in the secondary coil;	allow 'secondary is cut by (changing) field lines' allow current for voltage	
(b) (i)	$(N_p/N_s) = (V_p/V_s);$	allow any correct rearrangement allow "i(nput) and o(utput)" or "1 and 2"for "p(rimary) and s(econdary)" allow correct word equation ignore 'P' for 'N' condone 'T', 't' or 'n' for 'N' condone 'coils' for 'turns'	1
(ii)	substitution; rearrangement; evaluation; e.g. (160/45) = 12/V _s		3
	$V_s = 12 / (160/45)$ $(V_s =) 3.4 (V)$	allow 3.375 (V)	

Total for Question 8 = 8 marks)