

Leave
blank

4.




Figure 2

A non-uniform beam AB has length 8 m and mass M kg.

The centre of mass of the beam is d metres from A .

The beam is supported in equilibrium in a horizontal position by two vertical light ropes. One rope is attached to the beam at C , where $AC = 2.5$ m and the other rope is attached to the beam at D , where $DB = 2$ m, as shown in Figure 2.

A gymnast, of mass 64 kg, stands on the beam at the point X , where $AX = 1.875$ m, and the beam remains in equilibrium in a horizontal position but is now on the point of tilting about C .

The gymnast then dismounts from the beam.

A second gymnast, of mass 48 kg, now stands on the beam at the point Y , where $YB = 0.5$ m, and the beam remains in equilibrium in a horizontal position but is now on the point of tilting about D .

The beam is modelled as a non-uniform rod and the gymnasts are modelled as particles.

Find the value of M .

(8)

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA



Leave
blank**Question 4 continued**

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA



P 6 5 7 6 0 A 0 1 3 3 2

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

[illegible]

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

Leave
blank

Question 4 continued

Q4

(Total 8 marks)

