

| | |
|-----------------------------------|------------------|
| Write your name here | |
| Surname | Other names |
| Pearson Edexcel | Centre Number |
| International GCSE | Candidate Number |
| Further Pure Mathematics | |
| Paper 2 | |
| Thursday 11 June 2015 – Afternoon | Paper Reference |
| Time: 2 hours | 4PM0/02 |
| Calculators may be used. | Total Marks |

Instructions

- Use **black** ink or ball-point pen.
- **Fill in the boxes** at the top of this page with your name, centre number and candidate number.
- Answer **all** questions.
- Without sufficient working, correct answers may be awarded no marks.
- Answer the questions in the spaces provided
– *there may be more space than you need.*

Information

- The total mark for this paper is 100.
- The marks for **each** question are shown in brackets
– *use this as a guide as to how much time to spend on each question.*

Advice

- Read each question carefully before you start to answer it.
- Check your answers if you have time at the end.

Turn over ►

P44407A

©2015 Pearson Education Ltd.

5/5/1/1/



PEARSON

You must write down all the stages in your working

1 (a) Show that $\sum_{r=1}^n r = \frac{n}{2}(1+n)$ (2)

(b) Hence find the sum of all the integers from 1 to 100 inclusive that are **not** multiples of 7

(3)



(Total for Question 1 is 5 marks)




- Give your answers to 2 decimal places where necessary.

| | | | | | | | | | |
|-----|-----|------|------|------|-----|------|-----|------|------|
| x | 1.0 | 1.25 | 1.5 | 1.75 | 2.0 | 2.25 | 2.5 | 2.75 | 3.0 |
| y | | | 4.17 | 3.71 | | 3.44 | | 3.54 | 3.67 |

- (b) On the grid opposite, draw the graph of $y = x + \frac{6}{x^2}$ for $1 \leq x \leq 3$ (2)
- (c) By drawing a suitable straight line on the grid, obtain estimates, to 1 decimal place, for the solutions of the equation $x^3 - 3x^2 + 3 = 0$ in the interval $1 \leq x \leq 3$ (4)



Question 2 continued

.....

.....

.....

.....

.....


.....

.....

Turn over for a spare grid if you need to redraw your graph.



P 4 4 4 0 7 A 0 5 3 2

Question 2 continued**Only use this grid if you need to redraw your graph.**

.....

.....

.....

.....

.....

.....

(Total for Question 2 is 8 marks)

P 4 4 4 0 7 A 0 7 3 2

(Total for Question 3 is 7 marks)





- $$s = t^3 - 5t^2 + 6t \quad t \geq 0$$

(Total for Question 5 is 10 marks)



6




Diagram **NOT**
accurately drawn

Figure 1

Figure 1 shows a sector OAB of the circle with centre O and radius 10 cm.

The points C and D lie on OB and OA respectively and CD is an arc of the circle with centre O and radius 6 cm. The size of angle AOB is θ radians. The shaded region is bounded by the arcs AB and CD and the lines AD and BC .

The area of the shaded region is $S \text{ cm}^2$.

(a) Show that $S = 32\theta$.

(3)

The size of angle AOB is increasing at a constant rate of 0.2 rad/s .

(b) Find the rate of increase of S .

(2)

When the area of the shaded region is 20 cm^2

(c) calculate the perimeter of the shaded region.

(5)



Question 6 continued

[illegible]

(Total for Question 6 is 10 marks)



7


Diagram **NOT**
accurately drawn**Figure 2**

Figure 2 shows a solid $VABCDEFGH$ which is formed by joining a cuboid $ABCDEFGH$ to a right pyramid $VABCD$. The height of the cuboid and the height of the pyramid are both h cm and $FG = 8$ cm and $GH = 6$ cm. The total volume of the solid is 256 cm^3 .

(a) Show that $h = 4$

(2)

(b) Find, in cm to 3 significant figures, the length of VF .

(3)

Find, to the nearest 0.1° ,

(c) the angle between VA and the plane $ABCD$,

(3)

(d) the acute angle between the plane VAB and the plane $ABHE$.

(4)





(continued from previous page)



8


Diagram **NOT**
accurately drawn**Figure 3**

Figure 3 shows part of the curve C with equation $y = x^3 + ax^2 + bx + c$

The curve passes through the origin O and the points with coordinates $(2, 0)$ and $(4, 0)$.

(a) Show that $c = 0$ (1)

(b) Find the value of a and the value of b . (3)

The point P with x -coordinate 3 lies on C . The line l passes through O and meets C at P .

(c) Show that l is the tangent to C at P . (4)

The finite region R , shown shaded in Figure 3, is bounded by C and by l .

(d) Use algebraic integration to find the area of R . (5)

.....

.....

.....

.....

.....

.....

.....



This image shows a single sheet of white paper with horizontal ruling lines. The lines are evenly spaced and run across the width of the page. There are no margins, text, or other markings on the paper.



(Total for Question 8 is 13 marks)





[illegible]

This image shows a single sheet of white paper with horizontal ruling lines. The lines are evenly spaced and run across the width of the page. There are no margins, text, or other markings on the paper.

Question 9 continued

(Total for Question 9 is 16 marks)



(1)

(2)

(5)

(3)

$$2x \log_3 x - 3 \log_3 x - 4x \log_9 4 + 6 \log_9 4 = \log_3 \left(\frac{x}{4} \right)^{(2x-3)}$$

(d) Hence solve the equation $2x \log_3 x - 3 \log_3 x - 4x \log_9 4 + 6 \log_9 4 = 0$

Question 10 continued

This image shows a single sheet of white paper with horizontal ruling lines. The lines are evenly spaced and run across the width of the page. There are no margins, text, or other markings on the paper.

TOTAL FOR PAPER IS 100 MARKS