Please check the examination details be	ow before entering your candidate information
Candidate surname	Other names
Centre Number Candidate N Pearson Edexcel International GC	
Time 2 hours	Paper reference 4PM1/02R
Further Pure Mat PAPER 2R	hematics
Calculators may be used.	Total Marks

Instructions

- Use **black** ink or ball-point pen.
- **Fill in the boxes** at the top of this page with your name, centre number and candidate number.
- Answer all questions.
- Without sufficient working, correct answers may be awarded no marks.
- Answer the questions in the spaces provided
 - there may be more space than you need.
- You must NOT write anything on the formulae page.
 Anything you write on the formulae page will gain NO credit.

Information

- The total mark for this paper is 100.
- The marks for **each** question are shown in brackets
 - use this as a guide as to how much time to spend on each question.

Advice

- Read each question carefully before you start to answer it.
- Check your answers if you have time at the end.

Turn over ▶



P66307A
©2022 Pearson Education Ltd.
L:1/1/1/1/



International GCSE in Further Pure Mathematics Formulae sheet

Mensuration

Surface area of sphere = $4\pi r^2$

Curved surface area of cone = $\pi r \times \text{slant height}$

Volume of sphere =
$$\frac{4}{3}\pi r^3$$

Series

Arithmetic series

Sum to *n* terms,
$$S_n = \frac{n}{2} [2a + (n-1)d]$$

Geometric series

Sum to *n* terms,
$$S_n = \frac{a(1-r^n)}{(1-r)}$$

Sum to infinity,
$$S_{\infty} = \frac{a}{1-r} |r| < 1$$

Binomial series

$$(1+x)^n = 1 + nx + \frac{n(n-1)}{2!}x^2 + \dots + \frac{n(n-1)\dots(n-r+1)}{r!}x^r + \dots$$
 for $|x| < 1, n \in \mathbb{Q}$

Calculus

Quotient rule (differentiation)

$$\frac{\mathrm{d}}{\mathrm{d}x} \left(\frac{\mathrm{f}(x)}{\mathrm{g}(x)} \right) = \frac{\mathrm{f}'(x)\mathrm{g}(x) - \mathrm{f}(x)\mathrm{g}'(x)}{\left[\mathrm{g}(x)\right]^2}$$

Trigonometry

Cosine rule

In triangle ABC: $a^2 = b^2 + c^2 - 2bc \cos A$

$$\tan\theta = \frac{\sin\theta}{\cos\theta}$$

$$\sin(A+B) = \sin A \cos B + \cos A \sin B$$

$$\sin(A - B) = \sin A \cos B - \cos A \sin B$$

$$\cos(A + B) = \cos A \cos B - \sin A \sin B$$

$$\cos(A - B) = \cos A \cos B + \sin A \sin B$$

$$\tan(A+B) = \frac{\tan A + \tan B}{1 - \tan A \tan B}$$

$$\tan(A - B) = \frac{\tan A - \tan B}{1 + \tan A \tan B}$$

Logarithms

$$\log_a x = \frac{\log_b x}{\log_b a}$$



Answer all ELEVEN questions.

Write your answers in the spaces provided.

You must write down all the stages in your working.

1 Find the set of values for x for which

(a)
$$5x - 10 > 4x - 7$$

(1)

(b)
$$2x^2 - 11x + 5 < 0$$

(3)

(c) **both**
$$5x - 10 > 4x - 7$$
 and $2x^2 - 11x + 5 < 0$

(1)

(Total for Question 1 is 5 marks)



2	The point A has coordinates $(-7, -1)$ and the point B has coordinates $(3, 4)$	
	(a) Find an equation of the line that passes through A and B Give your answer in the form $ax + by + c = 0$ where a, b and c are integers.	(3)
	The point C has coordinates $(-3, 7)$	
	Given that k is a constant such that $AB = kAC$	
	(b) find the value of <i>k</i>	(2)
	The point D has coordinates $(3, p)$ where p is a constant.	
	Given that CD is perpendicular to AB	
	(c) find the value of p	(3)

	Question 2 continued
A	
S AREA	
NTH	
RITE	
NOT WRITE IN	
DOA	
AREA	
THIS	
WRITEIN	
IT WR	
OO NC	
SEA	
HIS AI	
I NI	
WRITI	
OO NOT WRITE IN THIS AREA	
DO	
	(Total for Question 2 is 8 marks)



3	Differentiate with respect to x (a) $e^{2x} \sqrt{5x-3}$	
		(3)
	(b) $\frac{x^3}{\cos 3x}$	(3)

Question 3 continue	ed			
		 (Total for Q	uestion 3 is 6 ma	rks)



4 The qu	adratic ed	quation
----------	------------	---------

$2x^2 + 4x + 3 = 0$

has roots α and β

(a) Without solving the equation, show that $\alpha^2 + \beta^2 = 1$

(4)

(b) Without solving the equation, find the value of $\alpha^4 + \beta^4$

(3)

(c) Hence form a quadratic equation with integer coefficients that has roots α^4 and β^4

(3)



DO NOT WRITE IN THIS AREA

Question 4 continued	



- A geometric series G has first term 12 and common ratio $\frac{3}{8}$
 - (a) Find the sum to infinity of G

(2)

(b) Show that the 6th term of G can be written as $\frac{3^6}{2^{13}}$

(3)

The *n*th term of G is u_n

(c) By finding an expression for u_n in terms of n, show that

$$\log_2 u_n = n \log_2 3 - 3n + 5$$

(5)

• • •	 	 	 	 	 	 	 	 	 	 	 	 	 	 	 	 	 	• •
• • • •	 	 	 	 	 	 	 	 	 	 	 	 	 	 	 	 	 	• • •
	 	 	 	 	 	 	 	 	 	 	 	 	 	 	 	 	 	••
• • •	 • • • • •	 	 	 	 	 • • • • • • •	 	 	 	 	 	 	 • • • • • • •	 	 	 	 	• •

	Question 5 continued
IS AREA	
TE IN TH	
NOT WRITE IN	
DO	
AREA	
THIS	
T WRITE IN	
DO NO	
4	
OO NOT WRITE IN THIS AREA	
RITEINT	
WIONO	
Ō	



Question 5 continued	
	•••••



6 The curve	C has	equation
--------------------	-------	----------

$$y = 4\sqrt{x}$$

The point A on C has coordinates (9, 12)

The tangent to C at the point A meets the x-axis at the point T

(a) Find the coordinates of T

(5)

The normal to C at the point A meets the x-axis at the point N

(b) Find the coordinates of N

(4)

(c) Calculate the area of triangle ATN

(2)



Given that

$$\frac{3+\sin^2\theta}{\cos\theta-2}=3\cos\theta$$

(a) show that
$$\cos \theta = -\frac{1}{2}$$

(4)

(b) Hence solve the equation

$$\frac{3 + \sin^2 3x}{\cos 3x - 2} = 3\cos 3x \quad \text{for } 0^\circ \leqslant x < 180^\circ$$

(4)





8	Liquid drips onto a large horizontal flat cloth, forming a circular stain.	
	The liquid starts to drip onto the cloth at time $t = 0$	
	The area of the stain increases at a constant rate of 1.5 cm ² /s	
	(a) Find, in terms of π , the radius of the stain at time $t = 4$ seconds.	(3)
	(b) Find, in cm/s to 3 significant figures, the rate at which the radius of the stain is	
	increasing at time $t = 4$ seconds.	(4)



- **9** Given that α is the acute angle such that $\tan \alpha = \frac{2}{3}$
 - (a) find the exact value of $\cos \alpha$

Diagram NOT accurately drawn h cm O 18 cm O 18 cm

Figure 1

Figure 1 shows a right pyramid with a rectangular base ABCD and vertex E

The rectangular base of the pyramid is horizontal with $AB = 24 \,\mathrm{cm}$ and $BC = 18 \,\mathrm{cm}$.

The diagonals of the base intersect at the point O

The vertex E of the pyramid is vertically above O such that

$$AE = BE = CE = DE = 17 \text{ cm}$$

The height of the pyramid is h cm.

(b) Find the value of h

(3)

(1)

The size of the angle between the plane *EBC* and the plane *ABCD* is θ°

(c) Show that
$$\tan \theta^{\circ} = \frac{2}{3}$$

(2)

The point P is the midpoint of EB and the point Q is the midpoint of EC

(d) Find the size, in degrees to one decimal place, of the angle between the plane OPQ and the plane BCQP

(4)



DO NOT WRITE IN THIS AREA

Question 9 continued




Diagram **NOT** accurately drawn

Figure 2

Figure 2 shows part of the curve C_1 with equation $y = \sin x + 1$ and part of the curve C_2 with equation $y = \cos x + 1$

As shown in Figure 2, C_1 and C_2 intersect at the point A and at the point B

(a) Find the exact value of the x coordinate of A and the exact value of the x coordinate of B

(3)

The shaded finite region R_1 shown in Figure 2 is bounded by C_1 and C_2

The shaded finite region R_2 shown in Figure 2 is bounded by the x-axis, C_1 and C_2

(b) Use calculus to find the ratio

area of R_1 : area of R_2

Give your answer in the form a :	$\left(\frac{\pi\sqrt{2}}{b}-c\right)$	where a , b and c are integers.
------------------------------------	--	---------------------------------------

(9)

 	 •••••	 	 •••••	 							



		S	ĸ.	2	S		S		X	
			X	2			S		×	
			Z	2	S	2	S	×	×	
	è	S	ď		5		ß	×	×	
		5	ď.	Š	ij	٣	S	Č		
			a			١		Č		
		5	4	ų	ś	e		Č	×	
	ė	S	Ö				S	Č	×	
			đ			ę	>		×	
			d	Š	þ	ė	b		×	
			4	ę			S		×	
	<			ú	à	2	5	Č	×	
			G	2	2		b		X	
			O	7	5	ą	5		×	
	1		ĸ.	2	2	ú	S	Č.	X	
	Ċ	5	d		ξ	2	S	Č	×	
			Ù	ξ	S	Z	S		×	
			á	ú	S	2	S		×	
			ä	d	ķ	d	5		X	
	Ċ	S	κű	Z	ş	ė	S	Č	X	
S		S	ä	2	2	ä		Č		
		S	ō	7	5	Į				
S		S	1	륏	ř		S		×	
	ż	S	ð	2	5	₹	S	×	×	
			ĸÑ	×	è	ú	S	Č.	X	
			Ò		ģ	Ŕ	5	Č	×	
			á		5	2	S		×	
	Ċ	5	Ō	K		į	S	Č	×	
			Κŵ	ú	è		b		×	
			Ğ	2	5	Š	5		X	
	Ċ	b	S	3	Ė	Š	>		X	
	Ċ	Š	ď	Š	9	Š	>	Ć.	×	
\rangle)	S	ď	ď	ď	>	Ć.	×	
			4	Ì	ľ		b	Č.	X	
	Ċ			₹	>	₹	>	Ç	×	
	<		ð	¥	è	6	>	Ć	X	
			ŵ	Ą	9	ď	>	8	X	
			Ó	ij	è	Ý	\rangle	Ć.	×	
>	Ċ		Ó	Į	9	ė	>	Ć.	X	
	Ċ	þ	VIII	۹	F		>	Ć.	X	
\rangle			d	S	5	ą	>	Ć.	×	
		2	₫	ĺ	9	ø	þ		×	
>	Ċ		۴	₹	2	<	>	Ç	×	
	<		Ö	K			>		X	
			C	Κ	\rangle		\rangle		×	
)	<	K	\rangle		\rangle			
)	↶		\rangle		>	C	X	
	<		0	K			\rangle			
			♦	Κ	\rangle		\rangle		×	
			<	K	>		>		×	
			♦		\rangle		>		×	
			♦	K			>		×	
				K	b				X	
			C	K	\rangle		S	Š	×	
		Ś	8	<	3	3	S	Š		
3		Š	8	2	3	3	S	Š		
3		3	8	2	3	3	5	2		
3			8		3	3	5	2	××××	
3					?	?	3			
3	<				?	3	\ \ \	2		
3	?	<<<<			?		\ \ \			
3	< < < < < <	<<<<<			?	\ \ \				
3	<<<<	<<<<<<			?				^ × × × × × × × × × ×	
\ \ \	<<<<<				?				^ × × × × × × ×	
\ \ \	><<<<<								^ × × × × × × ×	
\ \ \	<<<<<<<<<<<<<<<<<<<<<<<<<<<<<<<<<<<<<<								^ × × × × × × × × × ×	
	~ < < < < < < < < < < < < < < < < < < <	<<<<<<<<<<<<<<<<<<<<<<<<<<<<<<<<<<<<<<<							`	
		<<<<<<<<<<<<<<<<<<<<<<<<<<<<<<<<<<<<<<<							~	
		<<<<<<<<<<<<<<<<<<<<<<<<<<<<<<<<<<<<<<<							~	
		~~~~~~~~~~~~							`	
			1	3						
				2						

Question 10 continued




Diagram **NOT** accurately drawn

Figure 3

Figure 3 shows triangle OAB with  $\overrightarrow{OA} = \mathbf{a}$  and  $\overrightarrow{OB} = \mathbf{b}$ 

The point C lies on OB such that OC: CB = 2:1

The point M is the midpoint of CB and the point N is the midpoint of AC

The lines AM and NB intersect at the point P

(a) Using a vector method, find  $\overrightarrow{OP}$  as a simplified expression in terms of **a** and **b** 

**(9)** 

The point Q is the midpoint of AB

(b) Using a vector method, show that C, P and Q are collinear.

(4)

| <br> | <br> | <br>      |                                         |                                         | <br> |
|------|------|-----------|-----------------------------------------|-----------------------------------------|------|------|------|------|------|------|------|
| <br> | <br> | <br>      |                                         |                                         | <br> |
| <br> | <br> | <br>••••• | • • • • • • • • • • • • • • • • • • • • | • • • • • • • • • • • • • • • • • • • • | <br> |
| <br> | <br> | <br>••••• | • • • • • • • • • • • • • • • • • • • • | • • • • • • • • • • • • • • • • • • • • | <br> |
| <br> | <br> | <br>      | • • • • • • • • • • • • • • • • • • • • |                                         | <br> |

	Question 11 continued
A	Question 11 continued
SAREA	
ETTS.	
ARITE	
NOT WRITE IN	
DO	
A	
THIS AREA	
WRITEIN	
NOT	
DQ	
EA	
IS AR	
IN TH	
WRITE	
OO NOT WRITE IN THIS AREA	
DQ	



DO NOT WRITE IN THIS AREA

uestion 11 continued	
	(Total for Question 11 is 13 marks)
	TOTAL FOR PAPER IS 100 MARKS