Write your name here Surname	Other	names
Pearson Edexcel Certificate Pearson Edexcel International GCSE	Centre Number	Candidate Number
Physics Unit: KPH0/4PH0 Paper: 2P		
Thursday 12 June 2014 – I	Morning	Paper Reference KPH0/2P 4PH0/2P
You must have: Ruler, calculator		Total Marks

Instructions

- Use **black** ink or ball-point pen.
- **Fill in the boxes** at the top of this page with your name, centre number and candidate number.
- Answer all questions.
- Answer the questions in the spaces provided
 - there may be more space than you need.
- Show all the steps in any calculations and state the units.
- Some questions must be answered with a cross in a box \boxtimes . If you change your mind about an answer, put a line through the box \boxtimes and then mark your new answer with a cross \boxtimes .

Information

- The total mark for this paper is 60.
- The marks for **each** question are shown in brackets
 - use this as a guide as to how much time to spend on each question.

Advice

- Read each question carefully before you start to answer it.
- Keep an eye on the time.
- Write your answers neatly and in good English.
- Try to answer every question.
- Check your answers if you have time at the end.

P 4 2 8 7 5 A 0 1 2 0

Turn over ▶



EQUATIONS

You may find the following equations useful.

energy transferred = current
$$\times$$
 voltage \times time

frequency =
$$\frac{1}{\text{time period}}$$

$$power = \frac{work done}{time taken}$$

$$power = \frac{energy\ transferred}{time\ taken}$$

orbital speed =
$$\frac{2\pi \times \text{orbital radius}}{\text{time period}}$$

$$\frac{pressure}{temperature} = constant$$

$$force = \frac{change in momentum}{time taken}$$

 $E = I \times V \times t$

$$p_1 \times V_1 = p_2 \times V_2$$

$$f = \frac{1}{T}$$

$$P = \frac{W}{t}$$

$$P = \frac{W}{t}$$

$$v = \frac{2 \times \pi \times r}{T}$$

$$\frac{p_1}{T_1} = \frac{p_2}{T_2}$$

Where necessary, assume the acceleration of free fall, $g = 10 \text{ m/s}^2$.

Answer ALL questions.

1 A student investigates ice, water and steam.


She heats up a sample of ice.


When it has all melted, she carries on heating until the water has all boiled to steam.


(a) Complete the diagram to show how the particles are arranged in ice, water and steam.

One particle in each box has been drawn for you.

(4)







er


(b) Complete the table by describing how the particles move in ice, water and steam.

(3)

Substance	How the particles move
ice	
water	
steam	

(Total for Question 1 = 7 marks)

2 When a plastic rod is rubbed with a cloth, the rod gains charge.



(a)	How could y	ou show	that the	plastic ro	d gains	charge?
(a)	TIOW Could y	ou silow	triat trie	plastic ic	u gairis	charge

(1)

('n)	Explain	how the	nlastic ro	od gains	charge	when	it is	rubbed
١	U,	LAPIAIII	HOW THE	plasticit	ou gairis	Charge	WILCII	11 13	Tubbeu

(2)

(c) There are two types of charge.	
Describe how you could demonstrate this using different insulating rods and	i a cioth.
In your answer, you should name any other equipment you would use.	(3)
(Total for Question 2 =	6 marks)
<u> </u>	



3	Some of	quantities	are	vectors,	others	are	scalar	s.
---	---------	------------	-----	----------	--------	-----	--------	----

(a) Complete the table ticking the boxes to show which quantities are vectors and which are scalars.

One has been done for you.

(2)

Quantity	Vector	Scalar
distance		
force		
momentum	✓	
speed		
velocity		

(b) A car travels at 20 m/s.

The mass of the car is 1500 kg.

(i) State the equation linking momentum, mass and velocity.

(1)

(ii) Calculate the momentum of the car.

(2)

momentum =kg m/s

(c) In a crash test, a car runs into a wall and stops.



(Author: Brady Holt, 2010)

The momentum	of the car	before	the	crash	is	22500	kg	m/s.

The car stops in 0.14 s.

((i)	Calculate the average force on the car during the crash.	(2)
		average force =	N
((ii)	Use ideas about momentum to explain how seat belts can reduce injuries to passengers during a crash.	(3)

(Total for Question 3 = 10 marks)



The gold foil experiment			
Scientists used to think that electrons were spread out through a positively	charged atom.		
They called this the 'plum pudding' model.			
To test this idea, scientists aimed alpha particles at thin gold foil. They expericles to pass straight through.	ected the alpha		
The results showed that almost all the alpha particles did pass straight through, but a few did not. About 1 in every 8000 was deflected away at a very large angle.			
It was these 'anomalous' results that led to a new understanding of the atom	n.		
(a) What was the prediction in this experiment?	(1)		
(b) (i) What do scientists mean by anomalous results ?	(1)		
(ii) How should scientists deal with anomalous results?	(1)		

(c) Explain how these anomalous results led to the idea of a positive charge at the centre of an atom.	(2)
(d) Give two reasons why it is important to carry out experiments in physics.	(2)
2 (Total for Question 4 =	7 marks)



A signal generator produces sounds from a loudspeaker.						
(a) (i)			(1)			
×	A	amplitude	(-)			
\times	В	frequency				
×	C	speed				
\times	D	wavelength				
(ii) Which property of the sound wave should be increased in order to make a higher pitched sound? (1)						
×	Α	amplitude	(-)			
×						
×	C	speed				
×	D	wavelength				
			(1)			
(ii)	De	scribe how the vibrations of longitudinal waves and transverse waves differ.	(2)			
		(Total for Question 5 = 5 ma	rks)			
	(a) (i)	(a) (i) When solved and a second a second and a second and a second and a second and a second an	(a) (i) Which property of the sound wave should be increased in order to make the sound louder? A amplitude B frequency C speed D wavelength (ii) Which property of the sound wave should be increased in order to make a higher pitched sound? A amplitude B frequency C speed S peed S prequency S peed			




BLANK PAGE



6 A student investigates refraction using a glass block.

She wants to find the refractive index of the glass.

She sends rays of light into the block at different angles and measures the angle of incidence and the angle of refraction.



The table shows her results.

Angle of incidence, i	Angle of refraction, r	sin i	sin r
0°	0°	0.00	0.00
15°	10°	0.26	0.17
25°	16°	0.42	
35°	22°	0.57	
45°	28°	0.71	0.47


(a) (i) Complete the table by calculating the missing values of $\sin r$.

(1)



(ii) Draw a graph of $\sin i$ (y-axis) against $\sin r$ (x-axis).

(5)



(iii) Use your graph to find the refractive index of the glass.

(2)

refractive index =




(b) Suggest two reasons why using a graph to find the refractive index is than simply calculating it using a pair of angles from the table.	a better method (2)
1	
2	
(Total for Question	

BLANK PAGE



PMT

7 The diagram shows a transformer that is 100% efficient.



(a) (i) State the equation linking input power and output power for the transformer.

(1)

(ii) Calculate the output current of the transformer.

(2)

output current = A

(b) (i) State the equation linking input voltage, output voltage and turns ratio for the transformer.

(1)

(ii) Calculate the number of turns on the secondary coil of the transformer.

(2)

number of turns =

(c) Explain how a transformer works.	
In your answer, you should include the reasons f	or using
• two coils	
an iron core	
 an alternating supply 	
	(5)
	(Total for Question 7 = 11 marks)



8 An energy company plans to build a new power station.


The company must decide between two renewable energy projects, a geothermal power station or a solar power station.

Geothermal power station



(Author: Gretar Ívarsson, geologist at Nesjavellir, 2006)

Solar power station



(Author: Torresol Energy, 2011)

(4)

Explain how the location and the climate might affect the type of power station that the company chooses.

climate (Total for Question 8 = 4 marks)

TOTAL FOR PAPER = 60 MARKS



BLANK PAGE

