Please check the examination d	etails below before ente	ring your candidate information
Candidate surname		Other names
Pearson Edexcel International GCSE  Thursday 20	Centre Number  June 20	Candidate Number
Morning (Time: 2 hours)	Paper Re	eference 4PM1/02
Further Pure N Paper 2	/lathema	tics
Calculators may be used.		Total Marks

## Instructions

- Use **black** ink or ball-point pen.
- **Fill in the boxes** at the top of this page with your name, centre number and candidate number.
- Answer **all** questions.
- Without sufficient working, correct answers may be awarded no marks.
- Answer the questions in the spaces provided
  - there may be more space than you need.
- You must NOT write anything on the formulae page.
   Anything you write on the formulae page will gain NO credit.

# Information

- The total mark for this paper is 100.
- The marks for **each** question are shown in brackets
  - use this as a guide as to how much time to spend on each question.

## **Advice**

- Read each question carefully before you start to answer it.
- Check your answers if you have time at the end.

Turn over ▶





# **International GCSE in Further Pure Mathematics Formulae sheet**

### Mensuration

**Surface area of sphere** =  $4\pi r^2$ 

Curved surface area of cone =  $\pi r \times \text{slant height}$ 

Volume of sphere =  $\frac{4}{3}\pi r^3$ 

#### Series

## **Arithmetic series**

Sum to *n* terms,  $S_n = \frac{n}{2} [2a + (n-1)d]$ 

## **Geometric series**

Sum to *n* terms, 
$$S_n = \frac{a(1-r^n)}{(1-r)}$$

Sum to infinity, 
$$S_{\infty} = \frac{a}{1-r} |r| < 1$$

#### **Binomial series**

$$(1+x)^n = 1 + nx + \frac{n(n-1)}{2!}x^2 + \dots + \frac{n(n-1)\dots(n-r+1)}{r!}x^r + \dots$$
 for  $|x| < 1, n \in \mathbb{Q}$ 

#### **Calculus**

## **Quotient rule (differentiation)**

$$\frac{\mathrm{d}}{\mathrm{d}x} \left( \frac{\mathrm{f}(x)}{\mathrm{g}(x)} \right) = \frac{\mathrm{f}'(x)\mathrm{g}(x) - \mathrm{f}(x)\mathrm{g}'(x)}{\left[ \mathrm{g}(x) \right]^2}$$

## **Trigonometry**

### Cosine rule

In triangle ABC:  $a^2 = b^2 + c^2 - 2bc \cos A$ 

$$\tan \theta = \frac{\sin \theta}{\cos \theta}$$

$$\sin(A+B) = \sin A \cos B + \cos A \sin B$$

$$\sin(A - B) = \sin A \cos B - \cos A \sin B$$

$$\cos(A+B) = \cos A \cos B - \sin A \sin B$$

$$\cos(A - B) = \cos A \cos B + \sin A \sin B$$

$$\tan(A+B) = \frac{\tan A + \tan B}{1 - \tan A \tan B}$$

$$\tan(A - B) = \frac{\tan A - \tan B}{1 + \tan A \tan B}$$

## Logarithms

$$\log_a x = \frac{\log_b x}{\log_b a}$$



# Answer all ELEVEN questions.

	Write your answers in the spaces provided.									
	You must write down all the stages in your working.									
1	Referred to a fixed origin $O$ , the point $A$ has position vector $(4\mathbf{i} + 3\mathbf{j})$ and the point $B$ has position vector $(\mathbf{i} + 7\mathbf{j})$									
	(a) Find $\overrightarrow{AB}$ as a simplified expression in terms of <b>i</b> and <b>j</b>									
		(2)								
	(b) Find a unit vector that is parallel to $\overrightarrow{AB}$	(2)								
	(Total for Question 1 is 4 mar)	ks)								



2	Oil is leaking from a pipe and forms a circular pool on a horizontal surface. The area of the surface of the pool is increasing at a constant rate of 8 cm <sup>2</sup> /s. Find, in cm/s to 3 significant figures, the rate at which the radius of the pool is increasing when the area of the pool is 50 cm <sup>2</sup>	
		(6)

3	A particle $P$ moves in a straight line. At time $t$ seconds, the velocity, $v$ m/s, of $P$ is given	by
	$v = t^2 - 4t + 7$	
	(a) Find the acceleration of $P$ , in m/s <sup>2</sup> , when $t = 3$	
		(2)
	(b) Find the distance, in m, that P travels in the interval $0 \le t \le 6$	(4)



4 In triangle ABC, $AB = 5x$ cm, $BC = (3x - 1)$ cm, $AC = (2x + 5)$ cm and angle $ABC = 60^{\circ}$									
	Find, to 3 significant figures, the value of $x$ .								
		(5)							



5 Use algebra to solve the equations	S	
	xy = 36	
	xy + x + 2y = 53	
		(6)



- (a) Given that  $y = (4x 3)e^{2x}$ 
  - (i) find  $\frac{dy}{dx}$

(3)

(ii) show that  $(4x-3)\frac{dy}{dx} = (8x-2)y$ 

(b) Differentiate  $\frac{\sin 5x}{(x-3)^2}$  with respect to x

(3)




7 The sum of the first n terms of an arithmetic series is  $A_n$  where

$$A_n = \sum_{r=1}^n (4r + 5)$$

- (a) For this arithmetic series, find
  - (i) the first term,
  - (ii) the common difference.

(2)

The sum of the first n terms of a geometric series is  $G_n$  where

$$G_n = \sum_{r=1}^n 4(3)^{r-1}$$

- (b) For this geometric series, find
  - (i) the first term,
  - (ii) the common ratio.

**(2)** 

(c) Find the value of *n* for which  $A_{14} - 6 = G_n$ 



| <br> |
|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|
| <br> |
| <br> |
| <br> |
|      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |

	Question 7 continued
<b>\$</b>	
THIS AREA	
<u>x</u>	
DO NOT WRITE IN	
3	
ō	
Ö	
W.	
<del>2</del>	
NOT WRITE IN THIS AREA	
9	
0	
Ä	
¥ .	
Œ	
DO NOT WRITE IN THIS AREA	
0	



(XXXXXX)
- XX <del>XX</del> XX
×O×
<u> </u>
8
× 77 × ×
2
× 11
<u> </u>
2
$\times$
盆
×==×
型型
A
×30×
ARE
m
******
~~××××
*****
******
*****
******
Q
Ó
*****
×
TWR
XX 2000
<b>2</b>
2
× m
N T
IN THIS A
IN THIS A
IN THIS A
IN THIS ARE
IN THIS ARE
IN THIS ARE
IN THIS AREA

Question 7 continued	



8	The point A has coordinates $(2, 6)$ , the point B has coordinates $(6, 8)$ and the point C has coordinates $(4, 2)$ .								
	(a) Find the exact length of								
	(i) AB (ii) BC (iii) AC	(4)							
	(b) Find the size of each angle of triangle ABC in degrees.	(3)							
	The points $A$ , $B$ and $C$ lie on a circle with centre $P$ .								
	(c) Find the coordinates of P.								
		(2)							
	(d) Find the exact length of the radius of the circle in the form $\sqrt{a}$ , where a is an integer.	(2)							



ш		
		S
н		S
ø		Š
н		
н		$\geq$
н		>
н		$\geq$
н		2
н		2
н		Ċ
н		Z
н		⋖
н		
н		<
н	Ø	<
н	ר.	
н	O	S
н	S	S
н		5
н		5
н		$\rangle$
н		$\geq$
н		>
н		2
н		2
н		₹
н		
н		>
н	XX	<
н		K
н		ς
J		
п		S
п		Ś
J		S
п		5
п		>
п		>
J		>
J		>
J		₹
J	<u>~</u>	?
п		2
п		8
н		₹
н		K.
н	200	K
н	100	?
н		
н		S
н		5
н		>
н		S
н		$\geq$
н		ξ
н		2
н		
н		<
ш		
ı		>
ı		ξ
ı		}
I		٤
		٤
		٤
		{
		٤
	0	
	0	
	DO	
	DO	
	DON	
	DON	
	DONO	
	DONO	
	DO NOT	
	DONOT	
	DONOTY	
	DO NOT W	
	DO NOT W	
	DO NOT W	
	DO NOT WRI	
	DO NOT WRIT	
	DO NOT WRIT	
	DO NOT WRITE	
	DO NOT WRITE	
	DO NOT WRITE!	
	DO NOT WRITE!	
	DO NOT WRITE!	
	DO NOT WRITE IN 1	
	DO NOT WRITE IN 1	
	DO NOT WRITE IN 1	
	DO NOT WRITE IN THI	
	DO NOT WRITE IN THI	
	DO NOT WRITE IN THIS	
	DO NOT WRITE IN THIS	
	DO NOT WRITE IN THIS	
	DO NOT WRITE IN THIS A	
	DO NOT WRITE IN THIS A	
	DO NOT WRITE IN THIS ARE	
	DO NOT WRITE IN THIS ARE	
	DO NOT WRITE IN THIS AREA	
	DO NOT WRITE IN THIS AREA	
	DO NOT WRITE IN THIS AREA	
	DO NOT WRITE IN THIS AREA	
	DO NOT WRITE IN THIS AREA	

Question 8 continued

Question 8 continued
(Total for Question 8 is 11 marks)



		20)
9	The curve C, with equation $y = f(x)$ , passes through the point with coordinates $\left(-2, -2\right)$	$\left(\frac{28}{3}\right)$
	Given that $f'(x) = x^3 - x^2 - 4x + 4$	- /
	(a) show that C passes through the origin.	(1)
		(4)
	(b) (i) Show that C has a minimum point at $x = 2$ and a maximum point at $x = 1$	
	(ii) Find the exact value of the y coordinate at each of these points.	(7)
	The curve has another turning point at A.	(*)
	(c) (i) Find the coordinates of A.	
	(ii) Determine the nature of this turning point.	(3)



	Question 9 continued
4	
<b>Y</b>	
4	
DO NOT WRITE IN THIS AREA	
3	
<b>5</b>	
10	
I'HIS AREA	
200	
<b>5</b>	
<b>&gt;&gt;&gt;</b>	
2	
\$	
DO NOT WRITE IN THIS AREA	
××××	



Question 9 continued	



- 10 The roots of the equation  $x^2 + 3x 5 = 0$  are  $\alpha$  and  $\beta$ .
  - (a) Without solving the equation, find
    - (i) the value of  $\alpha^2 + \beta^2$
    - (ii) the value of  $\alpha^4 + \beta^4$ **(5)**

Given that  $\alpha > \beta$  and without solving the equation

(b) show that  $\alpha - \beta = \sqrt{29}$ 

**(2)** 

(c) Factorise  $\alpha^4 - \beta^4$  completely.

(3)

(d) Hence find the exact value of  $\alpha^4 - \beta^4$ 

**(2)** 

Given that  $\beta^4 = p + q\sqrt{29}$  where p and q are positive constants

(e) find the value of p and the value of q.

(3)





stion 10 continued			



Question 10 continued	

Question 10 continued
(Total for Question 10 is 15 marks)



11




Diagram **NOT** accurately drawn

Figure 1

Figure 1 shows a right pyramid with vertex V and square base, ABCD, of side 16 cm.

The size of angle AVC is  $90^{\circ}$ 

(a) Show that the height of the pyramid is  $8\sqrt{2}$  cm.

(4)

(b) Find, in cm, the length of VA.

(3)

(c) Find, in cm, the exact length of the perpendicular from D onto VA.

(3)

Find, in degrees to one decimal place, the size of

(d) the angle between the plane *VAB* and the base *ABCD*,

(3)

(e) the obtuse angle between the plane *VAB* and the plane *VAD*.

(3)


	Question 11 continued
A H	
A	
THIS AREA	
DO NOT WRITE IN	
2	
0	
₫	
2	
NOT WRITE IN THIS AREA	
9	
ō	
<b>4</b>	
2	
O NOT WRITE IN THIS AREA	
Ž	
ă	



Question 11 continued		
	(Total for Question 11 is 16 marks)	
	TOTAL FOR PAPER IS 100 MARKS	