Please check the examination details belo	ow before entering your candidate information
Candidate surname	Other names
Centre Number Candidate Number Pearson Edexcel Inter	
Friday 7 June 2024	
Morning (Time: 2 hours)	Paper reference 4PM1/02R
Further Pure Mat	hematics
Calculators may be used.	Total Marks

Instructions

- Use **black** ink or ball-point pen.
- **Fill in the boxes** at the top of this page with your name, centre number and candidate number.
- Answer **all** questions.
- Without sufficient working, correct answers may be awarded no marks.
- Answer the questions in the spaces provided
 - there may be more space than you need.
- You must NOT write anything on the formulae page.
 Anything you write on the formulae page will gain NO credit.

Information

- The total mark for this paper is 100.
- The marks for **each** question are shown in brackets
 - use this as a guide as to how much time to spend on each question.

Advice

- Read each question carefully before you start to answer it.
- Check your answers if you have time at the end.

Turn over ▶





International GCSE in Further Pure Mathematics Formulae sheet

Mensuration

Surface area of sphere = $4\pi r^2$

Curved surface area of cone = $\pi r \times \text{slant height}$

Volume of sphere =
$$\frac{4}{3}\pi r^3$$

Series

Arithmetic series

Sum to *n* terms,
$$S_n = \frac{n}{2} [2a + (n-1)d]$$

Geometric series

Sum to *n* terms,
$$S_n = \frac{a(1-r^n)}{(1-r)}$$

Sum to infinity,
$$S_{\infty} = \frac{a}{1-r} |r| < 1$$

Binomial series

$$(1+x)^n = 1 + nx + \frac{n(n-1)}{2!}x^2 + \dots + \frac{n(n-1)\dots(n-r+1)}{r!}x^r + \dots$$
 for $|x| < 1, n \in \mathbb{Q}$

Calculus

Quotient rule (differentiation)

$$\frac{\mathrm{d}}{\mathrm{d}x} \left(\frac{\mathrm{f}(x)}{\mathrm{g}(x)} \right) = \frac{\mathrm{f}'(x)\mathrm{g}(x) - \mathrm{f}(x)\mathrm{g}'(x)}{\left[\mathrm{g}(x)\right]^2}$$

Trigonometry

Cosine rule

In triangle ABC: $a^2 = b^2 + c^2 - 2bc \cos A$

$$\tan\theta = \frac{\sin\theta}{\cos\theta}$$

$$\sin(A+B) = \sin A \cos B + \cos A \sin B \qquad \sin(A-B) = \sin A \cos B - \cos A \sin B$$

$$\sin(A - B) = \sin A \cos B - \cos A \sin A$$

$$cos(A + B) = cos A cos B - sin A sin B$$

$$\cos(A - B) = \cos A \cos B + \sin A \sin B$$

$$\tan(A+B) = \frac{\tan A + \tan B}{1 - \tan A \tan B}$$

$$\tan(A - B) = \frac{\tan A - \tan B}{1 + \tan A \tan B}$$

Logarithms

$$\log_a x = \frac{\log_b x}{\log_b a}$$



Answer all ELEVEN questions.

Write your answers in the spaces provided.

You must write down all the stages in your working.

1 The quadratic equation

$$kx^2 - (2k + 6)x + 16 = 0$$

has equal roots.

Find the two possible values of k

(4)



(Total for Question 1 is 4 marks)

2	(a)	Expand $\frac{2}{\sqrt{1+3x}}$ in ascending powers of x up to and including the term in x^3 Express each coefficient as a fraction in its simplest terms where appropriate.	(4)
	(b)	State the range of values of <i>x</i> for which the expansion is valid.	(1)

Question 2 continued
(Total for Question 2 is 5 marks)



 $\mathbf{3}$ O, A and B are fixed points such that

$$\begin{vmatrix} \overrightarrow{OA} \end{vmatrix} = 3\sqrt{5}$$
 $\overrightarrow{AB} = \mathbf{i} + 3a\mathbf{j}$ $\overrightarrow{OB} = 7\mathbf{i} + 2a\mathbf{j}$

Given that a > 0

(a) find the value of a

(4)

(b) Hence find a unit vector parallel to \overrightarrow{OA}

1	7	1
l	4	ı)



	Question 3 continued
$\stackrel{\otimes}{\otimes}$	
$\stackrel{\otimes}{\otimes}$	
$\stackrel{\times}{\otimes}$	
\otimes	
$\stackrel{>}{\otimes}$	
$\stackrel{\circ}{\otimes}$	
$\stackrel{\times}{\otimes}$	
$\stackrel{\times}{\stackrel{\circ}{\stackrel{\circ}{\stackrel{\circ}{\stackrel{\circ}{\stackrel{\circ}{\stackrel{\circ}{\stackrel{\circ}{$	
$\stackrel{\otimes}{\otimes}$	
$\stackrel{\circ}{\otimes}$	
$\stackrel{\otimes}{\otimes}$	
$\stackrel{>}{\otimes}$	
$\overset{\times}{\otimes}$	
$\stackrel{\circ}{\otimes}$	
$\stackrel{\circ}{\otimes}$	
$\stackrel{>}{\sim}$	
$\overset{\circ}{\otimes}$	
$\overset{\times}{\otimes}$	
$\stackrel{\circ}{\otimes}$	
$\stackrel{\circ}{\otimes}$	
$\stackrel{\times}{\otimes}$	
$\stackrel{\times}{\otimes}$	
$\stackrel{\circ}{\otimes}$	
$\stackrel{>}{\sim}$	
$\stackrel{>}{\otimes}$	
\otimes	
$\stackrel{\times}{\otimes}$	
$\stackrel{\otimes}{\otimes}$	
$\stackrel{>}{\otimes}$	
$\stackrel{>}{\otimes}$	
\otimes	
$\stackrel{\times}{\otimes}$	
	(Total for Question 3 is 6 marks)
\otimes	



4	$f(x) = px^3 + qx^2 - 37x - 12q \text{ where } p \text{ and } q \text{ are constants.}$ When $f'(x)$ is divided by $(x + 2)$ the remainder is -33 Given that $(x + 5)$ is a factor of $f(x)$ (a) (i) show that $p = 2$										
	(ii) find the value of q	(6)									
	(b) Hence, use algebra to factorise $f(x)$ completely.										
	(c) Hence solve the equation $f(x) = 0$	(2)									



$\times\!\!\times\!\!\times$
⋖
111
62
ARE
LO.
INTHIS
WRITE
SE X
3
0
Ž
DONOT
$\times\!\!\times\!\!\times$
$\times\!\!\times\!\!\times$
$\times\!\!\times\!\!\times$
XXX
>>>>
$\times\!\!\times\!\!\times$
AREA
X
N EZ
<u> </u>
T
THIS
Z
XXX
Œ.
W.R.
TWR
OT WR
NOT WR
O NOT WRITE
DO NOT WR
DONOTWR
DO NOT WR
DONOTWR
DONOTWR
DONOTWR
DONOTWR
00
A DO
REA DO
AREA DO
AREA DO
AREA DO
THIS AREA DO
THIS AREA DO
IN THIS AREA DO
IN THIS AREA DO
TE IN THIS AREA DO
RITE IN THIS AREA DO
WRITE IN THIS AREA DO
WRITE IN THIS AREA DO
WRITE IN THIS AREA DO
NOT WRITE IN THIS AREA DO
NOT WRITE IN THIS AREA DO
NOT WRITE IN THIS AREA DO
WRITE IN THIS AREA DO
NOT WRITE IN THIS AREA DO
NOT WRITE IN THIS AREA DO
NOT WRITE IN THIS AREA DO
NOT WRITE IN THIS AREA DO

Question 4 continued
(Total for Question 4 is 11 marks)



(6)

5 The force F newtons between two magnetic poles is given by the formula

$$F = \frac{3}{20r^2}$$

where r is the distance, in centimetres, between the poles.

The distance between the two poles is increasing at a constant rate of 0.7 cm/s

Find the rate of change of F, in newtons/s to 3 significant figures, when the distance between the poles is 2.8 cm

 	 	 	 	 	••••	 	

|
 |
|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|
| | | | | | | | | | | | | | | | | |
|
 |
|
 |
| | | | | | | | | | | | | | | | | |
|
 |
| | | | | | | | | | | | | | | | | |

$\times\!\!\times\!\!\times\!\!\times$
>>>>
WRITE IN THIS AREA
× 14
S
\times
X >>
\propto
DO NOT
\times
\times
$\times \square \times$
$\times\!\!\times\!\!\times\!\!\times$
$\times\!\!\times\!\!\times$
$\times\!\!\times\!\!\times$
$\times\!\!\times\!\!\times$
$\times\!\!\times\!\!\times$
$\times\!\!\times\!\!\times\!\!\times$
$\times\!\!\times\!\!\times$
XXX
$\times\!\!\times\!\!\times$
>>>>
>>>>
$\times\!\!\times\!\!\times$
$\times\!\!\times\!\!\times\!\!\times$
$\times\!\!\times\!\!\times$
$\times\!\!\times\!\!\times\!\!\times$
$\times\!\!\times\!\!\times\!\!\times$
AREA
X
\times 8 \times
· CO
\times
× 1
\times
\$
M TC
IOT W
NOT W
NOTW
ONOTW
DO NOT W
DO NOT WRITE IN THIS.
DO NOT W
DO NOT W
DO NOT W
DØ NOT W
DØ NOT W
DO NOT W
DONOTW
DO NOT W
DØ NOT WI
IM TON QQ
DONOTWI
DO NOT WI
IM TON OOD
DONOTWI
70
70
(EA
(EA
(EA
AREA
SAREA
SAREA
SAREA
THIS AREA
THIS AREA
THIS AREA
THIS AREA
E IN THIS AREA
re in this area
re in this area
RITE IN THIS AREA
RITE IN THIS AREA
RITE IN THIS AREA
WRITE IN THIS AREA
WRITE IN THIS AREA
WRITE IN THIS AREA
WRITE IN THIS AREA
NOT WRITE IN THIS AREA
NOT WRITE IN THIS AREA
NOT WRITE IN THIS AREA
NOT WRITE IN THIS AREA
WRITE IN THIS AREA
NOT WRITE IN THIS AREA
NOT WRITE IN THIS AREA
NOT WRITE IN THIS AREA
NOT WRITE IN THIS AREA
NOT WRITE IN THIS AREA
NOT WRITE IN THIS AREA

Question 5 continued	
(To	otal for Question 5 is 6 marks)






Figure 1

Figure 1 shows part of the graph of the curve with equation $y = x + 2^{-(4x+1)}$

By drawing a suitable straight line on the graph, obtain an estimate, to one decimal place, of the roots of the equation $\log_2(8-3x) + 4x = 0$ in the interval $-2 \le x \le 6$

(7)

$\times\!\!\times\!\!\times$
4
ш
07
RITE IN THIS AREA
m
3
NOT
3
00

>>>>
$\times\!\!\times\!\!\times$
XXX

₫
0.2
ARE
IN THIS
Ŧ
\mathbb{R}
Z
쁘
WRI
3
NOT
Z
000
$\times\!\!\times\!\!\times$

XXX

XXX
w.
Œ
∞
$\overline{\alpha}$
至
I THIS
IN THIS
E IN THIS
THE IN THIS
RITE IN THIS
WRITE IN THIS
TWRITE IN THIS
VOT WRITE IN THIS
O NOT WRITE IN THIS AREA
OO NOT WRITE IN THIS
DO NOT WRITE IN THIS

Question 6 continued	
(Total for Quest	tion 6 is 7 marks)






Figure 2

Figure 2 shows a sketch of part of the curve C with equation

$$y = \frac{x^2 - 1}{4x + 5} \quad \text{where} \quad x \neq -\frac{5}{4}$$

(a) Write down the equation of the asymptote to C that is parallel to the y-axis.

(1)

The line *l* is the normal to *C* at the point where x = -1

(b) Find an equation of l

(7)

The line l meets C again at the point D

(c) Find the coordinates of D

(6)

continued		



\times	
$\times \otimes \times$	
\times	
Z	
-000	
$\times \odot \times$	
XXXXXX	
\times	
XXXX	
\times	
XXIIIII XX	
<u> </u>	
×××	
\times	
XVAX	
\times	
× T ×	
× 71×	

$\times\!\!\times\!\!\times\!\!\times$	
$\times \times \times \times \times \times$	
\times	
\times	
D	
D	
D	
D	
00	
DO:1	
DON	
DON	
DON	
DONO	
DONO	
DONOT	
DONOT	
DONOT	
DONOTW	
DONOTW	
DO NOT WR	
DO NOT WR	
DO NOT WRI	
DO NOT WRI	
DO NOT WRIT	
DO NOT WRITI	
DO NOT WRITE	
DO NOT WRITE	
DO NOT WRITE!	
DO NOT WRITE!	
DO NOT WRITE IN	
DO NOT WRITE IN	
DO NOT WRITE INT	
DO NOT WRITE INT	
DO NOT WRITE IN TH	
DO NOT WRITE INTH	
DO NOT WRITE INTHI	
DO NOT WRITE IN THI	
DO NOT WRITE IN THI	
DO NOT WRITE INTHIS.	
DO NOT WRITE IN THIS !	
DO NOT WRITE INTHIS A	
DO NOT WRITE INTHIS AI	
DO NOT WRITE IN THIS AR	
DO NOT WRITE IN THIS AR	
DO NOT WRITE IN THIS ARE	
DO NOT WRITE IN THIS ARE	
DO NOT WRITE IN THIS ARE	

Question 7 continued	

×	HEIS AREA	ĸ
×	7	ŭ
×	业	P
X	C	K
X	200	٤,
≫		
		×
X,	U	К
×		×
2	紻	Ŷ
X		*0
×	\sim	ĸ
×	NOTWRITEIN	X
\geq	7	Ņ
X	22	X
	88	X
×	ш	b
×		♪
×	X	X
×	200	Х
♡	14	Ň
×		ĸ
×		K
×	\sim	Š
×	X	×
×,	\sim	K
X		
シ	2	
	\times	X
X	C	K
×		ĸ.
\geq		V
2	XX	٧.
×	$\times\!\!\times$	X
×	>>>	Ŏ.
2	\approx	X.
×	$\times\!\!\times$	X
X	XX	
×	$\Rightarrow \Rightarrow$	×
X	$\times\!\!\times$	X
	XX	
Ź	$\stackrel{\wedge}{\sim}$	Ś
×	\otimes	×
×	X	
S	XX	X
Ó	$\stackrel{>}{\sim}$	Ø
×	\otimes	\otimes
X	$\times\!\!\times$	
S	XX	Ø
⋋	$\Diamond \Diamond$	⋄
2	\times	
×	$\times\!\!\times\!\!\times$	X
⋋	d	Š
×		Þ
X	ARE	ĸ
S	α	K
シ	∞	Þ
2	S	2
X	\times	X
×	v	K
Ö	₩	₿
×	XX	X
×	NO.	8
≫		ѷ
♡		
X	4	K
X	\Rightarrow	ĸ
×	ŶŶ	Ň
2	1	×
X	H	ĸ
	×	ĸΧ.
×		v
S	ш	K
	¥	
	K	
	TAW I	
	TW TC	
	AW TO	
	AM TON	
	ROTON	
	RMICING	
	RWICHO	
	DO NOT WE	
	HW TON OC	
	O NOT WRITE IN THIS	
	N TON OC	
	RW TON OC	
	RW TON OC	
	HW TON CO	
	HW TON CO	
	RW TON CO	
	RW TON CO	
	RW TON CO	
	HW LON CO	
	HW TON OC	
	HWICN OC	
	HW TON OC	
	HW TON OC	
	HW I CN CC	
	HW ICN CC	
	2FA	
	2FA	
	ARFA	
	ARFA	
	SARFA	
	SARFA	
	TIS AREA	
	TIS AREA	
	HEIS AREA	
	HEIS AREA	
	TIS AREA	
	IN TELS AREA	
	FINITIS AREA	
	PELNITIS AREA	
	PELNITIS AREA	
	WRITEIN THIS AREA	
	WRITE IN THIS AREA	
	WRITE IN THIS AREA	
	WRITE IN THIS AREA	
	WRITE IN THIS AREA	
	NOTWRITE IN THIS AREA	
	NOTWRITE IN THIS AREA	
	NOTWRITE IN THIS AREA	
	NOTWRITE IN THIS AREA	
	NOTWRITE IN THIS AREA	
	WRITE IN THIS AREA	
	NOTWRITE IN THIS AREA	
	NOTWRITE IN THIS AREA	
	NOTWRITE IN THIS AREA	
	NOTWRITE IN THIS AREA	
	NOTWRITE IN THIS AREA	
	NOTWRITE IN THIS AREA	
	NOTWRITE IN THIS AREA	

Question 7 continued	
(Total for	Question 7 is 14 marks)



8 The sum of the first 2 terms of a geometric series G is 360 The sum of the 2nd and 3rd terms of G is 288

The *n*th term of G is U_n

(a) Show that $U_n = A \left(\frac{4}{5}\right)^{n-1}$ where A is an integer to be found.

(7)

(b) Explain why G is convergent.

(1)

(c) Hence find the sum to infinity of G

(2)

(d) Find the least number of terms for which the sum is greater than 978

(4)



Question	8 continued			



X	
$-\infty$	>
	>
	>
$\times \odot \times$	þ
-XX	S
^^	Ş
$\times \otimes \times$?
$\times \otimes \times$	>
	>
-000400	
-XXXXIXX	Š
$-\times\times\times\times\times\times\times$	
	1
	\rangle
X20X	>
	5
\times	
	1
\times	?
	>
	>
	s
XX XX XX	Ş
\times	
	ć
	>
	>
-XXXXXXX	Ś
	Š
\times	
\times	1
XXXXX	>
× 20×	
X 22XX	5
70	
XXXXXX	
	ċ
A	
	>
-000000	
->>>	

XXXXX	
-XXXXX	
	>

XXXXX	Š
	1
D	
D	
D	
D	
DO	
DOA	
DOA	
DON	
DONO	
DONO	
DONOT	
DONOT	
DONOT	
DONOT	
DONOTW	
DONOTW	
DO NOT WI	
DO NOT WR	
DO NOT WRI	
DO NOT WRITE	
DO NOT WRITE!	
DO NOT WRITE!	
DO NOT WRITE IN	
DO NOT WRITE INTHI	
DO NOT WRITE IN	
DO NOT WRITE IN THIS	
DO NOT WRITE INTHIS	
DO NOT WRITE IN THIS A	
DO NOT WRITE IN THIS A	
DO NOT WRITE INTHIS AI	
DO NOT WRITE IN THIS AR	
DO NOT WRITE IN THIS AR	
DO NOT WRITE IN THIS ARE	
DO NOT WRITE IN THIS ARE	
DO NOT WRITE INTHIS ARE	

Question 8 continued

Question 8 continued	
(Total	for Question 8 is 14 marks)






Figure 3

Figure 3 shows a sketch of part of the curve S with equation $y = -2e^{3x} + 4$ and the line L

The curve S has intersections with the line L at the points A and B with x coordinates x = -1 and x = 0 respectively.

The finite region bounded by S and L is shown shaded in Figure 3

Use calculus to find the exact area of this region.

Give your answer in the form $\frac{a + be^{-c}}{c}$	where a , b and c are integers to be found.	
c		(8)

|
 |
|------|------|------|------|------|------|------|------|------|------|------|------|------|
|
 |
|
 |
|
 |
|
 |
|
 |
| | | | | | | | | | | | | |

$\times\!\!\times\!\!\times$
$\times\!\!\times\!\!\times$
$\times\!\!\times\!\!\times$
⋖
XMX
ARE
4
$\times\!\!\times\!\!\times\!\!\times$
WRITE IN THIS.
NOT
α
00
A
$\times\!\!\times\!\!\times$
\ggg
\ggg
$\Leftrightarrow \Rightarrow$
$\times\!\!\times\!\!\times$
$\times\!\!\times\!\!\times$
$\times\!\!\times\!\!\times$
AREA
02
<u> </u>
2
NR.
WRITE IN THIS
T WRIT
OTWRIT
101
101
101
101
DO NOT WRIT
101
101
101
101
101
101
101
101
101
101
TONOG
A DO NOT
A DO NOT
REA DO NOT
REA DO NOT
AREA DO NOT
S AREA DO NOT
HIS AREA DO NOT
HIS AREA DO NOT
HIS AREA DO NOT
HIS AREA DO NOT
IN THIS AREA DO NOT
FE IN THIS AREA DO NOT
FE IN THIS AREA DO NOT
FE IN THIS AREA DO NOT
FE IN THIS AREA DO NOT
WRITE IN THIS AREA DO NOT
WRITE IN THIS AREA DO NOT
WRITE IN THIS AREA DO NOT
NOT WRITE IN THIS AREA DO NOT
NOT WRITE IN THIS AREA DO NOT
NOT WRITE IN THIS AREA DO NOT
NOT WRITE IN THIS AREA DO NOT
WRITE IN THIS AREA DO NOT
NOT WRITE IN THIS AREA DO NOT
NOT WRITE IN THIS AREA DO NOT
NOT WRITE IN THIS AREA DO NOT
NOT WRITE IN THIS AREA DO NOT

Question 9 continued	
	•



Κ			>				×
.)		2	۲.		ς		\vee
	1						\triangle
			7	/			×
		Κ	>				×
	ĸ				١.		0
^			/				\wedge
4	p	ú	pi	ü			\wedge
А	ĸ		5				V
3	ş	è	d	К			\sim
K	3	ď	5				×
à	ø	ø	۹	ė			
ч	r		2				X
J	٠	ij	ы	۲			V
	2	٩	1				
	5		>				×
D	ú	۰	ė	ø			\bigcirc
K	2	ú	ø	₹	>		X
À		б	٤	٠			\bigcirc
							\wedge
K.		è		к			V
Ή	Ķ	1					
Ø	6	4	a	y			×
		7	5	2			\sim
	ì						
/			/	2			V
			Ś				
		Ē					
			ø				
٩,	è	é	è	ń	⟩	ζ	X
Ž	Š	ĺ	è	ń	3	5	Š
×,	à		į	١	8	8	8
×,	à		è	ń	3	8	Š
ş	è	2		١	>	5	8
ş	è	2		١	3	5	8
ş	è			١	3	5	8
Š		2		١	?	3	<u> </u>
Š		2		١	3	?	\ \ \ \
Š		2		١	?	3	\ \ \ \ \
Š		2		١	?	3	× × ×
					>	\ \ \	× × × × ×
					\ \ \	\ \ \	
					?	\ \ \	
					\ \ \ \		
					> > >		
					\ \ \		
					?		
					\ \ \		
					\ \ \		
					\ \ \ \		

DO NOT WRITE IN THIS AREA

Question 9 continued	

Question 9 continued
(Total for Question 9 is 8 marks)






Figure 4

Figure 4 shows a right pyramid ABCDV

The base of the pyramid is a rectangle where,

$$AB = DC = 2x$$
 cm $AD = BC = x$ cm

The edges VA, VB, VC and VD are all of equal length.

The angle between VA and ABCD is 45°

(a) Show that
$$VA = \frac{\sqrt{10}}{2} x \text{ cm}$$

(3)

(b) Find in cm, the exact height of the pyramid in terms of x

(2)

Find, in degrees to one decimal place,

(c) the size of angle VBA

(2)

(d) the size of the obtuse angle between the plane AVC and the plane BVD

(4)

Given that the volume of the pyramid is $9\sqrt{5}$ cm³

(e) find the value of x

(2)



Question	10 continued			



X	
$-\infty$	>
	>
	>
$\times \odot \times$	þ
-XX	S
^^	Ş
$\times \otimes \times$?
$\times \otimes \times$	>
	>
-000400	
-XXXXIXX	Š
$-\times\times\times\times\times\times\times$	
	1
	\rangle
X20X	>
	5
\times	
	1
\times	?
	>
	>
	s
XX XX XX	Ş
\times	
	ć
	>
	>
-XXXXXXX	Ś
	Š
\times	
\times	1
XXXXX	>
× 20×	
X 22XX	5
70	
XXXXXX	
	ċ
A	
	>
-000000	
->>>	

XXXXX	
-XXXXX	
	>

XXXXX	Š
	1
D	
D	
D	
D	
DO	
DOA	
DOA	
DON	
DONO	
DONO	
DONOT	
DONOT	
DONOT	
DONOT	
DONOTW	
DONOTW	
DO NOT WI	
DO NOT WR	
DO NOT WRI	
DO NOT WRITE	
DO NOT WRITE!	
DO NOT WRITE!	
DO NOT WRITE IN	
DO NOT WRITE INTHI	
DO NOT WRITE IN	
DO NOT WRITE IN THIS	
DO NOT WRITE INTHIS	
DO NOT WRITE IN THIS A	
DO NOT WRITE IN THIS A	
DO NOT WRITE INTHIS AI	
DO NOT WRITE IN THIS AR	
DO NOT WRITE IN THIS AR	
DO NOT WRITE IN THIS ARE	
DO NOT WRITE IN THIS ARE	
DO NOT WRITE INTHIS ARE	

Question 10 continued	

Question 10 continued	
(Tot	al for Question 10 is 13 marks)



11 (a) Using a formula on page 2 show that $\cos 2A = 2\cos^2 A - 1$



(b) Hence show that $(2\cos^2 A - 1)^2 = \frac{\cos 4A + 1}{2}$



The curve with equation $y = \frac{\sin 2x}{2} + \frac{\left(2\cos^2 x - 1\right)^2}{2} + \frac{1}{8}$ has a stationary point P in the range $0 \le x \le \frac{\pi}{6}$

(c) Find the exact coordinates of P



WRITE IN THIS AREA
A 75
A 75
SARE
SAR
SA
Ŋ
(<u>)</u>
A
$\times\!\!\times\!\!\times\!\!\times$
00
5
NOT
00
$\times\!\!\times\!\!\times$
\ggg
$\times\!\!\times\!\!\times$
$\times\!\!\times\!\!\times$
$\times\!\!\times\!\!\times$
\Longrightarrow
$\times\!\!\times\!\!\times$
800 K
000
AREA
VA.
X 7.4X
ш
Щ
RITE
VRITE
WRITE IN THIS
TWRITE
OT WRITE
101
101
101
101
DO NOT WRITE
101
101
101
101
101
101
101
101
101
101
101
TONOG
A DO NOT
A DO NOT
REA DO NOT
REA DO NOT
AREA DO NOT
S AREA DO NOT
HIS AREA DO NOT
HIS AREA DO NOT
HIS AREA DO NOT
HIS AREA DO NOT
IN THIS AREA DO NOT
IN THIS AREA DO NOT
FE IN THIS AREA DO NOT
FE IN THIS AREA DO NOT
FE IN THIS AREA DO NOT
WRITE IN THIS AREA DO NOT
WRITE IN THIS AREA DO NOT
WRITE IN THIS AREA DO NOT
NOT WRITE IN THIS AREA DO NOT
NOT WRITE IN THIS AREA DO NOT
NOT WRITE IN THIS AREA DO NOT
NOT WRITE IN THIS AREA DO NOT
NOT WRITE IN THIS AREA DO NOT
WRITE IN THIS AREA DO NOT
NOT WRITE IN THIS AREA DO NOT
NOT WRITE IN THIS AREA DO NOT
NOT WRITE IN THIS AREA DO NOT

Question 11 continued	



DO NOT WRITE IN THIS AREA

Question 11 continued	
	(Total for Question 11 is 12 marks)
	TOTAL FOR PAPER IS 100 MARKS

