PageSpeed Insights

Copy Link Docs

Report from Oct 29, 2026, 4:51:30 PM

https://minhaz.bond/ Analyze

Showing results for URL: https://www.minhaz.bond/
Run with original URL

Discover what your real users are experiencing

No Data

Diagnose performance issues

Performance	Accessibility	Best Practices	SEO	Agentic Browsing
98	88	96	92	1/2




Performance

Values are estimated and may vary. The performance score is calculated directly from these metrics. See calculator.

▲ 0–49 ■ 50–89 ● 90–100

PageSpeed Insights


Copy Link Docs



METRICS Expand view

- First Contentful Paint: 0.5 s
- Largest Contentful Paint: 0.7 s
- Total Blocking Time: 60 ms
- Cumulative Layout Shift: 0.015
- Speed Index: 1.4 s

Captured at Oct 29, 2026, 4:51 PM GMT+6
Initial page load
Emulated Desktop with Lighthouse 13.5.0
Custom throttling
Single page session
Using HeadlessChromium 153.0.8010.36 with lr



Show audits relevant to: All FCP LCP TBT CLS

INSIGHTS

▲ Render-blocking requests — Est savings of 120 ms

Requests are blocking the page's initial render, which may delay LCP. Deferring or inlining can move these network requests out of the critical path. LCP FCP Unscored

PageSpeed Insights Copy Link Docs

URL	Transfer Size	Duration

Forced reflow

A forced reflow occurs when JavaScript queries geometric properties (such as `offsetWidth`) after styles have been invalidated by a change to the DOM state. This can result in poor performance. Learn more about forced reflows and possible mitigations. Unscored

Top function call	Total reflow time
[unattributed]	110 ms
/assets/index-PdaABgk_.js:868:11100 (www.minhaz.bond)	29 ms
/assets/index-PdaABgk_.js:867:181883 (www.minhaz.bond)	5 ms
/assets/index-PdaABgk_.js:867:28897 (www.minhaz.bond)	4 ms
/assets/index-PdaABgk_.js:867:69914 (www.minhaz.bond)	2 ms
/assets/index-PdaABgk_.js:867:29714 (www.minhaz.bond)	1 ms

Source	Total reflow time

Optimize LCP by making the LCP image discoverable from the HTML immediately, and avoiding lazy-loading LCP Unscored

- LCP resources should not use loading=lazy
- fetchpriority=high should be applied
- Request is discoverable in initial document



Available for Work Sharif Md. Minhaz Quick | Based in Pirojpur, Barishal, Bangl…

```
<section id="home" class="section-part">
```

Network dependency tree

Avoid chaining critical requests by reducing the length of chains, reducing the download size of resources, or deferring the download of unnecessary resources to improve page load. LCP

PageSpeed Insights Copy Link Docs

Maximum critical path latency: **1,010 ms**

Initial Navigation

- https://www.minhaz.bond **- 382 ms,** 36.05 KiB
  - /assets/index-PdaABgk_.js (www.minhaz.bond) **- 1,010 ms,** 245.59 KiB
  - /assets/index-PCB4Anql.css (www.minhaz.bond) **- 776 ms,** 48.54 KiB

Preconnected origins

preconnect hints help the browser establish a connection earlier in the page load, saving time when the first request for that origin is made. The following are the origins that the page preconnected to.

no origins were preconnected

Preconnect candidates

Add preconnect hints to your most important origins, but try to use no more than 4.


No additional origins are good candidates for preconnecting

Improve image delivery — Est savings of 508 KiB

Reducing the download time of images can improve the perceived load time of the page and LCP.
Learn more about optimizing image size LCP FCP Unscored

minhaz.bond 1st Party		**517.5 KiB**	**507.7 KiB**
Python `<img draggable="false" class="body" src="/assets/python-hKyzPvKV.png" alt="Python">`	/assets/python-hKyzPvKV.png (www.minhaz.bond)	174.9 KiB	174.7 KiB
	This image file is larger than it needs to be (1869x2048) for its displayed dimensions (64x70). Use responsive images to reduce the image download size.		174.7 KiB
MUI `<img draggable="false" class="body"`	/assets/mui-BwvfzUYW.png (www.minhaz.bond)	80.1 KiB	80.0 KiB

`BwvfzUYW.png" alt="MUI">`	This image file is larger than it needs to be (2048x1626) for its displayed dimensions (70x56). Use responsive images to reduce the image download size.		80.0 KiB
Hono Js `<img draggable="false" class="body" src="/assets/hono-CmTsvfR9.png" alt="Hono Js">`	/assets/hono-CmTsvfR9.png (www.minhaz.bond)	67.1 KiB	66.3 KiB
	Using a modern image format (WebP, AVIF) or increasing the image compression could improve this image's download size.		41.1 KiB
	This image file is larger than it needs to be (400x400) for its displayed dimensions (70x70). Use responsive images to reduce the image download size.		65.0 KiB
Flask `<img draggable="false" class="body" src="/assets/flask-DuIySIR2.png" alt="Flask">`	/assets/flask-DuIySIR2.png (www.minhaz.bond)	43.5 KiB	42.8 KiB
	Using a modern image format (WebP, AVIF) or increasing the image compression could improve this image's download size.		29.4 KiB
	This image file is larger than it needs to be (307x283) for its displayed dimensions (70x65). Use responsive images to reduce the image download size.		41.3 KiB
Puppeteer `<img draggable="false" class="body" src="/assets/puppeteer-rBXOFhQZ.png" alt="Puppeteer">`	/assets/puppeteer-rBXOFhQZ.png (www.minhaz.bond)	35.6 KiB	34.8 KiB
	Using a modern image format (WebP, AVIF) or increasing the image compression could improve this image's download size.		22.9 KiB

		(280x280) for its displayed dimensions (70x70). Use responsive images to reduce the image download size.		33.4 KiB
Nest Js `<img draggable="false" class="body" src="/assets/nestjs-BZ9-UURH.webp" alt="Nest Js">`		/assets/nestjs-BZ9-UURH.webp (www.minhaz.bond)	30.4 KiB	30.3 KiB
		This image file is larger than it needs to be (1280x1237) for its displayed dimensions (70x68). Use responsive images to reduce the image download size.		30.3 KiB
Bun Js `<img draggable="false" class="body" src="/assets/bun-Bg59p2GC.png" alt="Bun Js">`		/assets/bun-Bg59p2GC.png (www.minhaz.bond)	19.3 KiB	18.7 KiB
		This image file is larger than it needs to be (396x347) for its displayed dimensions (70x61). Use responsive images to reduce the image download size.		18.7 KiB
Next Js `<img draggable="false" class="body" src="/assets/next-js-DRENsjJB.png" alt="Next Js">`		/assets/next-js-DRENsjJB.png (www.minhaz.bond)	12.1 KiB	11.4 KiB
		This image file is larger than it needs to be (300x300) for its displayed dimensions (70x70). Use responsive images to reduce the image download size.		11.4 KiB
 Profile-picture `<img class="rounded-circle" src="/assets/sharif-md-`		/assets/sharif-md….webp (www.minhaz.bond)	10.2 KiB	8.2 KiB

`alt="Profile-picture">`	This image file is larger than it needs to be (400x400) for its displayed dimensions (174x174). Use responsive images to reduce the image download size.		8.2 KiB
MongoDB `<img draggable="false" class="body" src="/assets/mongodb-DnU9EL9s.png" alt="MongoDB">`	/assets/mongodb-DnU9EL9s.png (www.minhaz.bond)	7.9 KiB	7.2 KiB
	This image file is larger than it needs to be (240x240) for its displayed dimensions (70x70). Use responsive images to reduce the image download size.		7.2 KiB
Redux Toolkit `<img draggable="false" class="body" src="/assets/redux-BgiCOxBH.png" alt="Redux Toolkit">`	/assets/redux-BgiCOxBH.png (www.minhaz.bond)	7.6 KiB	6.9 KiB
	This image file is larger than it needs to be (240x240) for its displayed dimensions (70x70). Use responsive images to reduce the image download size.		6.9 KiB
Electron `<img draggable="false" class="body" src="/assets/electron-iuHzpI6i.webp" alt="Electron">`	/assets/electron-iuHzpI6i.webp (www.minhaz.bond)	6.7 KiB	6.1 KiB
	This image file is larger than it needs to be (225x225) for its displayed dimensions (70x70). Use responsive images to reduce the image download size.		6.1 KiB
Node JS `<img draggable="false" class="body" src="/assets/nodejs-BctxLIqp.png" alt="Node JS">`	/assets/nodejs-BctxLIqp.png (www.minhaz.bond)	6.4 KiB	5.9 KiB

PageSpeed Insights Copy Link Docs

(240x240) for its displayed dimensions (70x70).

	URL	Resource Size	Est Savings
CSS 3 `<img draggable="false" class="body" src="/assets/css-DlZE0Yf0.png" alt="CSS 3">`	/assets/css-DlZE0Yf0.png (www.minhaz.bond)	5.3 KiB	4.9 KiB
	This image file is larger than it needs to be (240x240) for its displayed dimensions (70x70). Use responsive images to reduce the image download size.		4.9 KiB
HTML 5 `<img draggable="false" class="body" src="/assets/html-BlhLRGzY.png" alt="HTML 5">`	/assets/html-BlhLRGzY.png (www.minhaz.bond)	5.2 KiB	4.8 KiB

	URL	Resource Size	Est Savings
	Use responsive images to reduce the image download size.		4.8 KiB
Tailwind CSS `<img draggable="false" class="body" src="/assets/tailwind-CLR6e3yI.png" alt="Tailwind CSS">`	/assets/tailwind-CLR6e3yI.png (www.minhaz.bond)	5.1 KiB	4.7 KiB
	This image file is larger than it needs to be (240x240) for its displayed dimensions (70x70). Use responsive images to reduce the image download size.		4.7 KiB

- Layout shift culprits
- Optimize DOM size
- LCP breakdown

These insights are also available in the Chrome DevTools Performance Panel - record a trace to view more detailed information.

PageSpeed Insights Copy Link Docs

Reduce unused rules from stylesheets and defer CSS not used for above-the-fold content to decrease bytes consumed by network activity. Learn how to reduce unused CSS. LCP FCP Unscored

minhaz.bond 1st Party	**48.0 KiB**	**42.3 KiB**
URL	Transfer Size	Est Savings

▲ Reduce unused JavaScript — Est savings of 86 KiB

Reduce unused JavaScript and defer loading scripts until they are required to decrease bytes consumed by network activity. Learn how to reduce unused JavaScript. LCP FCP Unscored

URL	Resource Size	Est Savings
URL	Transfer Size	Est Savings

■ Image elements do not have explicit `width` and `height`

○ Avoid long main-thread tasks — 4 long tasks found

○ Avoid non-composited animations — 1 animated element found

More information about the performance of your application. These numbers don't directly affect the Performance score.

PASSED AUDITS (14) Show

PageSpeed Insights Copy Link Docs

Accessibility

These checks highlight opportunities to improve the accessibility of your web app. Automatic detection can only detect a subset of issues and does not guarantee the accessibility of your web app, so manual testing is also encouraged.

NAMES AND LABELS

▲ Buttons do not have an accessible name

When a button doesn't have an accessible name, screen readers announce it as "button", making it unusable for users who rely on screen readers. Learn how to make buttons more accessible.

URL	Resource Size	Est Savings
		

Failing Elements

These are opportunities to improve the semantics of the controls in your application. This may enhance the experience for users of assistive technology, like a screen reader.

CONTRAST

▲ Background and foreground colors do not have a sufficient contrast ratio.

Low-contrast text is difficult or impossible for many users to read. Learn how to provide sufficient color contrast.

ABOUT ME <h2>

PageSpeed Insights Copy Link Docs

<body id="mainBase" class="dark">

ME

body#mainBase

<body id="mainBase" class="dark">

SERVICES

<h2>

SERVICES WHAT I DO Web Design Get a stunning static website crafted from scr…

<section id="services" class="sectionD section-part">

body#mainBase

<body id="mainBase" class="dark">

SUMMARY

<h2>

body#mainBase

<body id="mainBase" class="dark">

SKILLS

URL	Resource Size	Est Savings

<section id="summary" class="sectionD section-part">

body#mainBase

<body id="mainBase" class="dark">

SUMMARY

<h2>

body#mainBase

<body id="mainBase" class="dark">

PROJECTS

<h2>

PROJECTS MY PROJECTS Browse all projects SalesML E-commerce revenue forecast…

<section id="portfolio" class="sectionD section-part">

body#mainBase

<body id="mainBase" class="dark">

REVIEWS

<h2>

body#mainBase

<body id="mainBase" class="dark">

PageSpeed Insights Copy Link Docs

```
<a href="https://www.linkedin.com/in/minhaz-sharif/details/recommendations/"
target="_blank" rel="noopener noreferrer">
```

Arfin Hayet Senior Software Engineer, Noor Al Minhaz is a great developer to w…

```
<div class="clients-testimonial">
```

body#mainBase

```
<body id="mainBase" class="dark">
```

BLOGS

```
<h2>
```

BLOGS MY BLOG Unleashing the Power of Progressive Web Apps: The Future of Web…

```
<section id="blog" class="sectionD section-part">
```

body#mainBase

```
<body id="mainBase" class="dark">
```

CONTACT

```
<h2>
```

body#mainBase

```
<body id="mainBase" class="dark">
```


These are opportunities to improve the legibility of your content.

BEST PRACTICES


▲ Failing Elements

Touch targets with sufficient size and spacing help users who may have difficulty targeting small controls to activate the targets. Learn more about touch targets.

Failing Elements




```
<a href= #contact >
```



Hire Me

```
<button class="btn-gradient">
```

Failing Elements

PageSpeed Insights Copy Link Docs

ADDITIONAL ITEMS TO MANUALLY CHECK (10) Show

These items address areas which an automated testing tool cannot cover. Learn more in our guide on conducting an accessibility review.

PASSED AUDITS (25) Show

NOT APPLICABLE (34) Show



Best Practices

USER EXPERIENCE

Failing Elements

Image display dimensions should match natural aspect ratio. Learn more about image aspect ratio.

minhaz.bond 1st Party			
profile	/assets/sharif-md….webp (www.minhaz.bond)	40 x 400 (0.10)	400 x 400 (1.00)

PageSpeed Insights

Copy Link Docs

```
<img src="/assets/shari-
md-minhaz-Ug6trqAd.webp"
class="rounded-circle"
width="40px"
```

URL	Aspect Ratio (Displayed)	Aspect Ratio (Actual)

TRUST AND SAFETY

- Ensure CSP is effective against XSS attacks
- Use a strong HSTS policy
- Ensure proper origin isolation with COOP
- Mitigate clickjacking with XFO or CSP
- Mitigate DOM-based XSS with Trusted Types

BROWSER COMPATIBILITY

- Baseline Features

GENERAL

- ▲ Missing source maps for large first-party JavaScript

Source maps translate minified code to the original source code. This helps developers debug in production. In addition, Lighthouse is able to provide further insights. Consider deploying source maps to take advantage of these benefits. Learn more about source maps. Unscored

minhaz.bond 1st Party
/assets/index-PdaABgk_.js (www.minhaz.bond)

URL	Map URL

PageSpeed Insights Copy Link Docs

PASSI URL Map URL ıw

NOT APPLICABLE (2) Show



SEO

These checks ensure that your page is following basic search engine optimization advice. There are many additional factors Lighthouse does not score here that may affect your search ranking, including performance on Core Web Vitals. Learn more about Google Search Essentials.

CONTENT BEST PRACTICES

▲ Links do not have descriptive text — 3 links found

Descriptive link text helps search engines understand your content. Learn how to make links more accessible.

Link destination	Link Text
…view/building-robust-rest-apis-with-python-flask-a-guide-for-d… (dev-inertia-blog.netlify.app)	Read more
/blog/1 (dev-inertia-blog.netlify.app)	Read More

PageSpeed Insights Copy Link Docs

ADDITIONAL ITEMS TO MANUALLY CHECK (1) Show

Run these additional validators on your site to check additional SEO best practices.

PASSED AUDITS (9) Show

1/2

Agentic Browsing

These checks ensure high-quality, browsable websites for AI agents and validate the correctness of WebMCP integrations. This category is still under development and subject to change


Mobile Desktop

AGENT ACCESSIBILITY

▲ Accessibility tree is not well-formed

A well-formed accessibility tree helps AI agents to navigate and interact with the page.

Failed Audits

Description	Failing Element
Buttons must have discernible text	 div#root > div#colors > div.icon > button `<button>`

PageSpeed Insights Copy Link Docs

PASSED AUDITS (1) Show

NOT APPLICABLE (5) Show

More on PageSpeed Insights

What's new

Documentation

Learn about Web Performance

Ask questions on Stack Overflow

Mailing list

Related Content

Updates

Web Fundamentals

Case Studies

Podcasts

Connect

Twitter

Youtube

Google for Developers Chrome Firebase All products

Terms and Privacy Policy

For details, see the Google Developers Site Policies.