UDP Protocol

Made by
Sahand Esmaeilzadeh

Sharif University of Technology
Dr. Amin Foshati



Table Of Contents

The Transport Layer: Purpose and Functions

Key Functions

- Segmentation and Reassembly
- End-to-End Communication
- Multiplexing and Demultiplexing
- Error Detection and Correction
- Flow Control
- Reliability and Connection Management

Role of the Transport Layer

The transport layer acts as a bridge between application-layer services and lower-layer networking functionalities. It ensures data sent from a source application reaches the intended destination application reliably and efficiently.

Connectionless Demultiplexing



Introduction to the User Datagram Protocol (UDP)

1980 by **David P. Reed.**

David P. Reed introduced UDP in 1980, focusing on simplicity and speed.

RFC 768

RFC 768 defines UDP and its details.

Simpler and Faster Alternative to TCP

UDP is faster and simpler than TCP (1974), with less overhead.





Characteristics of UDP

Connectionless Communication

UDP does not establish a formal connection before transmitting data. Each packet is sent independently.

Best-Effort Delivery

UDP operates on a best-effort basis, meaning there is no guarantee that packets will arrive in order or at all.

Checksum for Error Detection

UDP includes a simple checksum for basic error detection, but it does not offer correction mechanisms.

Supports Broadcast and Multicast

UDP allows data to be sent to multiple recipients simultaneously using broadcast and multicast communication. Usually in local networks.

Low Overhead

UDP's lack of connection management and reliability mechanisms results in minimal overhead, making it faster than TCP.

UDP Header Format

Field	Description
Source Port	Indicates the port of the sending process. (optional)
Destination Port	Indicates the port of the receiving process.
Length	The length of the UDP datagram, including header and data.
Checksum	A simple checksum for basic error detection. (optional)



User Datagram Header Format



Pseudo Header for Checksum Calculation

The UDP checksum calculation involves a pseudo header that includes the source and destination IP addresses, protocol type (UDP), and UDP length. This pseudo header is used to ensure that the checksum is calculated across the entire packet, including the IP header.

UDP Checksum Calculation

The checksum calculation involves computing the one's complement sum of all 16-bit words in the pseudo header, UDP header, and data. The one's complement of the final sum is then used as the checksum value. If the checksum is 0x0000, it is transmitted as 0xFFFF.

TCP and UDP Headers

TCP Segment Header Format

Bit #	0 – 7	8 – 15	16 – 23	24 – 31
0	Source Port		Destination Port	
32	Sequence Number			
64	Acknowledgment Number			
96	Data Offset	Res	Flags	Window Size
128	Header and Data Checksum		Urgent Pointer	
160...	Options			

UDP Datagram Header Format

Bit #	0 – 7	8 – 15	16 – 23	24 – 31
0	Source Port		Destination Port	
32	Length		Header and Data Checksum	

Why Choose UDP Over TCP?

UDP Advantages

- Low Latency
- Reduced Overhead
- Broadcast and Multicast Support
- Application-Controlled Reliability
- Stateless Communication

When to Choose UDP

UDP is preferred when speed and low overhead are more important than reliability. It is suitable for real-time applications, broadcast scenarios, and situations where application-level error handling is sufficient.

When to Choose UDP

VoIP

Real-time voice communication requires low latency.

Online Gaming

Minimizing latency is essential for responsive gameplay.

Live Streaming

Fast transmission is crucial for smooth video playback.

Network Discovery

UDP is used for broadcasting network information.

What Protocols Are based on UDP

Networking & Internet Services

DNS (53) – Domain name resolution

DHCP (67/68) – Dynamic IP allocation

SNMP (161/162) – Network management

NTP (123) – Time synchronization

Real-Time Communication

VoIP & SIP – Low-latency voice calls

WebRTC – Browser-based video & audio

Streaming & Media

RTP & RTSP (554) – Live streaming

Multicast IPTV – Efficient content delivery

Gaming & File Transfer

Game Servers – Real-time multiplayer gaming

TFTP (69) – Lightweight file transfer

VPN & Security

IKE (500/4500) – IPSec VPNs

WireGuard (51820) – Secure tunneling

QUIC (443) – Faster web transport

Conclusion

UDP is a fundamental transport layer protocol that prioritizes speed and efficiency over reliability. Understanding the strengths and limitations of UDP allows network engineers and developers to choose the appropriate protocol for their specific needs, balancing speed, reliability, and resource usage effectively.

Sources

RFC 768

Thank You For Your Attention