



**KOSTEVO**

BUILDING A BETTER WORLD  
THROUGH ENGINEERING


## STAINLESS STEEL FASTENERS



# Stainless Steel Fasteners

## Stainless Steel Wire Rods & Wires

The Kostevo fasteners division is specialized in the manufacturing of stainless steel fasteners products. Kostevo has sophisticated, state-of-the-art machines employed for production and stringent quality controls that ensure flawless quality. SPC analysis is used as a tool to supervise the ongoing processes. We have an in-house facility for inspection and testing to produce world class quality products. Multi stage inspection checks by a trained and skilled workforce ensures that defect free products are delivered to customers. Our product range consists of more than 20,000 SKUs. Our customers span six continents and include the market leaders in every geography. Since its inception in 2006, the Kostevo fastener division has become a world leader in the manufacturing of stainless steel fasteners and is a reputed brand worldwide.



**Grades :** 304, 304L, 316, 316L, 316Ti, Alloy group A2 and A4.      Monel 400, Monel 500, Inconel, Titanium

## Property Class :

**For Bolt & Screws :** A2-70, A2-80, A4-70, A4-80, F593C, F593D, F593G, F593H.

**For Nut:** A2-70, A2-80, A4-70, A4-80, F594C, F594D, F594G, F594H, A2-035, A4-040.

**For SHCS:** F837B, F837C, F837E, F837.

**For Threaded rod:** A2-70, A2-80, A4-70, A4-80, F593C, F593D, F593G, F593H, CL1- B8, B8M

## Product Range

Hexagon Head Bolt				Hexagon Head Screw			
DIN 931/ISO 4014		ANSI B 18.2.1		DIN 933/ISO 4017		ANSI B 18.2.1	
Size	Length	Size	Length	Size	Length	Size	Length
-	-	1/4"		-	-	1/4"	3/8" - 6"
-	-	5/16"		-	-	5/16"	1/2" - 7"
M5	25-100	3/8"		M5	10-70	3/8"	5/8" - 8"
M6	25-150	7/16"		M6	10-150	7/16"	3/4" - 6"
M8	30-180	1/2"		M8	10-180	1/2"	3/4" - 8"
M10	35-250	9/16"		M10	16-200	9/16"	1" - 8"
M12	40-250	5/8"		M12	20-200	5/8"	1" - 8"
M14	45-250	3/4"		M14	25-200	3/4"	1 1/2" - 8"
M16	50-250	7/8"		M16	25-200	7/8"	1 1/2" - 8"
M18	60-250	1"		M18	40-200	1"	1 3/4" - 8"
M20	60-250	1 1/8"		M20	40-200	1 1/8"	2" - 8"
M22	70-250	1 1/4"		M22	40-200	1 1/4"	2-1/2" - 8"
M24	80-250	1 3/8"		M24	40-200	1 3/8"	3" - 8"
M27	90-350	1 1/2"		M27	50-200	1 1/2"	3" - 8"
M30	90-350	-		M30	50-200	-	-
M33	110-350	-		M33	70-200	-	-
M36	110-350	-		M36	80-200	-	-

## Hexagon Socket Head Cap Screw

DIN912/ISO4762				ANSI B 18.3			
Size	Length		Size	Length		F/T	H/T
	F/T	H/T		F/T	H/T		
-	-	-	1/4"	3/8" - 4"		1 1/2" - 6"	
-	-	-	5/16"	1/2" - 6"		1 3/4" - 6"	
M5	10 - 70	30 - 70	3/8"	5/8" - 6"		1 3/4" - 6"	
M6	10 - 100	35 - 150	7/16"	3/4" - 6"		2" - 6" 2	
M8	12 - 160	40 - 160	1/2"	3/4" - 6"		1/4" - 6"	

M10	16 - 150	45 - 150	5/”	1 1/4” - 6”	2 1/2” - 6”
M12	20 - 150	55 - 150	3/”	2” - 8”	3” - 8” 3
M14	30 - 150	60 - 150	7/”	2” - 8”	1/4” - 8” 3
M16	30 - 150	65 - 150	1”	2” - 8”	1/2” - 8”
M18	50 - 200	70 - 200	-	-	-
M20	50 - 200	80 - 200	-	-	-
M22	50 - 200	80 - 200	-	-	-
M24	50 - 200	90 - 200	-	-	-

A2-80 / A4-80 - Grade up to M20

#### Round Head Square Neck Bolt or Carriage Bolt

DIN 603

ANSI B 18.5

Size	Length	Size	Length	
			F/T	H/T
M5	16 - 65	1/4”	5/8” - 3”	1-1/4” - 4”
M 6	16 - 80	5/16”	3/4” - 4”	1-1/2” - 6”
M 8	20 - 100	3/8”	3/4” - 4”	1-3/4” - 6”
M 10	20 - 100	-		

#### Hex Wood/Lag Screw

DIN 571

Size	Length
M5	25 - 70
M6	25 - 100
M8	30 - 150
M10	40 - 150
M12	45 - 150

#### Hexagon Socket Button Head Screw

ISO7380-1

ANSI B 18.3

Size	Length	Size	Length
M3	10 - 40	-	-
M4	10 - 50	-	-
M5	10 - 60	-	-
M6	10 - 100	1/4”	3/8” - 4”
M8	12 - 150	5/16”	1/2” - 6”
M10	16 - 150	3/8”	5/8” - 6”
M12	20 - 150	1/2”	3/4” - 6”

### Hexagon Socket Flange Button Head Screw

#### ISO7380-2

<b>Size</b>	<b>Length</b>	<b>Size</b>	<b>Length</b>
M3	10 - 40	M8	12 - 150
M4	10 - 50	M10	16 - 150
M5	10 - 60	M12	20 - 150
M6	10 - 100		

### Hexagon Socket Countersunk Head Cap Screw

#### DIN7991/ISO10642

#### ANSI B 18.3

#### Length

<b>Size</b>	<b>F/T</b>	<b>H/T DIN 7991</b>	<b>H/T ISO 10642</b>	<b>Size</b>	<b>Length F/T</b>	<b>H/T</b>
M3	10 - 40	25 - 40	30 - 40	-	-	-
M4	10 - 50	30 - 50	30 - 50	-	-	-
M5	10 - 75	35 - 75	35 - 75	-	-	-
M6	10 - 100	40 - 100	40 - 100	-	-	-
M8	12 - 150	50 - 150	50 - 150	1/4"	1/2" - 4"	1 3/4" - 4"
M10	16 - 200	50 - 200	55 - 200	5/16"	1/2" - 4"	2" - 6" 2
M12	20 - 200	60 - 200	65 - 200	3/8"	5/8" - 6"	1/4" - 8" 2
M14	40 - 200	60 - 200	70 - 200	1/2"	1" - 6"	1/2" - 8" 3
M16	40 - 200	70 - 200	80 - 200	5/8"	1 5/8" - 8"	1/4" - 8" 3
M18	40 - 200	70 - 200	-	3/4"	1 5/8" - 8"	1/2" - 8"
M20	40 - 200	80 - 200	100-200	-	-	-

<b>Slotted CSK Head Screw</b>		<b>Slotted Raised CSK Oval Slotted Chesse Head Head Screw</b>			<b>Slotted Pan Head Screw</b>		
<b>DIN 963</b>		<b>DIN 964</b>		<b>DIN 84</b>		<b>DIN 85</b>	
<b>Size</b>	<b>Length</b>	<b>Size</b>	<b>Length</b>	<b>Size</b>	<b>Length</b>	<b>Size</b>	<b>Length</b>
M3	10 - 40	M3	10 - 40	M3	10 - 40	M3	10 - 40
M4	10 - 50	M4	10 - 50	M4	10 - 50	M4	10 - 50
M5	10 - 60	M5	10 - 60	M5	10 - 60	M5	10 - 60
M6	10 - 80	M6	10 - 80	M6	10 - 80	M6	10 - 80

<b>Cross Recessed CSK Flat Head Screw</b>		<b>Cross Recessed Raised CSK Oval Head Screw</b>		<b>Cross Recessed Raised Cheese Head Screw</b>	
<b>DIN 965 (TYPE H &amp; Z )</b>		<b>DIN 966 (TYPE H &amp; Z)</b>		<b>DIN 7985 (TYPE H&amp;Z)</b>	
<b>Size</b>	<b>Length</b>	<b>Size</b>	<b>Length</b>	<b>Size</b>	<b>Length</b>
M3	10 - 40	M3	10 - 40	M3	10 - 40
M4	10 - 50	M4	10 - 50	M4	10 - 50
M5	10 - 75	M5	10 - 75	M5	10 - 75

M6	10 - 100	M6	10 - 100	M6	10 - 100
M8	12 - 150	M8	12 - 150	M8	12 - 150
M10	16 - 150	M10	16 - 150	M10	16 - 150

<b>Slotted Pan Head Tapping Screw DIN-7971</b>		<b>Slotted CSK Flat Head Tapping Screw DIN-7972</b>		<b>Slotted Raised CSK (Oval) Head Tapping Screw DIN-7973</b>	
<b>Size</b>	<b>Length</b>	<b>Size</b>	<b>Length</b>	<b>Size</b>	<b>Length</b>
ST 2.9	9.5 - 38	ST 2.9	9.5 - 38	ST 2.9	9.5 - 38
ST 3.5	9.5 - 38	ST 3.5	9.5 - 38	ST 3.5	9.5 - 38
ST 3.9	9.5 - 38	ST 3.9	9.5 - 38	ST 3.9	9.5 - 38
ST 4.2	9.5 - 50	ST 4.2	9.5 - 50	ST 4.2	9.5 - 50
ST 4.8	9.5 - 60	ST 4.8	9.5 - 60	ST 4.8	9.5 - 60
ST 5.5	13 - 60	ST 5.5	13 - 60	ST 5.5	13 - 60
ST 6.3	13 - 60	ST 6.3	13 - 60	ST 6.3	13 - 60

<b>Cross Recessed Pan Head Tapping Screw (TYPE H &amp; Z) DIN-7981</b>		<b>Cross Recessed CSK Flat Head Tapping Screw (TYPE H &amp; Z) DIN-7982</b>		<b>Cross Recessed Raised CSK (Oval) Head Tapping Screw (TYPE H &amp; Z) DIN-7983</b>	
<b>Size</b>	<b>Length</b>	<b>Size</b>	<b>Length</b>	<b>Size</b>	<b>Length</b>
ST 2.9	9.5 - 38	ST 2.9	9.5 - 38	ST 2.9	9.5 - 38
ST 3.5	9.5 - 45	ST 3.5	9.5 - 38	ST 3.5	9.5 - 38
ST 3.9	9.5 - 38	ST 3.9	9.5 - 38	ST 3.9	9.5 - 38
ST 4.2	9.5 - 50	ST 4.2	9.5 - 50	ST 4.2	9.5 - 50
ST 4.8	9.5 - 60	ST 4.8	9.5 - 60	ST 4.8	9.5 - 60
ST 5.5	13 - 60	ST 5.5	13 - 60	ST 5.5	13 - 60
ST 6.3	13 - 60	ST 6.3	13 - 60	ST 6.3	13 - 60

<b>ANSI B 18.6.3</b>		<b>Cross Recessed Pan Head Machine Screw</b>		<b>Cross Recessed Truss Head Machine Screw</b>		<b>Cross Recessed Flat CSK Head Machine Screw</b>		<b>Cross Recessed Raised CSK Oval Head Machine Screw</b>	
<b>Size</b>	<b>Length</b>	<b>Size</b>	<b>Length</b>	<b>Size</b>	<b>Length</b>	<b>Size</b>	<b>Length</b>	<b>Size</b>	<b>Length</b>
1/4"	3/8" - 4"	1/4"	3/8" - 4"	1/4"	3/8"- 4"	1/4"	3/8"-4"	1/4"	3/8"-4"
5/16"	1/2" - 5"			5/16"	1/2"- 5"				
3/8"	7/8" - 5"								

<b>Hexalobular raised CSK Head Screw ISO 14584</b>			<b>Hexalobular socket CSK Flat Head Screw ISO 14581</b>		
<b>Size</b>	<b>Len (Min)</b>	<b>Len (Max)</b>	<b>Size</b>	<b>Len (Min)</b>	<b>Len (Max)</b>
M3	10 10 10	40	M3	10 10 10	40
M4	12 12 16	40	M4	12 12 16	40
M5		50	M5		50
M6		100	M6		100
M8		100	M8		100
M10		100	M10		100

<b>Hexalobular Pan Hd. Tapping Sc. (Cross Recess) ISO 14585</b>			<b>Hexalobular CSK Tapping Sc. (Cross Recess) ISO 14586</b>		
<b>Size</b>	<b>Len (Min)</b>	<b>Len (Max)</b>	<b>Size</b>	<b>Len (Min)</b>	<b>Len (Max)</b>
ST 2.9	9.5	38	ST 2.9	9.5	38
ST 3.5	9.5	38	ST 3.5	9.5	38
ST 4.2	9.5	50	ST 4.2	9.5	50
ST 4.8	9.5	60	ST 4.8	9.5	60
ST 5.5	13	60	ST 5.5	13	60
ST 6.3	13	60	ST 6.3	13	60

<b>Hexalobular Raised CSK (Oval) Head Tapping Screw ISO 14587</b>			
<b>Size</b>	<b>Length</b>	<b>Size</b>	<b>Length</b>
ST 2.9	9.5 - 38	ST 4.8	9.5 - 60
ST 3.5	9.5 - 38	ST 5.5	13 - 60
ST 4.2	9.5 - 50	ST 6.3	13 - 60

<b>DIN934 / ISO4032 DIN439 / ISO4035 ANSI B 18.2.2</b>				
Hexagon Nuts	Hexagon Thin Nuts	Heavy Hexagon Nuts	Hexagon Nuts	Hexagon Jam Nuts
M5 - M27	M6 - M24	1/4" - 7/8"	1/4" - 1"	1/4" - 1"

<b>DIN557</b>	<b>DIN562</b>	<b>DIN928</b>	<b>DIN929</b>
<b>Square Nuts</b>	<b>Square Thin Nuts</b>	<b>Square Weld Nuts</b>	<b>Hexagon Weld Nuts</b>
M5 - M12	M6 - M8	M6 - M10	M5 - M12

<b>DIN982</b>	<b>DIN985</b>	<b>IFI 100 - 107</b>
<b>Thick Nyloc Nuts</b>	<b>Thin Nyloc Nuts</b>	<b>Thick Nyloc Nuts</b>
M 6 - M 12	M6 - M12	1/4" - 3/8"

<b>Nylock Nut-Thick</b>	<b>Hexagon Flange Nut</b>	<b>Hexagon Flange Nut with Serration</b>
<b>ISO7040</b>	<b>IFI-145 / 18.16.4</b>	<b>IFI-145 / 18.16.4</b>
M 6 - M12	1/4" - 1/2"	1/4" - 1/2"

<b>DIN6923</b>	<b>Hexagon Flange Nuts with Serration</b>	<b>BS 1083</b>
<b>Hexagon Flange Nuts</b>		<b>Hexagon Nuts</b>
M 6 - M 12	M 6 - M 12	1/4" - 1"

<b>JIS B1181</b>	<b>Hexagon Nut</b>	<b>JIS B1190</b>	<b>Hexagon Flange Nut</b>
<b>Size</b>	<b>M6 to M16</b>	<b>Size</b>	<b>M6 to M12</b>
(M20, M24 New Development)			

<b>ISO4033</b>	<b>ISO8675</b>	<b>DIN936</b>
<b>Hexagon Nut</b>	<b>Hexagon Thin Nut (Fine Pitch)</b>	<b>Hexagon Jam Nut</b>
M 6 - M 20	M6 to M24	M6 to M16

	<b>Threaded</b>	<b>Rod</b>	<b>ANSI B 18.31.3/IFI 136/ASTM A 193(CLASS 1) / BSW Threads</b>	
	<b>DIN 975/DIN 976</b>		<b>Size</b>	<b>Length</b>
Long Length	M5	0.50 Mtr - 1.0 Mtr	1/4"	0.5 mtr - 3 mtr
	M6-M36	0.5 mtr - 3 mtr		3' - 12'
Short Length	M6	30 - 160	5/16" - 1 1/2"	0.5 mtr - 3 mtr
	M8	30 - 160		3' - 12'
	M10	30 - 250, 300 - 490		
	M12	40 - 250, 300 - 490		
	M14	50 - 250, 300 - 490		
	M16	50 - 250, 300 - 490		
	M18	60 - 250, 300 - 490		
	M20	60 - 250, 300 - 490		

**Hexagon Socket Thin Head Cap  
Screw with Blind Hole**  
DIN6912, HT

**Hexagon Socket Thin Head  
Cap Screw**  
DIN7984, HT

<b>Size</b>	<b>Length</b>
M6	25 - 100
M8	25 - 150
M10	30 - 150
M12	45 - 150

<b>Size</b>	<b>Length</b>
M6	30 - 150
M8	35 - 150
M 10	40 - 150
M 12	50 - 150

<b>Dowel Screw Hexagon End</b>		<b>Dowel Screw Middle Hex</b>		<b>Dowel Screw Without Hex</b>	
<b>Size</b>	<b>Length</b>	<b>Size</b>	<b>Length</b>	<b>Size</b>	<b>Length</b>
M10	160 - 250	M10	80 - 200	M6	50-160
M12	200 - 300	M12	100 - 250	M8	60 - 160

<b>ISO14579-FT</b>	<b>Hexalobular Socket Head Cap Screw</b>	<b>ISO14579-HT</b>	<b>Hexalobular Socket Head Cap Screw</b>
--------------------	--	--------------------	--

<b>Size</b>	<b>Min.</b>	<b>Max.</b>	<b>Size.</b>	<b>Min.</b>	<b>Max.</b>
M6	10	100	M6	35	150
M8	12	160	M8	40	160
M10	16	150	M10	45	150
M12	20	150	M12	55	150

<b>JIS B1180-FT</b>		<b>Hexagon Head Screw</b>		<b>JIS B1180-HT</b>	
<b>Size.</b>	<b>Min.</b>	<b>Max.</b>	<b>Size.</b>	<b>Min.</b>	<b>Max.</b>
M6	10	150	M6	30	150
M8	12	150	M8	40	150
M10	16	250	M10	45	250
M12	20	200	M12	50	250
M16	25	200	M16	65	250
M18	40	200	M18	70	250
M20	40	200	M20	80	250
M24	40	200	M24	90	250

<b>Testing Facilities</b>	<b>Certifications</b>	<b>Certified from (TUV)</b>
Tensile Test	EN-ISO 10204-3.1	ISO 9001-2008
Impact Test		CE
Hardness Test	EN-ISO 10204-3.2	ADW2 / PED
IGC Test	-	PED

Following RoHS compliance



[www.kostevo.com](http://www.kostevo.com)

**For Product Related Enquiries:**

[sales@kostevo.com](mailto:sales@kostevo.com)

[info@kostevo.com](mailto:info@kostevo.com)

**CONTACT DETAILS:**

**PAP-R-259, NEAR GOLDEN GARAGE RABALE MIDC,  
NAVI MUMBAI 400701, INDIA.**

**PHONE:**

**+91 9867 21 9867**