## MINECRAFT WIKI 2.0!

ADAM AND ARJUN



## PASSIVE MOBS

## Chicken

Has 4 hp

• Height: 0.35 Blocks

Width: 0.2 Blocks

Passive

### <u>Spawn</u>

- Solid surfaced blocks with a minimum of two block spaces above them
- A ½ chance from a thrown egg
   Breeding
- Will follow if you have seeds in hand
- Can be bred with any kind of seed
- Lays eggs every 5-10 min

### **Drops**

One raw chicken and maybe a feather





## Cow

- 10 hp
- Height 1.4 blocks
- Width 0.9 blocks
- Passive

### **Spawn**

- Grass blocks with at least two blocks of space above them.
- After shearing a mooshroom

### <u>Drops</u>

- 0-2 leather, which can be used to craft leather armor
- 0-2 raw beef

### **Breeding**

- Will follow a player with wheat in hand
- Can be bred with wheat

### **Special Qualities**

- Can be milked with a bucket
- Milk removes all potion effects from the drinker







- 8 hp
- Drops wool(1) and mutton(1-3)
- Useful in beginner game survival because with three wool, a bed is craftable.
- Height: 1,25 blocks
- Width: 1,4375
- Any color, white being the most common.
- You can dye a sheep's wool into the color of the dye, then, if sheared, will drop it's respected color

- If you need a rainbow sheep, you can name tag it exactly this: jeb\_
- Follows player that holds wheat,
- If too sheep are fed bread on love mode, they will breed and make a baby sheep,





- Found in villages
- Tamable with either cod or salmon.
- 10 hp

Cats

- Black cat always found around or in a swamp hut.
- Creepers and Phantoms are scared of cat.
- When tamed, the cat sleeps with the player and drops loot. Here is a table of what loot you can get:
- There are different type of cats:



## Bats

- 6 hp
- Height: 0.9 Blocks
- Width: 0.5 Blocks

### <u>Spawn</u>

- light level of 6 or less in neighboring blocks
   <u>Drops</u>
- None

### **Special Properties**

Can hang upside down from one block spaces





## Pigs

• 10 hp

Height: 0.9 Blocks

• Width: 0.9 Blocks

### **Spawning**


Grass with at least two block space above

### **Breeding**


- Can be bred with a carrot or a golden carrot
- Will follow a player holding a carrot or golden carrot

### **Special Properties**

- Can be ridden on with a saddle and it will act like a horse if the riding player has a carrot on a stick in hand
- Once you saddle a pig, the only way to get the saddle back it by killing it







## **Parrots**

- Have 5 different designs.
- When fed seeds, parrots will tame with no collar.
- When tamed, make it stand up, and try to push it to make it go on your shoulder.
- Found in any type of jungle.
- When about to drown, can fly out of the water.
- The challenge about taming one it how to get it down, they even fly on top of mega trees!!
- Unfortunately, you can't breed parrots and also no such thing as a parrot baby or egg.
- 6hp
- And best of all, parrots dance to jukeboxes when tamed!!!



# Mules and Donkeys

- Doesn't have an exact hp value
- Can be saddled, and can have an attached chest
- Mules can't be breed while donkeys can
- Mules are spawned through the breeding of a tamed donkey and a horse



## Rabbits

3 hp

Height: 0.5 Blocks

Width: 0.4 Blocks

### **Spawning**


Grass block, snow, or sand

### **Breeding**

- Can be bred with carrot or golden carrot
- Will follow players holding a carrot, golden carrot, or a dandelion

### **Special Properties**

- Has a form called the Killer Bunny(See hostile mobs)
- If named Toast with a name tag, it will retexture into a white bunny with black spots



## Horse

- 15-30 hp
- Height 1.6 blocks
- Width 1.4 blocks

### **Spawning**

Plains, Savanna, and villages

### **Breeding**


- None White stockings and blaze white White Field whitefield White spots whitedots **Black dots** blackdots
- Can be bred with hay bale, apple, golden carrot, and wheat
- Will follow a player carrying a hay bale, apple, golden carrot, sugar, or wheat

### **Special Properties**

- Can wear horse armor
- Can be tamed by a player and ridden with a saddle

## Strider

- Striders an be saddled and ridden with Warped fungi on a stick.
- When in lava, the player nor the strider will take damage. Also, if in lava, will stop shivering and will turn red and warm
- When out of lava, turns purple and starts shaking
- There is no way to get the saddle from a strider back unless you kill it
- Sometimes, you i'll find zombified piglins of striders called strider jockey
- Also, baby striders often ride on their mom's back
- 20 hp on Java
- 15 hp on bedrock



# Squid and Glow Squid

In Bedrock Edition:


Adult:

Height: 0.95 blocks Width: 0.95 blocks

Baby:

Height: 0.475 blocks Width: 0.475 blocks

UP COMING IN 1.17
Caves and Cliffs



## Mooshroom

Adult:

Height: 1.3 Blocks Width: 0.9 Blocks

Baby:

Height: 0.65 Blocks Width: 0.45 Blocks







### Axolotl

- 14 hp
- Height: 0.6
- Width:1.3


#### **Spawning**

Spawns in underground bodies of water

#### **Special Properties**

- Can be put in a bucket or on a leash
- Attack strength 2, attacks drowned, elder guardian, and guardian when tamed
- May "play dead" when at low hp
- When swimming near a player gives speed and regen
- Dies after 5 minutes on land

UP COMING IN 1.17 Caves and Cliffs



## Fish

- 3 hp
- Height: 0.4
- Width:0.7


### **Spawning**

Spawns in underground bodies of water

### **Special Properties**

- Can be put in a bucket or on a leash
- Attack strength 2, attacks drowned, elder guardian, and guardian when tamed
- May "play dead" when at low hp
- When swimming near a player gives speed and regen
- Dies after 5 minutes on land

UP COMING IN 1.17 Caves and Cliffs



## Neutral Mobs

## Wolf

• 8 hp

• Height: 0.85 Blocks

Width: 0.6 Blocks

### **Spawning**

Spawns in forests, snowy taiga, and taiga biomes

### **Special Properties**

Can be tamed with bones to become a dog

If hit, or encounters a sheep or fox, it becomes angry and hits the thing it is angry at

Tamed wolves collar color can be changed with dye

### **Breeding**

- Tamed wolves can be bred with meat
- Untamed wolves cannot enter breed







## Llama

• 15-30 hp

Height: 1.87 Blocks

Width: 0.9 Blocks

### **Spawning**

Mountains and savanna, and leashed by the wandering Trader

### **Breeding**

- Can be bred with hay bales
- Will follow a player carrying hay bales or wheat

### **Special Properties**

- Can be ridden on with a carpet but without control
- A player can put a chest on it with or without items in it
- A llama with a chest cannot despawn





## Enderman

- 40 hp
- Normal:
- Height: 2.9 BlocksWidth: 0.6 Blocks
  - Angry:

Height: 3.25 Blocks Width: 0.6 Blocks



- Overworld: Light level of 7 or less.
- Nether:
- Nether Wastes
- Warped Forest
- Soul Sand Valley
- End: Light Level of 11 or less
   Special Properties
- Will become hostile if you look it in the eye, unless you are wearing a pumpkin head
- Can teleport
- Does 8 damage per hit





## Zombified piglin

- Look like a cross between a zombie and a piglin
- Only fights when is hit, and the whole group will attack.
- Sometimes spawn on striders with a warped fungi on a stick and a saddle.





## Spider

### **Behavior**

Neutral (light >11)

Hostile (light ≤11)

### **Attack strength**

Easy: 2

Normal: 2

Hard: 3



## Iron Golem

- 100 hp
- Hostile when hit or when you hit a villager in it's village.
- Automatically attacks zombies, skeletons, magma cubes, spiders, zombie villagers, and more!
- The more you hit an Iron
   Golem, the more cracks will
   show on it (Java only)
- Can be made by placing 4 iron blocks on a cross and a jack-o-lantern at the top
- Summoned Iron Golems will remain passive to the player





## Piglin

- 16 hp
- Neutral only to players wearing a piece of golden armor, or else, will become hostile
- Can be bartered with with gold ingots.
- When in the overworld, will start shaking and will turn into a zombified piglin.
- Any nearby storage spaces opened will tiger piglets





## Goat

Health:

10xp

• **Height:** 0.9 Blocks

• Width: 0.65

• Spawn: Mountains and

**Snowy Slopes** 

UP COMING IN 1.17
Caves and Cliffs



## Polar Bear

Health:

30xp

• **Height:** 1.4 Blocks

• Width: 1.3

• Spawn: Snowy Tundra, Ice

Spikes, Iceburg





## Hostile Mobs

# Skeleton and strays

- 20 hp
- Height: 1.99 Blocks
- Width: 0.6 Blocks

### **Spawning**

- Overworld: Light level of 7 or less.
- Nether:
- Nether Fortress
- Soul Sand Valley <u>Drops</u>
- 0-2 bones
- 0-2 arrows
- Has chance of dropping gear
   Special Properties
- Does 1-3 dmg
- Shoots with a bow
- Can spawn with gear



## Baby Zombie

- Same hp and damage as a zombie
- 2 times the speed of a zombie <u>Special Properties</u>
  - Can ride:
  - Cows
  - Ocelots and Untamed cats
  - Untamed wolves
  - Mooshrooms
  - Adult chickens
  - Adult foxes
  - Baby Boglins
  - Pigs
  - Pandas
  - Sheep
  - Horses
  - Donkeys
  - Mules
  - Zombie Horses(Unused jockey variant)
  - Skeleton Horses
  - Adult Zombies
  - Adult Zombie Villagers
  - Adult Husk
  - Adult drowned
  - Adult zombified piglins (unused)
  - Spiders
  - Cave Spiders



# Zombie and their Variants

- 40 hp
- Variants are Zombie, Husk, and Drowned
- Zombie spawns in any biome
- Husk spawn in desert.
- And Drowns spawn in water.
- If a zombie variant drowns, it becomes a drowned
- Drowned cannot drown
- Drowned can swim and spawn with tridents
- Husks do not burn in daylight



## THE ILLAGERS

illagers are what I call a nation.
 They work together with Allies such as the witch and ravagers, they have outposts and homes, they raid villages. they even have a flag! They are a strong, strong nation.

 The illagers consist of evokers, pillagers, Vindicators

Raid captains have the illager flag:



## Hoglin

- 40 hp
- JE:
- Height: 1.4 Blocks
- Width: 1.3965 Blocks
- BE:
- Adult:
- Height: 0.9 Blocks
- Width: 0.9 Blocks
- Baby:
- Height: 0.45 Blocks
- Width: 0.45 Blocks

### **Spawning**

- Crimson Forest
- Bastion

### **Breeding**

• Can be bred with crimson fungus

### **Special Properties**

- 3-8 dmg
- Hoglins become passive while near warped fungi, nether portals, and respawn anchors
- If a Hoglin goes through a Nether Portal, It becomes a Zoglin
- Are hunted by Piglins and Piglin Brutes
- Only source of food in Nether





## Zoglin

- Exactly like the hoglin
- Attacks anything
- When A hoglin goes to the overworld, they turn into a zoglin



## Creeper

- 20 hp
- Height: 1.7 blocks
- Width: 0.6 blocks

### **Spawning**

Light level of seven or less

#### **Special Properties**

- If you get too close to it, it will explode
- If struck by lightning, it becomes a charged creeper
- Explosion damage:43 hp (Max)
- Charged Creeper Explosion Damage:84 hp (Max)
  - 1 random music disc (excluding Pigstep), if killed by a skeleton or stray
  - If killed by a charged creeper, drops a creeper head





### Witch

• 26 hp

• Height: 1.9

• Width: 0.6

### **Spawning**

- As part of raids
- In witch huts
- In light level 7 or less
- When a lightning bolt strikes within 7 blocks of a villager

### **Special properties**

- They have a chance of dropping many potion related items
- If killed while drinking a potion(Healing, Fire Resistance, Swiftness, Water Breathing), has an 8.5 percent of dropping the potion
- Can throw potions of fatal poison and potions of harming and used to be able to throw potions of slowness





### Ravanger

Height: 1.9 Blocks

Width: 1.5 Blocks

Spawn: Raids Wave 3

Health Damage:

**E**: 7

**N**: 12

**H**: 18

**Speed:** 0.3



# **Boss Monsters**

### Wither

- 300 hp
- 4 armor points
- Height: 3.5 blocks
- Width: 0.9 blocks




- Wither skull: 8 dmg and wither II for 10 secs
- Dash attack: 15 dmg


### **Spawning**

Built by player 10 second spawn delay

### **Special Features**

- When it is at half health, it will become invulnerable to projectiles and change color
- If it kills a mob, the mob will drop a wither rose
- Spawned by building a T with 4 soul sand or soil and placing 3 wither skulls on the top of the formation





# **Ender Dragon**

- 200 hp
- THE ULTIMATE BOSS!
- You beat it, you beat Minecraft
- Spawns: In the end
- Don't run on its breath!




# MINECRAFT ORES

# Coal

**Use:** Smelting, Torches, Coal Blocks









Deepslate Coal Ore (1.17)

# Iron

**Use:** Hopper, Pistons, Iron Blocks, Armor, Tools, Doors, powering beacons...










# Copper

Use: Can be used to craft stairs and slabs with ingots and rusts, creating a beautiful green block









### Redstone

Use: Can be used to make and craft a variety of machines












# Lapis Lazuli

Use: Enchanting, Blocks



### Diamond

**Use:** Tools, Enchanting Table, Juke Box, Diamond Block, Tools, Armor, powering beacons









# Netherite

Use: Block, Armor, Tools, Beacon





### **Emerald**

Use: Villager trading and powers beacons









# Short Break

### **HAPPY EARTH DAY!**

It is April 22! Lets celebrate Earth Day by jumping into the different environments or biomes on Minecraft Planet!





# Land Biomes









### **Desert**

**Description:** Flat, full of sand and cacti





# Taiga

**Description:** Full of hills, wolves, dark green grass, sweet berries, ferns, villages, orange foxes

Exclusives: Spruce Wood, Sweet

Berries













# **Dark Oak Forest**


**Description:** Full of Dark Oak trees.

Very dark

Exclusives: Dark Oak Wood



# Ocean Biomes



# Warm Shallow Ocean

**Description:** Light blue, see through

Exclusives: coral reef, tropical fish,

pufferfish

# Warm Deep Ocean

**Description:** Light blue, see through

**Exclusives:** coral reef, tropical fish, pufferfish, Ocean Monuments

# Cold Shallow Ocean

**Description:** Dark blue, gravel bottom

Exclusives: Kelp

# **Cold Deep Ocean**

**Description:** Dark blue, gravel bottom

Exclusives: Kelp, ocean monuments

## Lukewarm Shallow Ocean


**Description:** Light blue, see through


Exclusives: Kelp

## Lukewarm Shallow Ocean

**Description:** Light blue, see through

Exclusives: Kelp






### Beef

From: Cows

Nourishment: Cooked: 8 points

Raw: 3 points





### Mutton

From: Sheep

Nourishment: Cooked: 6 points

Raw: 2 points






# Porkchop

From: honglins, pigs

Nourishment: Cooked: 8 points

Raw: 3 points





#### Salmon

**From**: Salmon, fishing, polar bears, guardians, Elder Guardians

Nourishment: **Cooked:** 6 points

Raw: 2 points




#### Salmon

**From**: Cod, fishing, polar bears, guardians, Elder Guardians, dolphins

Nourishment: **Cooked:** 5 points

Raw: 2 points








#### Potatoes

attracts: pigs

Nourishment: Cooked: 5

Raw: 1 points



# Carrots and Golden Carrots

attracts: pigs, rabbits

Nourishment: 2 points

Golden Carrot Nourishment: 6 points

Golden Carrot Attracts: Horse














#### **Bread**

**attracts**: Made of wheat, and wheat attracts cows and sheep. But bread doesn't.

Nourishment: 5 points





#### **Sweet Berries**

attracts: Nothing

Nourishment: 2 points









# Golden Apple

attracts: Horse, Dokey, Mule

Nourishment: 5 points

Fire resistance, Absorption, 8 extra HP



# Enchanted Apple/God Apple

attracts: Horse, Dokey, Mule

Nourishment: 5 points

Fire resistance, Absorption, 16 extra HP



# CREDITS

# ADAM KASOUIT

o o Discord: Sniper-Shark#3624





# ARJUN SARGUR



Discord: The\_Legend\_27#3901



Minecraft: ObsessedCoder13

