

Smart Glasses Technical Terminology - Chinese/English Reference

Comprehensive bilingual terminology for smart glasses development and Chinese manufacturing

AR/VR Display & Optics

English	Chinese	Pinyin	Notes
Micro-OLED display	微型有机发光二极管	wēi xíng yǒu jī fā guāng èr jí guǎn	Current state-of-the-art
Waveguide	波导	bō dǎo	Critical optical component
Diffraction waveguide	衍射波导	yǎn shè bō dǎo	Uses diffraction gratings
Holographic waveguide	全息波导	quán xī bō dǎo	Uses holographic elements
Field of view (FOV)	视野角度	shì yě jiǎo dù	Measured in degrees
Resolution	分辨率	fēn biàn lǜ	H × V pixels
Brightness	亮度	liàng dù	Measured in nits
Anti-reflection coating	防反射涂层	fáng fǎn shè tú céng	Reduces glare
Optical coating	光学镀膜	guāng xué dù mó	Surface treatment
Lens grinding	镜片研磨	jìng piàn yán mó	Precision manufacturing
Optical polishing	光学抛光	guāng xué pǎo guāng	Surface finishing
Waveguide fabrication	波导制造	bō dǎo zhì zào	AR display manufacturing
Interferometer	干涉仪	gān shè yí	Optical testing
Calibration standards	校准标准	jiào zhǔn biāo zhǔn	Quality verification

Sensors & Tracking

English	Chinese	Pinyin	Notes
Inertial measurement unit	惯性测量单元	guàn xíng cè liáng dān yuán	IMU
Accelerometer	加速度计	jiā sù dù jì	Motion sensing
Gyroscope	陀螺仪	tuó luó yí	Angular motion
Magnetometer	磁力计	cí lì jì	Magnetic field sensing
MEMS	微机电系统	wēi jī diàn xì tǒng	Micro-electromechanical
6DOF	六自由度	liù zì yóu dù	Six degrees of freedom
9DOF	九自由度	jiǔ zì yóu dù	Nine degrees of freedom
Eye tracking	眼球追踪	yǎn qiú zhuī zōng	Gaze detection
Infrared camera	红外摄像头	hóng wài shè xiàng tóu	IR imaging
Pupil detection	瞳孔检测	tóng kǒng jiǎn cè	Eye tracking method
Corneal reflection	角膜反射	jiǎo mó fǎn shè	PCCR method
Gaze tracking	凝视追踪	níng shì zhuī zōng	Eye position
Calibration	校准	xiào zhǔn	System setup
IPD (interpupillary distance)	瞳距	tóng jù	Eye spacing
Sensor fusion	传感器融合	chuán gǎn qì róng hé	Data combination
Kalman filter	卡尔曼滤波器	kǎ ěr mǎn lǜ bō qì	State estimation
Extended Kalman filter	扩展卡尔曼滤波器	kuò zhǎn kǎ ěr mǎn lǜ bō qì	Advanced filtering

Audio Systems

English	Chinese	Pinyin	Notes
Bone conduction	骨传导	gǔ chuán dǎo	Audio transmission
Bone conduction speaker	骨传导扬声器	gǔ chuán dǎo yáng shēng qì	Vibration-based audio
Directional speaker	定向扬声器	dìng xiàng yáng shēng qì	Focused sound
Acoustic beamforming	声学波束成形	shēng xué bō shù chéng xíng	Sound focusing
Audio driver	音频驱动程序	yīn pín qū dòng chéng xù	Software component
Noise cancellation	噪音消除	zào yīn xiāo chú	Audio processing
Spatial audio	空间音频	kōng jiān yīn pín	3D sound
AudioRecord	音频采集 (AudioRecord)	yīn pín cǎi jí	Low-latency recording API
AudioTrack	音频播放 (AudioTrack)	yīn pín bō fàng	Low-latency playback API
Audio Focus	音频焦点 (AudioManager)	yīn pín jiāo diǎn	Request/release audio focus; duck/pause
MediaCodec	媒体编解码 (MediaCodec)	méi tǐ biān jiě mǎ	Hardware-accelerated encoding/decoding
Camera2	相机2接口 (Camera2)	xiàng jī jī jiē kǒu	Fine-grained camera control

Connectivity & Power

English	Chinese	Pinyin	Notes
Wi-Fi 6	Wi-Fi 6	Wi-Fi 6	Latest standard
Bluetooth 5.0+	蓝牙5.0+	lán yá 5.0+	Wireless protocol
5G connectivity	5G连接	5G lián jiē	Cellular network
NFC	近场通信	jìn chǎng tōng xìn	Near field communication
Power management IC	电源管理芯片	diàn yuán guǎn lǐ xīn piàn	PMIC
Lithium polymer battery	锂聚合物电池	lǐ jù hé wù diàn chí	LiPo battery
Fast charging	快充	kuài chōng	Rapid power
Thermal management	热管理	rè guǎn lǐ	Heat control
Wireless charging	无线充电	wú xiàn chōng diàn	Inductive charging
Battery life	电池寿命	diàn chí shòu mìng	Usage duration
Power consumption	功耗	gōng hào	Energy usage
Sleep mode	睡眠模式	shuì mián mó shì	Low power state
Deep sleep	深度睡眠	shēn dù shuì mián	Minimal power
Doze	打盹模式 (Doze)	dǎ dǔn mó shì	
App Standby	应用待机	yīng yòng dài jī	
Foreground Service	前台服务	qián tái fú wù	
WakeLock	唤醒锁	huàn xǐng suǒ	
JobScheduler	任务调度器 (JobScheduler)	rèn wù tiáo dù qì	
WorkManager	工作管理器 (WorkManager)	gōng zuò guǎn lǐ qì	

Firmware Development

English	Chinese	Pinyin	Notes
Real-time operating system	实时操作系统	shí shí cāo zuò xì tǒng	RTOS
FreeRTOS	FreeRTOS实时操作系统	FreeRTOS shí shí cāo zuò xì tǒng	Popular RTOS
Embedded Linux	嵌入式Linux	qiàn rù shì Linux	Linux for embedded
Zephyr OS	Zephyr操作系统	Zephyr cāo zuò xì tǒng	IoT RTOS
Microcontroller	微控制器	wēi kòng zhì qì	MCU
ARM Cortex	ARM Cortex处理器	ARM Cortex chù lǐ qì	Processor architecture
Device driver	设备驱动程序	shè bèi qū dòng chéng xù	Hardware interface
Sensor driver	传感器驱动程序	chuán gǎn qì qū dòng chéng xù	Sensor interface
Display driver	显示驱动程序	xiǎn shì qū dòng chéng xù	Display control
GPIO	通用输入输出	tōng yòng shū rù shū chū	General purpose I/O
Hardware register	硬件寄存器	yìng jiàn jì cún qì	Register manipulation
Firmware power management	固件电源管理	gù jiàn diàn yuán guǎn lǐ	Power optimization
Dynamic voltage scaling	动态电压调节	dòng tài diàn yā tiáo jié	DVS
OTA update	空中更新	kōng zhōng gēng xīn	Over-the-air
Secure boot	安全启动	ān quán qǐ dòng	Security feature
Firmware signature	固件签名	gù jiàn qiān míng	Authentication
Bootloader	引导程序	yǐn dǎo chéng xù	Boot sequence
/v1/auth/login	认证登录	rèn zhèng dēng lù	
/v1/auth/refresh	刷新令牌	shuā xīn lìng pái	

English	Chinese	Pinyin	Notes
/v1/device/telemetry	设备遥测	shè bèi yáo cè	
/v1/device/settings	设备设置	shè bèi shè zhì	
/v1/media/upload	媒体上传	méi tǐ shàng chuán	
/v1/translate/speech	语音翻译	yǔ yīn fān yì	
/v1/translate/text	文本翻译	wén běn fān yì	
/v1/firmware/check	固件检查	gù jiàn jiǎn chá	
/v1/firmware/download	固件下载	gù jiàn xià zǎi	
/v1/firmware/report	固件报告	gù jiàn bào gào	

Communication Protocols

English	Chinese	Pinyin	Notes
I2C protocol	I2C协议	I2C xié yì	Inter-integrated circuit
SPI protocol	SPI协议	SPI xié yì	Serial peripheral interface
UART	通用异步收发器	tōng yòng yì bù shōu fā qì	Serial communication
Wireless stack	无线协议栈	wú xiàn xié yì zhàn	Communication layers
Bluetooth Low Energy	低功耗蓝牙	dī gōng hào lán yá	BLE
USB-C	USB-C接口	USB-C jiē kǒu	Universal connector
PCIe	PCIe总线	PCIe zǒng xiàn	High-speed interface

Bluetooth Connectivity — Translation Table

English	Chinese (简体)	Pinyin	Context / Notes
Pairing / Bonding	配对 / 绑定	pei duì / bǎng dìng	建立可信连接；绑定会保存密钥
GATT	通用属性协议	tōng yòng shǔ xìng xié y	BLE数据模型：服务/特征
SPP	串口协议（SPP）	chuàn kǒu xié yì	蓝牙经典串口传输
LE Audio	低功耗音频（LE Audio）	dī gōng hào yīn píng	基于LC3；支持广播音频
LC3	低复杂度通信编解码器	dī fù zá dù tōng xìn biān jiě mǎ qì	LE Audio默认编解码器
Profile: HFP	免提配置文件（HFP）	miǎn tí pèi zhì wén jiàn	语音通话
Profile: A2DP	高级音频分发配置文件（A2DP）	gāo jí yīn píng fēn fā pèi zhì wén jiàn	立体声音频播放
Profile: AVRCP	音视频远程控制配置文件（AVRCP）	yīn shì pín yuǎn chéng kòng zhì pèi zhì wén jiàn	播放控制

Software Development

English	Chinese	Pinyin	Notes
ARKit framework	ARKit框架	ARKit kuàng jià	iOS AR platform
ARCore platform	ARCore平台	ARCore píng tái	Android AR platform
World tracking	世界跟踪	shì jiè gēn zōng	Environmental tracking
Scene understanding	场景理解	chǎng jǐng lǐ jiě	Environment analysis
Environmental understanding	环境理解	huán jìng lǐ jiě	Spatial awareness
Light estimation	光照估算	guāng zhào gū suán	Lighting analysis
AR Foundation	AR基础框架	AR jī chǔ kuàng jià	Unity AR framework
WebXR standards	WebXR标准	WebXR biāo zhǔn	Web-based AR/VR
SLAM	同步定位与建图	tóng bù dìng wèi yǔ jiàn tú	Simultaneous localization
Object detection	目标检测	mù biāo jiǎn cè	Computer vision
Feature matching	特征匹配	tè zhēng pǐ pèi	Image processing
Convolutional network	卷积网络	juǎn jī wǎng luò	CNN
Edge deployment	边缘部署	biān yuán bù shǔ	Local processing
Spatial interface	空间界面	kōng jiān jiè miàn	3D UI
Gesture recognition	手势识别	shǒu shì shí bié	Hand tracking
Hand tracking	手部跟踪	shǒu bù gēn zōng	Gesture input
Air tap interaction	空中点击	kōng zhōng diǎn jī	Gesture control
Gaze-based interaction	凝视交互	níng shì jiāo hù	Eye control

Manufacturing & Assembly

English	Chinese	Pinyin	Notes
Surface Mount Technology	表面贴装技术	biǎo miàn tiē zhuāng jì shù	SMT
Pick-and-place machine	贴片机	tiē piàn jī	Component placement
Reflow soldering	回流焊	huí liú hàn	Soldering process
Automated Optical Inspection	自动光学检测	zì dòng guāng xué jiǎn cè	AOI
Statistical Process Control	统计过程控制	tǒng jì guò chéng kòng zhì	SPC
First pass yield	一次合格率	yī cì hé gé lǜ	Quality metric
Process capability	过程能力	guò chéng néng lì	Manufacturing control
Yield rate	良品率	liáng pǐn lǜ	Production quality
Cycle time	周期时间	zhōu qī shí jiān	Manufacturing speed
Throughput	产能	chǎn néng	Production capacity
Assembly line	装配线	zhuāng pèi xiàn	Production line
Quality control	质量控制	zhì liàng kòng zhì	QC
Inspection	检验	jiǎn yàn	Quality check
Test fixture	测试夹具	cè shì jiā jù	Testing equipment

Certification & Compliance

English	Chinese	Pinyin	Notes
CE marking	CE标记	CE biāo jì	European compliance
FCC certification	FCC认证	FCC rèn zhèng	US certification
RoHS compliance	RoHS合规	RoHS hé guī	Environmental safety
IP rating	IP防护等级	IP fáng hù děng jí	Ingress protection
Supplier qualification	供应商认证	gōng yīng shāng rèn zhèng	Vendor approval
Inventory management	库存管理	kù cún guǎn lǐ	Stock control
Just-in-Time	准时制	zhǔn shí zhì	JIT manufacturing
Electromagnetic compatibility	电磁兼容性	diàn cí jiān róng xìng	EMC
Regulatory approval	监管批准	jiān guǎn pī zhǔn	Legal compliance

Business & Production Terms

English	Chinese	Pinyin	Notes
OEM	原始设备制造商	yuán shǐ shè bèi zhì zào shāng	Original equipment manufacturer
ODM	原始设计制造商	yuán shǐ shè jì zhì zào shāng	Original design manufacturer
Technical specification	技术规范	jì shù guī fàn	Engineering specs
Bill of materials	物料清单	wù liào qīng dān	BOM
Minimum order quantity	最小订货量	zuì xiǎo dìng huò liàng	MOQ
Lead time	交付周期	jiāo fù zhōu qī	Production time
Unit cost	单位成本	dān wèi chéng běn	Per-piece cost
Tooling cost	模具费用	mó jù fèi yòng	Setup costs
NRE cost	非重复性工程费用	fēi chóng fù xìng gōng chéng fèi yòng	Non-recurring engineering
Prototype	原型	yuán xíng	Development sample
Mass production	量产	liàng chǎn	Volume manufacturing
Pilot run	试产	shì chǎn	Pre-production

Units & Measurements

English	Chinese	Pinyin	Notes
Millimeter	毫米	háo mǐ	mm
Gram	克	kè	g
Milliampere-hour	毫安时	háo ān shí	mAh
Degree	度	dù	Angular measurement
Nit	尼特	ní tè	Brightness unit

English	Chinese	Pinyin	Notes
Pixel	像素	xiàng sù	Display element
Hertz	赫兹	hè zī	Frequency
Watt	瓦特	wǎ tè	Power unit
Volt	伏特	fú tè	Voltage
Ampere	安培	ān péi	Current

Point and Translate

Table of E96 (1%) and E24 (5%) standard values.

This is provided for engineering reference. When specifying values, write them down. Vendors will understand the prefixes “K” and “M”. “m” is much more rare and therefore it’s recommended to write out values as e.g. “0.01” instead of 10mOhm.

Ohm
欧
ou

K
千欧
qiān ǒu

M
兆欧
zhào ǒu

m (milli)
毫欧
hǎo ǒu

1.00 (1.0)	1.47	2.15	3.16	4.64	6.81
1.02	1.50 (1.5)	2.21 (2.2)	3.24	4.75 (4.7)	6.98
1.05	1.54	2.26	3.32 (3.3)	4.87	7.15
1.07	1.58	2.32	3.40	4.99	7.32
1.10 (1.1)	1.62 (1.6)	2.37 (2.4)	3.48	5.11	7.50 (7.5)
1.13	1.65	2.43	3.57	5.23	7.68
1.15	1.69	2.49	3.65	5.36	7.87
1.18	1.74	2.55	3.74	5.49	8.06
1.21 (1.2)	1.78	2.61	3.83	5.62 (5.6)	8.25 (8.2)
1.24	1.82 (1.8)	2.67 (2.7)	3.92 (3.9)	5.76	8.45
1.27	1.87	2.74	4.02	5.90	8.66
1.30 (1.3)	1.91	2.80	4.12	6.04	8.87
1.33	1.96	2.87	4.22	6.19 (6.2)	9.09 (9.1)
1.37	2.00 (2.0)	2.94	4.32 (4.3)	6.34	9.31
1.40	2.05	3.01 (3.0)	4.42	6.49	9.53
1.43	2.10	3.09	4.53	6.65	9.76

24 The Essential Guide to Electronics in Shenzhen

Table of E12 (10%) standard values.

This is provided for engineering reference. When specifying values, write them down. Vendors will understand the prefixes “μ”, “n”, and “p”.

1.0	1.2	1.5
1.8	2.2	2.7
3.3	3.9	4.7
5.6	6.8	8.2

farad
法拉
fǎlǎ

milli
毫
hǎo

μ (micro)
微
wēi

n (nano)
纳[诺]
nà [nuò]

p (pico)
皮[可]
pí [kě]

For engineering reference, tables of common resolutions are provided below. Significantly, many panel vendors don’t know the resolution of the panels they are selling (just the make and model), so inquiries on resolution may be met with confusion or blank stares.

4:3 aspect resolutions		Wide aspect resolutions	
CGA	320x200	WVGA	800x480
QVGA	320x240	WSVGA	1024x600
VGA	640x480	HD720	1280x720
PAL	768x576	WXGA	1280x768
SVGA	800x600		1280x800
XGA	1024x768	FWXGA	1366x768
XGA+	1152x864	WXGA+	1440x900
SXGA	1280x1024	FWXGA+	1440x960
SXGA+	1400x1050	HD+	1600x900
UXGA	1600x1200	WSXGA+	1680x1050
QXGA	2048x1536	HD1080	1920x1080
WQXGA	2560x1600	WUXGA	1920x1200
QSXGA	2560x2048	UWHD	2560x1080
		QHD	2560x1440
		UWQHD	3440x1440
		UHD	3840x2160
		4K	4096x2160

SMT Case Sizes - 封装大小
fēng zhuāng dà xiǎo

Imperial 英制 yīng zhì	Metric 公制 gōng zhì	Wide Construction 倒置结构 dǎo zhì jié gòu	
		Imperial 英制 yīng zhì	Metric 公制 gōng zhì
01005	0402		
0201	0603		
0402	1005	0204	0510
0603	1608	0306	0816
0805	2012	0508	1220
1206	3216	0612	1632
1210	3225	0815	2037
1812	4532	0830	2075
2010	5025	1020	2550
2512	6332	1218	3245
C-case	6032	1225	3264
D-case	7343	2030	5176

Resistors - 电阻器

diàn zǔ qì

Note: SMT case sizes are on page 31.

SPECS 详情	tolerance 容差 rǒng chà	wattage 功率 gōng lǜ	composition 成分 chéng fèn	tempco 温度系数 wēn dù xī shù	cheapest 最便宜的 zuì pián yì de
	0.1%	0.05W	thick film 厚膜 hòu mó	1ppm	finest 最好的 zuì hǎo de
	0.5%	0.1W	carbon film 炭膜 tàn mó	5ppm	
	1%	0.16W	thin film 薄膜 bó mó	10ppm	general use 通用的 tōng yòng de
	5%	0.25W	metal film 金属箔 jīn shǔ bó	25ppm	
	10%	0.5W	wirewound 绕线 rào xiàn	50ppm	what's in stock 有现货的 yǒu xiàn huò de
	20%	1W	ceramic 陶瓷 táo cí	100ppm	
	随便 (any)	2W		500ppm	anything is OK 什么都可以 shén me dōu kě yǐ
		5W		1000ppm	
				随便 (any)	
MOUNTING 封装	through-hole 插件式 chā jiàn shì	surface mount 贴片式 tiē piàn shì			
OTHER 其他	resistor network 电阻器网络,阵列 diàn zǔ qì wǎng luò, zhèn liè	isolated 隔离 gé lí	bussed 总线式 zǒng xiàn shì	convex 凸面 tū miàn	concave 凹面 āo miàn

burnie 25

Capacitors - 电容器

diàn róng qì

Note: SMT case sizes are on page 31.

SPECS 详情	tolerance 容差 rǒng chà	voltage 电压-额定 diàn yǎ-é dìng	dielectric 介电材料 jiè diàn cái liào	tempco 温度系数 wēn dù xī shù	other terms
	0.1pF	2.5V	ceramic 陶瓷 táo cí	COG,NP0	temp range 工作温度 gōng zuò wēn dù
	0.25pF	4V	thin film 薄膜 bó mó	X5R	low ESR 低等效串联电阻 (低ESR)
	0.5pF	6.3V	tantalum 钽 tǎn	X7R	low ESL 低ESL
	1pF	10V	mica 云母 yún mǔ	X7S	注解：倒置结构
	1%	16V		Y5V	what brand? 什么品牌? shén me pǐn pái
	5%	25V	aluminum 铝 lǚ	Z5U	genuine 原装正品 yuán zhāng zhèng pǐn
	10%	50V			critical spec 关键描述 guān jiàn miáo shù
	20%	高压(HV)			
MOUNTING 封装	through-hole 插件式 chā jiàn shì	surface mount 贴片式 tiē piàn shì			
STYLE 类型	radial 径向 jīng xiàng	axial 轴向 zhóu xiàng	disc 圆盘 yuán pán	dipped 保形涂层 bǎo xíng tú céng	molded 模制 mó zhì

burnie 27

LED - 光二极管

guāng èr jī guǎn

COLOR 颜色	pink 粉红 fēn hóng	red 红 hóng	orange 橙 chéng	amber 琥珀 hǔ pò	yellow 黄 huáng	green 绿 lǜ	aqua 水蓝 shuǐ lán	blue 蓝 lán	purple 紫 zǐ
	white 白 bái	RGB 七彩 qī cǎi	two-color 双色 shuāng sè				infrared 红外 hóng wài	ultraviolet 紫外 zǐ wài	
LENS 透镜样式	clear 透明 tōu míng	misty 雾状/ 散射 wù zhuàng / sǎn shè	crystal clear 无色透明 wú sè tōu míng	flat top 平头 píng tóu	domed 带圆顶 dài yuán dǐng				
MOUNTING 封装	through-hole 插件式 chā jiàn shì	long leads 长脚 cháng jiǎo	short leads 短脚 duǎn jiǎo	surface mount 贴片式 tiē piàn shì					
OTHER 其他	super-bright 高亮 gāo liàng	self-flashing 单闪 dān shǎn	slow flash 慢闪 mǎn shǎn	fast flash 快闪 kuài shǎn	high power 大功率 dà gōng lǜ				
	common anode 共阳 gòng yáng	common cathode 共阴 gòng yīn	LED tape LED 灯带 LED dēng dài						

Inductors - 电感器

diàn gǎn qì

SPECS 参数	power inductor 功率电感器 gōng lǜ diàn gǎn qì	high current 高电流 gāo diàn liú	rated current 额定电流 é dìng diàn liú	DC-DC converter DC-DC 转换器 DC-DC zhuǎn huàn qì	tolerance 容差 rǒng chà
	impedance 阻抗 zǔ kàng	DCR DC电阻 DC diàn zǔ	amps 安培 ān bēi	shielded 屏蔽 píng bǐ	unshielded 无屏蔽 wú píng bǐ
	RF inductor 射频电感器 shē pín diàn gǎn qì	high Q 高Q gāo Q	high frequency 高频 gāo pín	SFR 自谐振频率 zì xié zhēn pín lǜ	test frequency 测试频率 cè shì pín lǜ
	filter 滤波器 lǜ bō qì				
	ferrite bead 铁氧体磁珠 tiě yǎng tǐ cí zhū	through-hole 插件式 chā jiàn shì	surface mount 贴片式 tiē piàn shì	similar is OK 相似就可以 xiāng sì jiù kě yǐ	exact match 完全相同 wán quán xiāng tóng
MATERIAL 材料	core material 磁芯材料 cí xīn cái liào	wirewound 绕线 rào xiàn	ceramic 陶瓷 táo cí	ferrite 铁氧体 tiě yǎng tǐ	iron 铁 tiě
	air 空气 kōng qì	metal composite 金属合成物 jīn shǔ hé chéng wù			
OTHER 其他	selection guide 选择指南 xuǎn zé zhǐ nán	catalog 产品目录 chǎn pǐn mù lù	datasheet 规格书 guī gé shū	online datasheet 网上规格书 wǎng shàng guī gé shū	

burnie 33

Diodes - 二极管

TYPES 类型

Schottky 肖特基二极管 xiǎo tè jī èr jī guǎn	rectifier diode 整流二极管 zhěng liú èr jī guǎn	bridge rectifier 桥式整流器 qiáo shì zhěng liú qì		
Zener diode 稳压二极管 wēn yǎ èr jī guǎn	ESD diode TVS二极管 瞬态抑制二极管	switching diode 开关二极管 kāi guān èr jī guǎn	general purpose diode 标准二极管 biāo zhǔn èr jī guǎn	LED 发光二极管 fā guāng èr jī guǎn

SPECS 参数

V_f 正向电压 zhèng xiàng diàn yǎ	V_r 最大反向电压 zuì dà fǎn xiàng diàn yǎ	high voltage 高电压 gāo diàn yǎ	high current 高电流 gāo diàn liú	average current 平均整流电流 píng jūn zhěng liú diàn liú
reverse leakage 反向漏电流 fǎn xiàng lòu diàn liú	current 电流 diàn liú	package 封装 fēng zhuāng		

MATERIAL 材料

germanium 锗 zhě	silicon 硅 guī
------------------------------	----------------------------

OTHER 其他

catalog 商品目录 shāng pǐn mù lù	datasheet 规格书 guī gé shū	online datasheet 下载规格书的网站 xià zài guī gé shū de wǎng zhàn	similar is OK 相似就可以 xiāng sì jiù kě yǐ	exact match 完全相同 wán quán xiāng tóng
---	---------------------------------------	--	---	---

Market traders are not engineers. Don't expect them to know much about the technical details of a product. Best to come with a part number in hand, rather than a description.

bunnie 35

Transistors - 晶体管

TYPES 类型

BJT 双极性晶体管 shuāng jí xìng jīng tǐ guǎn	NPN NPN	PNP PNP	Darlington 达林顿 dá lín dùn
FET 场效应晶体管 chǎng xiào yīng jīng tǐ guǎn	JFET 结型场效应管 jié xíng chǎng xiào yīng guǎn		
MOSFET 金属-氧化物-半导体型场效应管 jīn shǔ - yǎng huà wù - bǎn dǎo tí xíng chǎng xiào yīng guǎn			
Single 单 dān	Dual 双 shuāng	Array 阵列 zhèn liè	N-channel N-沟道 N-gōu dào
			P-channel P-沟道 P-gōu dào

OTHER 其他

catalog 产品目录 chǎn pǐn mù lù	datasheet 规格书 guī gé shū	online datasheet 网上规格书 wǎng shàng guī gé shū
similar is OK 相似就可以 xiāng sì jiù kě yǐ	exact match 完全相同 wán quán xiāng tóng	

Market traders are not engineers. Don't expect them to know much about the technical details of a product. Best to come with a part number in hand, rather than a description.

Some of the terms are "translated" as English acronyms. In many cases transistors are basically classified by their English acronyms.

However, it's still helpful to show the letters because Mandarin speakers pronounce the English alphabet differently from native English speakers.

bunnie 37

Connectors - 连接器

Connectors are a challenge to describe in any language. Thus, it is recommended to bring technical drawings or preferably samples of the connector to the market.

TYPE 类型

pin header 排针 pái zhēn	rectangular 矩形 jǔ xíng	circular 圆形 yuán xíng	card edge 卡边缘 kǎ biān yuán	FPC 柔性电路板 róu xìng diàn lù bǎn	IC socket 芯片插座 xīn piàn chā zuò
barrel (power) 套管-电源用 tǎo guǎn-diàn yuán yòng	DIMM 存储模块插座 cún chū mó kuài chā zuò	memory card 内存卡 nèi cún kǎ	coaxial 同轴 tóng zhóu	female pin header 排针母插口 pái zhēn mǔ chā kǒu	

SPECS 参数

pitch 间距 jiān jù	pin count 脚数 jiǎo shù	# rows 排数 pái shù	single row 单排 pán pái	dual row 双排 shuāng pái
innerdiameter 内径 nèi jīng	outer diameter 外径 wài jīng	orientation 方向 fāng xiàng	side entry 侧插 cè chā	right angle 直角 zhí jiǎo
through hole 通孔 tōng kǒng	surface mount 表面贴装 biǎo miàn tiē zhuāng	mated height 组合高度 zǔ hé gāo dù	height 高度 gāo dù	microUSB 微型USB wēi xíng USB
plug 插头 chā tóu	jack 插孔 chā kǒng	socket 插座 chā zuò	male 公插/公头 gōng chā/gōng tóu	female 母插/母头 mǔ chā/mǔ tóu
side with pins		side with holes		
		mating connector 配套连接器 pèi tào lián jiē qì		

bunnie 39

Displays - 显示器

synonyms:
也稱:

panels 面板 miàn bǎn	screens 显示屏 xiǎn shì píng
---------------------------------	--

please help test
请帮忙测试一下
qǐng bāng máng cè shì yí xià

grade
等级
děng jí

Most vendors will have a pattern generator available for testing.

A+级

A级

A-级

B级

次品
(rejects)

brand new
新屏
xīn píng

recycled
旧屏
jiù píng

TYPE 类型

LCD 液晶屏 yè jīng píng	OLED OLED屏 OLED píng	EPD 电子纸 diàn zǐ zhǐ	LC cell 液晶玻璃 yè jīng bō lí
-----------------------------------	-----------------------------------	----------------------------------	---

SPECS 参数

diagonal 尺寸 chǐ cùn	resolution 分辨率 fēn biān lǜ	ppi 点距 diǎn jù	contrast ratio 对比度 duì bǐ dù	IPS IPS píng miàn
backlight 背光 bèi guāng	brightness 亮度 liàng dù	backlightdriver 背光电路 bèi guāng diàn lù	anti-glare 雾面 wú miàn	shiny 镜面 jìng miàn
interface 信号接口 xìn hào jiē kǒu	connector 端子/连接器 duǎn zǐ / lián jiē qì	bias IC 驱动芯片 qū dòng xīn piàn	controller IC 控制芯片 kòng zhì xīn piàn	
touchpanel 触摸屏 chù mó píng	captouch 电容触摸屏 diàn róng chù mó píng	resistive 电阻式触摸屏 diàn zǔ shì chù mó píng	optical/IR 红外线性触摸屏 hóng wài xiàn shì chù mó píng	
landscape 横屏 héng píng	portrait 竖屏 shù píng	monochrome 单色 dān sè	full color 彩色 cǎi sè	make 品牌 pín pái
				model 型号 xíng hào

bunnie 41

Computer Parts - 电脑零件

diàn nǎo líng jiàn

CPU 中央处理器 zhōng yāng chǔ lǐ qì	dual-core 双核 shuāng hé	single-core 单核 dān hé	quad-core 四核 sì hé	heat sink 散热器 sǎn rè qì	heat sink paste 散热膏 sǎn rè gāo		
keyboard 键盘 jiàn pán	mouse 鼠标 shǔ biāo	USB stick 闪存盘 shǎn cún pán	SD card SD卡 SD kǎ	serial port 串行端口 chuán xíng duǎn kǒu	USB port USB接口 USB jiē kǒu	fan 风扇 fēng shàn	case 机箱 jī xiāng
RAM (stick) 内存(条) nèi cún (tiáo)	hard disk 硬盘 yǐng pán	SSD 固态硬盘 gù tài yǐng pán	microUSB 微型USB wēi xíng USB	miniUSB 迷你USB mī nǐ USB	cable 电缆 diàn lǎn	power supply 电源 diàn yuán	
motherboard 主板 zhǔ bǎn	desktop PC 台式电脑 tái shì diàn nǎo	laptop 笔记本电脑 bǐ jì běn diàn nǎo	ultrabook 超极本电脑 chāo jí běn diàn nǎo	netbook 上网本电脑 shàng wǎng běn diàn nǎo			
LCD 液晶屏 yè jīng píng	diagonal 尺寸 chǐ cùn	resolution 分辨率 fēn biān lǜ	ppi 点距 diǎn xiàng sù jiān	contrast ratio 对比度 duì bǐ dù	IPS IPS píng miàn	anti-glare 雾面 wù miàn	shiny 镜面 jìng miàn
backlight 背光 bēi guāng	brightness 亮度 liàng dù	captouch 电容式触 diàn róng shì chù	resistive 电阻式触 diàn zǔ shì chù	entry level 入门级 rù mén jí	high end 高端 gāo duān		

bumble 43

Tools - 工具

gōng jù

soldering iron 烙铁 lǎo tiě	solder 焊锡 hàn xī	lead free 无铅 wú qiān	with lead 有铅 yǒu qiān	flux 助焊剂 zhù hàn jì	desoldering braid 吸锡编带 xī xī biān dài
tweezers 镊子 niè zǐ	pliers 钳子 qián zǐ	wire cutters 剪钳 jiǎn qián	wire strippers 剥线钳 bō xiàn qián	copper tape 铜带 tóng dài	
multimeter 万用表 wàn yòng biǎo	oscilloscope 示波器 shì bō jīng	calipers 卡尺 kǎ chǐ	digital calipers 数显卡尺 shù xiǎn kǎ chǐ	ruler 直尺 zhí chǐ	
microscope 显微镜 xiǎn wēi jīng	magnifying lens 放大镜 fàng dà jīng	magnet 磁铁 cí tiě	battery 电池 diàn chí	lithium ion battery 锂离子电池 lǐ lí zǐ diàn chí	protection circuit 保护电路 bǎo hù diàn lù
test jig 测试治具 cè shì zhì jù	power strip (几插)延长线 (jǐ chā) yǎn cháng xiàn	battery charger 电池充电器 diàn chí chōng diàn qì			

bumble 47

Tools & Mechanical - 工具 & 机械

gōng jù jī xié

wrench
扳手
bǎn shǒu

drill
钻头
zuàn tóu

bolt
螺栓
luó shuān

nut
螺母
luó mǔ

washer
垫圈
diàn quān

flat head
平头
píng tóu

socket cap
圆柱头
yuán zhù tóu

button head
半圆头
bàn yuán tóu

screwdriver
螺丝刀
luó sī dāo

screw
螺丝钉
luó sī dīng

phillips
十字头
shí zì tóu

slotted
一字头
yī zì tóu

torx
梅花头
méi huā tóu

pentalobular
五角星头
iPhone luó sī

hex socket cap
圆柱头内六角头
yuán zhù tóu nèi liù jiǎo tóu

motor
马达
mǎ dá

servo
伺服器
sī fú qì

leadscrew
丝杆
sī gǎn

bushing
套管
tào guǎn

anti-backlash nut
消隙螺母
xiāo xì luó mǔ

shaft
轴
zhóu

knob
把手
bǎ shǒu

switch
开关
kāi guān

pushbutton
按钮开关
àn niǔ kāi guān

tact switch
触动开关
chù dòng kāi guān

rocker switch
摇臂开关
yáo bì kāi guān

slide switch
滑动开关
huá dòng kāi guān

bumble 49

Materials - 材质

cái zhì

aluminum 铝 lǚ	steel 钢 gāng	stainless steel 不锈钢 bù xiù gāng	titanium 钛 tài	chrome 铬 gè	bronze 青铜 qīng tóng	copper 铜 tóng
tin 锡 xī	lead 铅 qiān	lead-free 无铅 wú qiān	gold 金 jīn	silver 银 yín	platinum 铂 bó	wood 木 mù
ceramic 陶瓷 táo cí	tantalum 钽 tǎn	aluminum electrolytic 铝电解 lǚ diàn jiě				carbon 碳 tàn
plastic 塑胶 sù jiāo	epoxy 环氧树脂 huán yǎng shù zhǐ	superglue 强力胶 qiáng lì jiāo	glue 胶水 jiāo shuǐ	fiberglass 玻璃纤维 bō lí xiān wéi	carbon fiber 碳纤维 tàn xiān wéi	
PCB 电路板 diàn lù bǎn	flex PCB 软板 ruǎn bǎn	rigid PCB 硬板 yǐng bǎn				
FINISHING 表面处理	plating 电镀 diàn dù	anodization 阳极氧化 yáng jí yǎng huà	powder coating 粉末涂料 fěn mò tú liào	painting 涂装 tú zhuāng		

bumble 51

Injection Molding - 注塑模

zhù sù mó

COMMON TERMS 常用术语

tool / mold 模具 mó jù	mold base 模胚 mó pēi	parting line 分型线 fēn xíng xiàn	tonnage 吨位 dūn wèi	die casting 拉模铸造 lā mó zhù zào		
ejector pin 顶针 dǐng zhēn	slider 滑块 huà kuài	lifter 斜顶 xié dǐng	gate 入水口 rù shuǐ kǒu	runner 分流道 fēn liú dào	hot runner 热流道 rè liú dào	sprue 主流道 zhǔ liú dào

DEFECTS 常见不良

ejector mark 顶针印 dǐng zhēn yìn	sink mark 缩水 suō shuǐ	knit line 分模线 fēn mó xiàn	flow line 气纹 qì wén	warpage 变形 biàn xíng	scratch 刮花 guā huā
discoloration 变色 biàn sè	wrong color 颜色错误 yán sè cuò wù				

OTHER 其他

draft angle 拔模斜度 bá mó xié dù	mirror finish 镜面加工 jìng miàn jiā gōng	satin finish 抛光处理 pāo guāng chǔ lǐ
-------------------------------------	---	--

bunnie 53

This sample is almost right, but I need something different.

这个样品基本上是我想要的，但是我还有一些不同的要求。

Do you have something like this but...

你有类似这个的产品吗，但是……

smaller? 更小一点? gèng xiǎo yí diǎn?	bigger? 更大一点? gèng dà yí diǎn?	thinner? 更薄一点? gèng báo yí diǎn?	taller? 更高一点? gèng gāo yí diǎn?	longer? 更长一点? gèng zhǎng yí diǎn?	shorter? 更短一点? gèng duǎn yí diǎn?
heavier? 更重的? gèng zhòng de?	lighter? 更轻的? gèng qīng de?	thicker? 更厚一点? gèng hòu yí diǎn?	faster? 更快的? gèng kuài de?	slower? 更慢的? gèng màn de?	stronger? 更强的? gèng qiáng de?
with surface mount feet? 表面贴片? biǎo miàn tiē piàn?	with through hole pins? 带通孔插脚? dài tōng kǒng chā jiǎo?	with alignment pins? 带定位销的? dài dìng wèi xiāo de?			

with surface mount signal wires, but through hole mounting feet?
带有表面贴片信号线，但是是直插件?
dài yǒu biǎo miàn tiē piàn xìn hào xiàn, dàn shì shí zhí chā jiàn?

in machine-assembly (reel/tube/tray) packaging?
用于机器组装的包装方式（如卷状/管状/托盘包装）?
yòng yú jī qì zǔ zhuāng de bāo zhuāng fāng shì (rú juǎn zhuāng / guǎn zhuāng / tuō pán bāo zhuāng)?

bunnie 57

This sample is almost right, but I need something different.

这个样品基本上是我想要的，但是我还有一些不同的要求。

Do you have something like this but...

你有类似这个的产品吗，但是……

higher current? 电流更高的? diàn liú gèng gāo de?	brighter? 更亮的? gèng liàng de?	dimmer? 更暗的? gèng àn de?	in a different color? 不同的颜色? bù tóng de yán sè?
with self-blinking? 有自闪的? yǒu zì shǎn de?	without self-blinking? 无自闪的? wú zì shǎn de?	longer battery life? 电池寿命更长的? diàn chí shòu mìng gèng zhǎng de?	
in stock now? 有现货的? yǒu xiàn huò de?	cheaper? 更便宜的? gèng pián yí de?	higher quality? 质量更好的? zhì liàng gèng hǎo de?	in a retail box? 包装盒? bāo zhuāng hé?
for use with 110V? 用于110V电压? yòng yú yāo yǎo líng diàn yā?	with a US-style plug? 带有美规电源插头? dài yǒu měi guī diàn yuán chā tóu?	with an EU-style plug? 带有欧规电源插头? dài yǒu ōu guī diàn yuán chā tóu?	

bunnie 59

Packaging - 包装

bāo zhuāng

tape and reel 卷带装 juǎn dài zhuāng	cut tape 散带装 sǎn dài zhuāng	bulk 散装 sǎn zhuāng	tube 管装 guǎn zhuāng	tray 盘装 pán zhuāng	
retail box 盒子 hé zi	shipping box 箱子 xiāng zi	bag 袋子 dài zi	ESD bag 防静电袋 fáng jìng diàn dài	desiccant 干燥剂 gān zào jì	cushioning 泡沫包装 pǎo mó bāo zhuāng
make a handle out of tape 用胶带做一个手柄 yòng jiāo dài zuò yí gè shǒu bǐng	vacuum seal 真空密封 zhēn kōng mì fēng	packing tape 胶带 jiāo dài	label 贴纸 tiē zhǐ		
No inventory 没现货 méi xiàn huò	The factory can make more 需要生产 xū yào shēng chǎn	It's not possible 不可能 bù kě néng	It will take a while 需要时间 xū yào shí jiān		

bunnie 61

Purchasing & Ordering - 采购&订货

cǎi gòu dīng huò

Is this new stock?
这是新的库存吗？
zhè shì xīn de kù cún ma?

Is this refurbished?
这是二手的吗？
zhè shì èr shǒu de ma?

Are you the manufacturer?
你们有工厂吗？
nǐ men yǒu gōng chǎng ma?

I'm looking for top quality
给我最好的质量
gěi wǒ zuì hǎo de zhì liàng

I'm looking for your cheapest
给我最便宜的
gěi wǒ zuì piányi de

I'll take anything
任何可以用的
rèn hé kě yǐ yòng de

What is the MOQ?
最少订货量是多少？
zuì shǎo dīng huò liàng shì duō shǎo?

Can I have a sample please?
我能拿一个样品吗？
wǒ néng ná yí gè yàng pǐn ma?

If I buy more is there a discount?
如果我买多点会有折扣吗？
rú guǒ wǒ mǎi duō diǎn huì yǒu zhé kǒu ma?

Is this part EOL?
这个已经停产了吗？
zhè ge yǐ jīng tíng chǎn le ma?

Can you produce more?
你可以提供更多的吗？
nǐ kě yǐ tí gòng gèng duō de ma?

Can you make this custom for me?
你可以为我订制这个吗？
nǐ kě yǐ wéi wǒ dìng zhì zhè ge ma?

This store is
这店是
zhè jiàn shì

Wholesale
批发
pī fā

Retail
零售
líng shòu

Yes
是的
shì de

No
不
bù

Possible
可以
kě yǐ

Not possible
不可以
bù kě yǐ

bunnie 63

Shipping - 出货

chū huò

Do you have stock here in the market?
现在在市場上有庫存嗎？
xiàn zài zài shì chǎng shàng yǒu kù cún ma?

I'll be back in a half hour to pick up the items
我在半个小时之内回来拿这些东西
wǒ zài bàn gè xiǎo shí zhī nèi huí lái ná zhè xiē dōng xī

Do I need to leave a deposit?
我是否需要留下押金？
wǒ shì fǒu xū yào liú xià yā jīn?

How much for shipping?
运费要多少钱？
yùn fèi yào duō shǎo qián?

Can you ship to this address?
可以出货到这个地址吗？
kě yǐ chū huò dào zhè ge dì zhǐ ma?

How long will it take?
要多长时间？
yào duō cháng shí jiān?

It should arrive by...
这要在...抵达 (收货时间)
zhè yào zài...dī dá (shōu huò shí jiān)

today
今天
jīn tiān

tomorrow
明天
míng tiān

day after tmrw
后天
hòu tiān

next week
下个星期
xià gè xīng qī

next month
下个月
xià gè yuè

Monday
星期一
xīng qī yī

Tuesday
星期二
xīng qī èr

Wednesday
星期三
xīng qī sān

Thursday
星期四
xīng qī sì

Friday
星期五
xīng qī wǔ

Saturday
星期六
xīng qī liù

Sunday
星期日
xīng qī rì

What is your phone number?
你的手机号是多少？
nǐ de shǒu jī hào shì duō shǎo?

What is your Wechat?
你的微信是什么？
nǐ de wēi xìn shì shén me?

What is your QQ?
你的QQ是多少？
nǐ de QQ shì duō shǎo?

bunnie 65