Validating Data before Loading

Verify files containing special characters and Emoji's

```
df = spark.read.parquet("Files/SpecialCharSet/CrSpCharFromSpk")
df.show()
df.printSchema()

```

[1] ✓ - Session ready in 9 sec 826 ms. Command executed in 2 sec 687 ms by Rakesh Sharma on 2/16/2026, 3:05:00 PM

```
+-----------+--------------------+
|       name|            feedback|
+-----------+--------------------+
|     Bob ❤️|Needs improvement...|
|Frank & Co.|   Good effort 💪🏋️|
|  Charlie ©|  Excellent work 🌟✨|
|    David ®|      Well done 👏🙌|
|      Eve ™|       Awesome! 🚀🌌|
|   Alice 😊|     Great job! 👍😀|
|    Henry $|    Impressive 😎🕶|
|      Ivy %|         Superb 🌈☁️|
|     Jack *|    Outstanding 🏆🥇|
|   Grace #1|      Fantastic 🎉🥳|
+-----------+--------------------+

root
 |-- name: string (nullable = true)
 |-- feedback: string (nullable = true)
```

Sepcial Characters and Emoji's in CSV

```
df = spark.read.csv("Files/SpecialCharSet/CustomerFeedback_Sample.csv")
display(df)
df.printSchema()
```

[1] ✓ - Session ready in 14 sec 333 ms. Command executed in 2 sec 961 ms by Rakesh Sharma on 2/16/2026, 3:46:27 PM

Table + New chart

Table view

	ABC _c0	ABC _c1
1	Name	FeedBack
2	Rakesh	😊
3	Akshay	This is Awesome - 👩‍💻 🧑‍🎓 🇳🇱 🇳🇴 🇨🇳 🇨🇳 🇨🇳 IN US 1️⃣ 🔟 🔟 ❤️ 🤯 🦋 🌟 🌩 ☂️
4	Amitabh	Amazing support for Zenoti 🚀💙
5	Rajesh	Great service 😊🔥✨

```
root
 |-- _c0: string (nullable = true)
 |-- _c1: string (nullable = true)
```

Multilingual and Emoji's

```
df = spark.read.format("csv").option("header","true").load("Files/SpecialCharSet/splCharacters.csv")
# df now is a Spark DataFrame containing CSV data from "Files/SpecialCharSet/splCharacters.csv".
display(df)
```

[6] ✓ - Command executed in 834 ms by Rakesh Sharma on 2/16/2026, 3:17:44 PM

Table | New chart

Table view

	SplChar1	SplChar2	SplChar3	SplChar4
1	こんにちは世界	ぷ	🙏	❤️⃠
2	こんにちは世界	ぷ	🙏	❤️

```
csv_path = "Files/SpecialCharSet/CustomerFeedback_Sample.csv"

df = (spark.read
      .option("header", "true")
      .option("inferSchema", "true")          # or define schema explicitly (recommended)
      .option("multiLine", "true")            # if comments can contain new lines
      .option("quote", "\"")                  # handles commas inside quoted text
      .option("escape", "\"")                 # handles escaped quotes
      .option("encoding", "UTF-8")            # helps when file includes emoji/special chars
      .csv(csv_path))

display(df)
df.printSchema()
```

[2] ✓ - Command executed in 9 sec 205 ms by Rakesh Sharma on 2/16/2026, 3:49:14 PM

Table | New chart

Table view

	Name	FeedBack
1	Rakesh	😊
2	Akshay	This is Aweso...
3	Amitabh	Amazing supp...
4	Rajesh	Great service ...

```
root
 |-- Name: string (nullable = true)
 |-- FeedBack: string (nullable = true)
```

Creating into Delta Table

```
table_name = "CustomerFeedbackOnProduct"

(df.write
   .format("delta")
   .mode("overwrite")          # overwrite table contents
   .saveAsTable(table_name))
```

[3] ✓ - Command executed in 17 sec 406 ms by Rakesh Sharma on 2/16/2026, 3:51:25 PM

Validating Data inside Delta using SSMA via SQL Analytics Endpoint



Handling and Supportability of Special Character and Emmoji's in Fabric Warehouse

Validating and Loading into Warehouse:



Direct Insert into Warehouse: