Media in HTML

Topics covered:
- What is media?
- How can images be included in HTML?
- How can audio/sounds/videos be added to your web page?
- How to include the youtube link and make them play in your web page?

Topics in detail:
Media:
- Media on the web page is images, sounds, videos, and animations.
- Media elements can be included in different formats.

Images in HTML:
- Images can be added to the web page by using the tag <img>. Images are linked to the web pages and not inserted in the web pages.
- <img> tag can be included in the <body> of the HTML document.
- Attributes of <img> tag:
  - **src** - source attribute specifies the path of the image that needs to be displayed/ linked to the web page.
  - **alt** - alternate attribute specifies the alternate text that has to be displayed on the web page in case of issues in viewing the image (slow connection).
  - **width** and **height** attributes are used to define the width and height of the image in pixels. → Title="mm³" → Name shown when Cursor Touch image
- Syntax: **<img src= "image url" alt= "alternate text">**

- **Example:**
  ```
  <img src="image.jfif" alt="no image"></img>
  ```
  → path to link image
  → in absence of img This text is shown

Common image formats:

File extension	File format
.png	Portable Network Graphics ⎫
.jpg, .jpeg, .jfif, .pjpeg, .pjp	Joint Photographic Expert Group image ⎭ mostly
.svg	Scalable Vector Graphics
.gif	Graphics Interchange Format
.apng	Animated Portable Network Graphics

Audio in HTML:

- <audio> element is used to include and play audio files in the HTML.
- The <source> element allows you to specify the audio link.
- Multiple <source> elements can be included under a single <audio> element, where the browser will choose the first recognized format.
- Play, pause and volume can be controlled by using the **controls** attribute to the audio element.
- The text in between the <audio> and </audio> element will be displayed when the browser does not support the included audio source.
- Example:

(handwritten notes: Not Practice)

```
<audio controls autoplay>
```
→ No need to click
{ If don't write this attribute nothing will be shown }
```
    <source src="alligator.mp3" type="audio/ogg">
        Your browser does not support the audio element.
</audio>
```
*→ In Body*

- Output:

- As the controls attribute is given there is an option for play, pause and volume control in the audio, and since autoplay is given before clicking the play button the sound will be played.
- If the controls attribute is not given, then nothing will be displayed in the output screen, only the audio will be played automatically without any controls.

Common audio formats:

File extension	File format
mp3	MPEG audio Layer-3.
ogg	Ogging
wav	Waveform Audio File Format

Similar Audio

↑

Video in HTML: → product demo or Company Intro

- <video> element is used to include and play audio files in the HTML.
- The <source> element allows you to specify the audio link.
- Multiple <source> elements can be included under a single <video> element, where the browser will choose the first recognized format.
- Play, pause and volume can be controlled by using the **controls** attribute to the audio element.
- The text in between the <video> and </video> element will be displayed when the browser does not support the included audio source.
- Width and height attributes can be added to specify the area of the video clip and to avoid unwanted flickering.
- Example:

```
<video width="320" height="240" autoplay>
    <source src="video1.mp4" type="video/mp4">
        Your browser does not support the video tag.
</video>
```

- Output:

— No Controls

- In the above example, as the controls attribute is not included in the <video> element no control is there in the output for play, pause and volume adjustment.
- Example:

```
<video controls width="320" height="240" autoplay>
    <source src="video1.mp4" type="video/mp4">
        Your browser does not support the video tag.
</video>
```

src="VS files में जो saved"

- Output:

0:08 / 0:10

img & iframe - Inline level tag

Iframes:

- HTML Iframes are used to <mark>display a webpage within a webpage</mark>.
- <iframe> is an <mark>inline level tag.</mark>
- <mark>Youtube videos</mark> can be played inside a webpage by using <iframe> tag.
- Example:

```
<iframe width="420" height="315"
src="https://www.youtube.com/embed/tgbNymZ7vqY">
</iframe>
```

(no need to add - controls- attribute)

↳ < > Copy embded Code ➡ To copy direct Link from Youtube (on Youtube Screen)

- Options like <mark>autoplay, mute, loop, and controls</mark> can be <mark>added along with the youtube</mark> link for <mark>additional features.</mark>
- <mark>Autoplay of a youtube video is not allowed</mark>, however it is allowed when the video is muted.
- Example (Autoplay + Mute):

```
<iframe width="420" height="315"
src="https://www.youtube.com/embed/tgbNymZ7vqY?autoplay=1&mu
te=1">
</iframe>
```

- To play the video loop=1 has to be added along with the youtube link.
- Example (loop):

```
<iframe width="420" height="315"
src="https://www.youtube.com/embed/tgbNymZ7vqY?playlist=tgbN
ymZ7vqY&loop=1">
</iframe>
```

↳ (allow full screen) - Extra Feature

- By default the player control will be displayed for youtube video, <mark>the default value of controls is 1.</mark>

Utility of topics learned in Static linkedin page project:

Images and video: