

CREATING A FLASK:

Assignment Date	11 October 2022
Team ID	PNT2022TMID53854
Maximum Marks	2 Marks

AIM :

To create a flask and add the home page about page and add the signup and singin button in the web page using flask.

Requirements:

- Install python
- Install pip & Flask

Source code :

Python code:

app.py

```
from flask import Flask, redirect, url_for ,render_template
app = Flask(__name_)
@app.route("/")
def index():
    return render_template("index.html")
@app.route("/home")
def home():
    return render_template("home.html")
@app.route("/about")
def about():
    return render_template("about.html")
@app.route("/signin")
def signin():
    return render_template("signin.html")
@app.route("/singup")
def signup():
    return render_template("singup.html")
```

HTML:

Index.html

```
<html>

<head>

<title>INDEX</title>

<style>

Body {

font-family: serif;

background-color: pink;

}

</style>

</head>

<body>

<p><font size="+3"> Welcome to the WEB PAGE</font></p>

<a href="/home">HOME</a>

<br>

<br>

<a href="/about">ABOUT</a>

<br><br><button type="button" name="singup"> <a href="/singup"> SING

UP</a></button>

<br><br><button type="button" name="signin"> <a href="/signin">SIGN IN</a></button>

</body>

</html>
```

Home.html

```
<html>

<head>

<title>HOME PAGE</title>

<body>
```

```
<P> HI, THIS IS PADMINI S</P>
<P>I have created the basic flask environment</P>
<a href="about.html">ABOUT</a>
</body>
</head>
</html>
```

About.html

```
<HTML>
<HEAD>
<TITLE>ABOUT</TITLE>
</HEAD>
<BODY>
  <font size="+4"><B>Explain what is Flask and discuss its benefits?</B></font>
<br>
  <font size="+3"><b>What is Flask?</b></font>
<br>
```

Flask is a web framework, it's a Python module that lets you develop web applications easily. It's has a small and easy-to-extend core:

it's a microframework that doesn't include an ORM (Object Relational Manager) or such features.

It does have many cool features like url routing, template engine. It is a WSGI web app framework.

There are some pros and cons. Pros mean there are little

dependencies to upgrade and to watch security bugs and cons means by adding the plugin you will

increase the dependencies. Flask has two dependencies, they are Werkzeug a WSGI utility library

Jinja2 is a template engine

Flask for Python based on Werkzeug, jinja2, and good intention.


```
<font size="+2"><u><b>werkzeug</b></u></font>
```


Werkzeug is a utility library used for Python programming language. And also it is a toolkit of WSGI

(web server gateway interface). It has licensed under the BSD License. Werkzeug can registered

software for the request, response and utility function. It can also build a software framework that

can support Python 2.6, 2.7, and 3.3.

<u>Jinja2</u>

It is a template engine for the Python programming language and is licensed under BSD license.

Using the template you can build the basic layout of your page and can mention which will be

changed. In this way, you can change your header of the page by upgrading it in one place only.

<u>The benefit of the flask</u></u>

There are impressive features to use the flask in your web application framework.

LikeIntegrated support for unit testing

Built-in development server and fast debugger

Restful request dispatching

Unicode base

Support for cookies

Templating jinja2

WSGI 1.0 compliant

Plus flask gives you some premier control to develop your project.

HTTP request handling function

Flask has a modular design and lightweight so that it can easy to transit into web framework with

some extension

You can plug your favourite ORM

Basic fundamental API is nicely shaped and coherent

Highly flexible

It is easy to deploy the flask in production

<u>Conclusion:</u>

Flask is the most policed and feature-rich micro framework. Flask comes with all its benefit of the

fast template, strong WSGI features, and extensive documentation. Flask gives lots of good features,

vast no of extension facility for a new project.

</BODY>

</HTML>

Sign_up.html

<html>

<head>

<meta name="viewport" content="width=device-width, initial-scale=1">

<title> signup </title>

<style>

Body {

font-family: serif;

font-size: 14px;

background-color: purple;

}

button {

background-color: blue;

width: 20%;

color: orange;

padding: 15px;

margin: 10px 0px;

border: none;

```
    cursor: pointer;
  }
  form {
    border: 3px solid pink;
    font-family: arial black;
  }
  input[type=text], input[type=email],input[type=password] {
    width: 20%;
    margin: 8px 0;
    padding: 12px 20px;
    display: inline-block;
    border: 2px sky blue;
    box-sizing: border-box;
  }
  button:hover {
    opacity: 0.7;
  }
  .cancelbtn {
    width: auto;
    padding: 10px 18px;
    margin: 10px 5px;
  }

  .container {
    padding: 25px;
    background-color: orange;
  }
</style>
```

```
</head>

<body>

<center> <h1> Signup for FLASK </h1> </center>

<form>

<div class="container">

<label>First name : </label><br>

<input type="text" placeholder="Enter firstname" name="fname" required>

<br>

<label>Last name : </label><br>

<input type="text" placeholder="Enter lastname" name="lname" required>

<br>

<label>E-mail : </label><br>

<input type="email" placeholder="Enter email" name="email" required>

<br>

<label>Password : </label><br>

<input type="password" placeholder="Enter Password" name="password" required>

<br>

<label>Confirm Password : </label><br>

<input type="password" placeholder="Enter confirm Password" name="confirm password"
required>

<br>

<button type="submit">SIGN UP</button>

<input type="checkbox" checked="checked"> Remember me

<br>

<button type="button" class="cancelbtn"> Cancel</button>

</div>

</form>

</body>

</html>
```

Sign_in.html

```
<html>
<head>
<meta name="viewport" content="width=device-width, initial-scale=1">
<title> Login Page </title>
<style>
Body {
font-family: optima;
background-color: purple;
font-size: 16px;
}
button {
background-color:blue;
width: 100%;
color: white;
padding: 15px;
margin: 10px 0px;
border: none;
cursor: pointer;
}
form {
border: 3px solid pink;
font-family: Arial black;
}
input[type=text], input[type=password] {
width: 20%;
margin: 8px 0;
padding: 12px 20px;
display: inline-block;
```



```
border: 2px sky blue;
box-sizing: border-box;
}
```

```
button:hover {
  opacity: 0.7;
  width: 20%;
}
```

```
.cancelbtn {
  width: auto;
  padding: 10px 18px;
  margin: 10px 5px;
}
```

```
.container {
  padding: 25px;
  background-color: orange;
}
```

```
</style>
```

```
</head>
```

```
<body>
```

```
<center> <h1> SIGN IN TO FLASK </h1> </center>
```

```
<form>
```

```
<div class="container">
```

```
<label>Username : </label>
```

```
<input type="text" placeholder="Enter Username" name="username" required>
```

```
<br>
```

```
<br>
```

```
<label>Password : </label>
```

```
<input type="password" placeholder="Enter Password" name="password" required>

<br>

<br>

<button type="submit">Login</button>

<br>

<br>

<input type="checkbox" checked="checked"> Remember me

<button type="button" class="cancelbtn"> Cancel</button>

Forgot <a href="#"> password? </a>


</div>

</form>

</body>

</html>
```

Output:



```
Command Prompt - python -m flask run
Press CTRL+C to quit
127.0.0.1 - - [24/Sep/2022 17:02:37] "GET / HTTP/1.1" 200 -
127.0.0.1 - - [24/Sep/2022 17:02:42] "GET /signup.html HTTP/1.1" 404 -
127.0.0.1 - - [24/Sep/2022 17:02:51] "GET /home.html HTTP/1.1" 404 -
127.0.0.1 - - [24/Sep/2022 17:03:05] "GET /index HTTP/1.1" 404 -
127.0.0.1 - - [24/Sep/2022 17:04:52] "GET /home.html HTTP/1.1" 404 -
127.0.0.1 - - [24/Sep/2022 17:05:03] "GET /home HTTP/1.1" 200 -

C:\Users\Kasi\Desktop\IBP\IBP FLASK>python -m flask run
* Debug mode: off
WARNING: This is a development server. Do not use it in a production deployment. Use a production WSGI server instead.
* Running on http://127.0.0.1:5000
Press CTRL+C to quit
127.0.0.1 - - [24/Sep/2022 17:11:52] "GET / HTTP/1.1" 200 -
127.0.0.1 - - [24/Sep/2022 17:11:59] "GET /home HTTP/1.1" 200 -

C:\Users\Kasi\Desktop\IBP\IBP FLASK>python -m flask run
* Debug mode: off
WARNING: This is a development server. Do not use it in a production deployment. Use a production WSGI server instead.
* Running on http://127.0.0.1:5000
Press CTRL+C to quit
127.0.0.1 - - [24/Sep/2022 17:13:00] "GET / HTTP/1.1" 200 -
127.0.0.1 - - [24/Sep/2022 17:14:12] "GET /home HTTP/1.1" 200 -
127.0.0.1 - - [24/Sep/2022 17:14:37] "GET /about HTTP/1.1" 200 -
127.0.0.1 - - [24/Sep/2022 17:14:50] "GET /signup HTTP/1.1" 404 -
127.0.0.1 - - [24/Sep/2022 17:14:54] "GET /signup HTTP/1.1" 404 -

C:\Users\Kasi\Desktop\IBP\IBP FLASK>python -m flask run
* Debug mode: off
WARNING: This is a development server. Do not use it in a production deployment. Use a production WSGI server instead.
* Running on http://127.0.0.1:5000
Press CTRL+C to quit
127.0.0.1 - - [24/Sep/2022 17:16:48] "GET / HTTP/1.1" 200 -
127.0.0.1 - - [24/Sep/2022 17:17:02] "GET / HTTP/1.1" 200 -
127.0.0.1 - - [24/Sep/2022 17:17:04] "GET /home HTTP/1.1" 200 -
127.0.0.1 - - [24/Sep/2022 17:17:06] "GET /about HTTP/1.1" 200 -
127.0.0.1 - - [24/Sep/2022 17:17:12] "GET /signup HTTP/1.1" 404 -
127.0.0.1 - - [24/Sep/2022 17:17:16] "GET /signin HTTP/1.1" 200 -

C:\Users\Kasi\Desktop\IBP\IBP FLASK>python -m flask run
* Debug mode: off
WARNING: This is a development server. Do not use it in a production deployment. Use a production WSGI server instead.
* Running on http://127.0.0.1:5000
Press CTRL+C to quit
127.0.0.1 - - [24/Sep/2022 17:18:11] "GET / HTTP/1.1" 200 -
127.0.0.1 - - [24/Sep/2022 17:18:14] "GET /signup HTTP/1.1" 200 -
127.0.0.1 - - [24/Sep/2022 17:18:33] "GET /signin HTTP/1.1" 200 -
127.0.0.1 - - [24/Sep/2022 17:20:05] "GET /about HTTP/1.1" 200 -
```

