

```
SQL> create table vs1(id number(10),name varchar(15),place varchar(15));

Table created.

SQL> insert into vs1 values(1,'vidhya','pollachi');

1 row created.

SQL> insert into vs1 values(2,'vijaya','salem');

1 row created.

SQL> insert into vs1 values(3,'shri','salem');

1 row created.

SQL> insert into vs1 values(4,'bavya','erode');

1 row created.

SQL> insert into vs1 values(5,'nitila','erode');

1 row created.

SQL> insert into vs1 values(6,'rakshi','hosur');

1 row created.

SQL> insert into vs1 values(7,'swetha','pollachi');

1 row created.

SQL> insert into vs1 values(8,'pooja','coimbatore');

1 row created.
```

SQL> insert into vs1 values(8,'pooja','madurai');

1 row created.

SQL> insert into vs1 values(10,'sahana','trichy');

1 row created.

SQL> select * from vs1;

ID	NAME	PLACE
1	vidhya	pollachi
2	vijaya	salem
3	shri	salem
4	bavya	erode
5	nitila	erode
6	rakshi	hosur
7	swetha	pollachi
8	pooja	coimbatore
8	pooja	madurai
10	sahana	trichy

10 rows selected.

SQL> alter table vs1 add age number(3);

Table altered.

SQL> update vs1 set id = 8,name ='priya' where place = 'madurai';

1 row updated.

SQL> ALTER TABLE Emprecords MODIFY id number (15) ;

ALTER TABLE Emprecords MODIFY id number (15)

```
ERROR at line 1:
ORA-00942: table or view does not exist
```

```
SQL> ALTER TABLE vs1 MODIFY id number (15) ;
```

Table altered.

```
SQL> select * from vs1
      2 select * from vs1;
select * from vs1
*
```

```
ERROR at line 2:
ORA-00933: SQL command not properly ended
```

```
SQL> select * from vs1;
```

ID	NAME	PLACE	AGE
1	vidhya	pollachi	
2	vijaya	salem	
3	shri	salem	
4	bavya	erode	
5	nitila	erode	
6	rakshi	hosur	
7	swetha	pollachi	
8	pooja	coimbatore	
8	priya	madurai	
10	sahana	trichy	

10 rows selected.

```
SQL> UPDATE Emprecords SET id=9,age = 18 WHERE place = 'MADURAI';
UPDATE Emprecords SET id=9,age = 18 WHERE place = 'MADURAI'
```

ERROR at line 1:
ORA-00942: table or view does not exist

SQL> UPDATE vs1 SET id=9,age = 18 WHERE place = 'MADURAI';

0 rows updated.

SQL> UPDATE vs1 SET id=9,age = 18 WHERE place = 'madurai';

1 row updated.

SQL> UPDATE vs1 SET age = 18 WHERE place = 'erode','coimbatore','salem';

UPDATE vs1 SET age = 18 WHERE place = 'erode','coimbatore','salem'
*

ERROR at line 1:
ORA-00933: SQL command not properly ended

SQL> UPDATE vs1 SET age = 18 WHERE place = 'erode';

2 rows updated.

SQL> select * from vs1;

ID	NAME	PLACE	AGE
1	vidhya	pollachi	
2	vijaya	salem	
3	shri	salem	
4	bavya	erode	18
5	nitila	erode	18
6	rakshi	hosur	
7	swetha	pollachi	
8	pooja	coimbatore	

```
SQL> UPDATE vs1 SET id=9,age = 18 WHERE place = 'MADURAI';

0 rows updated.

SQL> UPDATE vs1 SET id=9,age = 18 WHERE place = 'madurai';

1 row updated.

SQL> UPDATE vs1 SET age = 18 WHERE place = 'erode','coimbatore','salem';
UPDATE vs1 SET age = 18 WHERE place = 'erode','coimbatore','salem'
*
ERROR at line 1:
ORA-00933: SQL command not properly ended
```

```
SQL> UPDATE vs1 SET age = 18 WHERE place = 'erode';

2 rows updated.
```

```
SQL> select * from vs1;
```

ID	NAME	PLACE	AGE
1	vidhya	pollachi	
2	vijaya	salem	
3	shri	salem	
4	bavya	erode	18
5	nitila	erode	18
6	rakshi	hosur	
7	swetha	pollachi	
8	pooja	coimbatore	
9	priya	madurai	18
10	sahana	trichy	

1	vidhya	pollachi	
2	vijaya	salem	
3	shri	salem	
4	bavya	erode	18
5	nitila	erode	18
6	rakshi	hosur	
7	swetha	pollachi	
8	pooja	coimbatore	
9	priya	madurai	18
10	sahana	trichy	

10 rows selected.

```
SQL> ALTER TABLE vs1 DROP COLUMN age ;
```

Table altered.

```
SQL> select * from vs1;
```

ID	NAME	PLACE
1	vidhya	pollachi
2	vijaya	salem
3	shri	salem
4	bavya	erode
5	nitila	erode
6	rakshi	hosur
7	swetha	pollachi
8	pooja	coimbatore
9	priya	madurai
10	sahana	trichy

10 rows selected.

```
SQL> |
```