

Connected to:
Oracle Database 21c Express Edition Release 21.0.0.0.0 - Production
Version 21.3.0.0.0

SQL> create table patient(id number(10),fisrt_name varchar(15),last_name varchar(15),place varchar(15));

Table created.

SQL> create table fees(fees_id number(10),fees number(15),status varchar(20));

Table created.

SQL> insert into patient values(101,'vidhya','s','rs puram');

1 row created.

SQL> insert into patient values(102,'barathi','d','gandhi nagar');

1 row created.

SQL> insert into patient values(103,'bavya','v','nehru nagar');

1 row created.

SQL> insert into patient values(104,'yashika','s','indra nagar');

1 row created.

SQL> insert into patient values(105,'vijaya','p','voc colony');

1 row created.

SQL> insert into fees values(101,7000,'pending');

```
SQL> insert into fees values(102,1000,'paid');
```

```
1 row created.
```

```
SQL> insert into fees values(103,750,'paid');
```

```
1 row created.
```

```
SQL> insert into fees values(104,10500,'pending');
```

```
1 row created.
```

```
SQL> insert into fees values(105,500,'paid');
```

```
1 row created.
```

```
SQL> create view details as select id,first_name,place from patient where id = 104;
```

```
create view details as select id,first_name,place from patient where id = 104
                                *
```

```
ERROR at line 1:
```

```
ORA-00904: "FIRST_NAME": invalid identifier
```

```
SQL> create view details as select id,fisrt_name,place from patient where id = 104;
```

```
View created.
```

```
SQL> create or replace view details as select*from patient where id = 104;
```

```
View created.
```

```
SQL> create view feesdetails as select patient.id,fisrt_place,fees.fees from patient join fees on patient.id = fees.fees
```

```
2
```

```
SQL> create view feesdetails as select patient.id,fisrt_place,fees.fees from patient join fees on patient.id = fees.fees_id;
```

```
SQL> create or replace view details as select*from patient where id = 104;
```

```
/view created.
```

```
SQL> create view feesdetails as select patient.id,fisrt_place,fees.fees from patient join fees on patient.id = fees.fees  
2
```

```
SQL> create view feesdetails as select patient.id,fisrt_place,fees.fees from patient join fees on patient.id = fees.fees_id;  
create view feesdetails as select patient.id,fisrt_place,fees.fees from patient join fees on patient.id = fees.fees_id  
*
```

```
ERROR at line 1:
```

```
ORA-00904: "FISRT_PLACE": invalid identifier
```

```
SQL> create view feesdetails as select patient.id,fisrt_name,fees.fees from patient join fees on patient.id = fees.fees_id;
```

```
/view created.
```

```
SQL> update details set fisrt_name='gayathri' where id=104;
```

```
1 row updated.
```

```
SQL> drop view feesdetails;
```

```
/view dropped.
```

```
SQL> delete from details where id=103;
```

```
0 rows deleted.
```

```
SQL>
```