REQUEST DESK

User guide

Request Desk reads a spreadsheet of service requests and works through six tasks. The requests are synthetic examples. Nothing is sent outside this desk.

Sign in with this account

Username **admin**

Password **RequestDesk!2026**

Open the desk, enter that username and password, and choose **Enter the desk**. The six tasks below are what the desk does after you sign in.

TASK 1


Read requests from a spreadsheet

The desk reads at least five synthetic requests from a CSV file. The sample file has ten requests, numbered REQ-001 to REQ-010.

1. Choose **Requests**.
2. Choose **Upload CSV**.
3. Drop the spreadsheet onto the window, or click the window and choose the file.
4. Choose **Upload and analyse**.

Each row becomes one request. A new request ID is added. An ID that is already on the desk is updated and read again. You can also add a single request with **New request**.

The file needs these columns: Request ID, Submitted Date, Requester Role, Request Type, Request Summary, Priority, Channel, and Status.



Upload CSV opens this window. Choose the spreadsheet, then Upload and analyse.


TASK 2

Check that required information is present

As soon as a row is read, the desk checks that the required information is there and valid.

1. Request ID, written like REQ-001.
2. Submitted date, written as DD/MM/YYYY.
3. Requester role.
4. Request type, from the allowed list.
5. A request summary.
6. Priority, channel, and status, each from the allowed list.

If a field is blank or not valid, that request is marked. On the request table, choose **Missing information** to see only those rows. In the sample shown here, every row is complete, so that list is empty.



Missing information shows rows that failed the check. The other rows have already been read.


TASK 3

Categorise each request using simple rules

The desk reads the summary and looks for keywords. The first matching rule sets the category.

1. Open **Rules**.
2. Read the categories from top to bottom. The first keyword found in the summary wins.
3. On the request table, the line under the category shows the keyword that matched, such as "via access".

The starter rules are: Access & Permissions (access, permission, collaborator); System Integration (connect, synchronise, sync); Process Automation (automate, automated, reminder); Reporting & Analytics (dashboard, summary, engagement, analytics); Content & Guidance (guide, template, publish, announcement). If no keyword matches, the category is Uncategorised.



Rules you can change. The order on this page is the order the desk uses.


TASK 4

Produce a suggested acknowledgement

Every request gets a short reply, in the same spirit as “We have received your request.”

1. On the request table, select a request ID.
2. Read **Suggested acknowledgement** on the card.
3. Use that sentence as the reply. Choose **Close** to return to the table.

REQ-004 is answered with: “We have received REQ-004. Your System Integration request is logged and will be reviewed.” If required information is missing, the reply names the missing fields.



The suggested acknowledgement sits on the request card, under the reasons.

TASK 5


Identify requests that need a person

The column **Human intervention needed?** shows only Yes or No. Yes means a person should look at the request.

A request is marked Yes when any of these is true:

1. Required information is missing or not valid.
2. The summary did not match a category, or it matches a different category from the one on the form.
3. The priority is High.
4. The status is Completed.
5. The summary uses a sensitive phrase, such as finance or expenses.

Select the request ID to see why. A red heading, **A person must see this**, lists the reasons. A green heading means no person is needed. On the queue, **Needs a person** shows how many requests are marked Yes.



REQ-004 needs a person because the priority is High and the summary mentions finance and expenses.

TASK 6

Create an output file and a summary

The desk keeps two results: a summary on the screen, and a file you can save.

1. The request queue shows how many requests are stored, how many need a person, how many match their category, and how many are missing information.
2. Choose **Requests**.
3. **Download view** saves the rows currently on the screen.
4. **Download all** saves every request. The file includes the category, the rule that matched, any missing fields, the suggested acknowledgement, whether a person is needed, and why.

That downloaded file is the result of the six tasks.



The queue is the summary. Download all, on the request table, saves the full result file.