## **IDB-BISEW IT Scholarship Project**

## Codelgniter MCQ

BatchID: WDPF/TCLD-A/44/01 Instructor: Syed Ziaul Habib

1. Base URL can be changed from which configuration file:

a. databaseb. configc. routesd. autoload

2. default controller can be set from which configuration file:

a. databaseb. configc. routesd. autoload

3. Which configuration file is used to autoload resources?

a. databaseb. configc. routesd. autoload

4. Which one is the business logic in codeigniter?

a. model b. view

controller d. helper

5. Which of the following in MVC can connect to database?

a. model b. view c. controller d. helper

- 6. Which are false?
  - a) all codeigniter class name should start with uppercase and rest of the name should be in lowercase.
  - b) you can remap function calls by using a function in your controller called \_remap()
  - c) view file cannot call other view files
  - d) you can pass data to a view file by using the third parameter of the load->view function.
- 7. Which variable name is incorrect?

a. \$Text b. \$f c. \$user id d. \$text e. \$some-test-here

[Question 8-13] Consider the link:

http://mywebsite.ext/index.php/somethingvone/somethingvtwo/somethingvthree

8. What kind of link is this:

a. URI b. QueryString c. ftp link

9. Which one will be treated as parameter in that URI?

a. index.phpb. somethingvonec. somethingvtwod. somethingvthree

10. Which one will be treated as method in that URI?

a. index.phpb. somethingvonec. somethingvtwod. somethingvthree

11. Which one will be treated as controller in that URI?

a. index.phpb. somethingvonec. somethingvtwod. somethingvthree

12. Which one will control all the segments?

a. index.phpb. somethingvonec. somethingvtwod. somethingvthree

13. Which are true:

С.

- a) helper can only be loaded in controller and model. View cannot load helper
- b) we cannot load multiple helper by passing an array of values to the first parameter.
- c) Plugins are stored within system/application/plugins/folder.
- d) all codeigniter core libraries have the prefix CI
- 14. You can display the amount of memory used by the system by calling:
  - a) \$this->benchmark->memory\_use()
  - b) \$this->memory\_use()
  - c) \$this->benchmark->memory usage()
  - d) \$this->memory\_usage()
- 15. Which function is use to set the value of form input box?
  - (a) setvalue()
  - (b) set()
  - (c) set value()
  - (d) Non of above
- 16. Which is extremely useful and even though also optional?
  - (a) Model
  - (b) View
  - (c) Controller

- (d) Non of above
- 17. Which refers to the system of numbering pages-a list of numbered links?
  - (a) Rotating
  - (b) Pagination
  - (c) Cropping
  - (d) All of above
- 18. What correct line of coded loading a view?
  - (a) \$this->load->view('view\_name')
  - (b) \$this->view('view name')
  - (c) \$this->load('view\_name')
  - (d) \$this->load->view name('view')
- 19. Which class is used to calculate the time between two points in your application?
  - (a) Profiling class
  - (b) Security class
  - (c) **Benchmarking class**
  - (d) Non of above
- 20. Which of the following is/are false:
  - a. The third parameter in load->view function used for output buffering
  - b. The default batch size for bcc is 500
  - c. we can store data in session by calling set userdata() method
  - d. to validate form we use the form library in Cl.
- 21. CI session contains the following:
  - a. Session\_ID
  - b. users IP address
  - c. user manager
  - d. first activity timestamp
- 22. \_\_\_\_\_\_is an Application Development Framework a toolkit for people who build web sites using PHP.
  - A. Joomla
  - B. Zend
  - C. Codelgniter
  - D. Wordpress
- 23. Which statement is true about the View?
  - a) A View is simply a class file that is named in a way that can be associated with a URI
  - b) A view is simply a web page, or a page fragment, like a header, footer, sidebar, etc
  - A view is simply a PHP Code, add a different type of function
- 24. Which statement is true about the Controller?

- a) A Controller is simply a class file that is named in a way that can be associated with a URI
- b) A Controller is simply a web page, or a page fragment, like a header, footer, sidebar, etc
- c) Models are PHP classes that are designed to work with information in your database
- 25. Which class allows information to be retrieved, inserted, and updated in your database with minimal scripting?
  - A. Active Record Class
  - B. Helper class
  - C. Database Class
  - D. URI class
- 26. \_\_\_\_\_Runs the selection query and returns the result. Can be used by itself to retrieve all records from a table.
  - A. \$this->db->getAll()
  - B. \$this->db->get()
  - C. \$this->db->getQuery()
- 27. How to get the average age from a Employee table?
  - A. \$this->db->select\_avg('age');
  - B. \$this->db->avg('age');
  - C. \$this-> select\_avg('age');
- 28. Which key word is used callback function?
  - (a) \_callback
  - (b) callback\_
  - (c) \_callback\_
  - (d) Non of above
- 29. How many parameters are set\_rules function?
  - (a) 4
  - (b) 3
  - (c) 2
  - (d) 5
- 30. What work in almost exactly the same way as Helpers ?
  - (a) Helper
  - (b) Plugin
  - (c) Library
  - (d) All of above
- 31. Which statement is true about the Models?
  - a) A Models is simply a class file that is named in a way that can be associated with a URI
  - b) A Models is simply a web page, or a page fragment, like a header, footer, sidebar, etc
  - c) Models are PHP classes that are designed to work with information in your database

- 32. How to load a helper file using the following function?
  - a) \$load->helper('name');
  - b) \$Loding->load->helper('name');
  - c) \$this->load->helper('name');
- 33. Which of the following line of code use to a send email?
  - a) library('email');Mail details code here \$this->email->send();
  - \$this->load->library('email');
     Mail details code here
     \$this->email->send();
  - c) \$this->load->email;Mail details code here....\$this->email->send();
- 34. Which of the following code loads and initializes the database class based on your configuration settings?
  - a) \$this->load->DataFile();
  - b) \$this->load->DatabaseName();
  - c) \$this-> database();
  - d) \$this->load->database();
- 35. Which of the following code is example of query?
  - a) \$this->db-> ('SELECT name, title, email FROM my table');
  - b) \$this->db->query('SELECT name, title, email FROM my\_table');
  - c) \$query = \$this->db->query('SELECT name, title, email FROM my\_table');
- 36. Which one is not true
  - a) we can set automatic filtering on by setting \$config['global\_xss\_filtering'] to TRUE
  - b) We can check image for safety in optional second parameter to the xss clean function
  - c) The email class also serves as a wrapper class in CI
  - d) email can only be sent from controller
- 37. How to initialized upload class in our controller?
  - a) \$this->load->helper('upload');
  - b) \$this->load->Uploading('upload');
  - c) \$this->load->'upload';
  - d) \$\frac{\\$\text{this->load->library('upload');}}{\}
- 38. Which function gives you to view file friendly syntax to get browser cookies?

- a) get\_cookie()
- b) list\_cookie()
- c) dis cookie()
- d) set\_cookie()
- 39. How to creates an opening form tag with a base URL built from your config preferences?
  - a) echo form\_fopen('email/send');
  - b) echo form('email/send');
  - c) echo form\_open('email/send');
  - d) echo open('email/send');
- 40. Which rules returns FALSE if the form element is empty?
  - a) required
  - b) compulsory
  - c) Empty
- 41. Which rules returns FALSE if the form element contains anything other than alpha-numeric characters.?
  - a) alpha
  - b) numeric
  - c) alpha\_numeric
- 42. Which rules returns FALSE if the form element does not contain a valid email address.?
  - a) email
  - b) valid email
  - c) alpha\_numeric
- 43. How to update data using Active Record Pattern?
  - a) \$this->db->updated('mytable', \$object);
  - b) \$this->db->ActiveRecord('mytable', \$object);
  - c) \$this->db->update('mytable', \$object);
  - d) \$this->db->updateData('mytable', \$object);
- 44. CodeIgniter is fairly restrictive regarding which characters it allows in your URI strings in order to help minimize the possibility that malicious data can be passed to your application.
  - a) Alpha-numeric text
  - b) Tilde: ~
  - c) Period: .
  - d) Hypen -
- 45. The \_\_\_\_\_class permits you maintain a user's "state" and track their activity while they browse your site.
  - a) loader
  - b) Session
  - c) Cookie
  - d) Header

```
46. How to initializing the Session?
                                                             d) <?php
    A. $this->load->session();
                                                                 class Helloworld extend Controller
    B. $this->library('session');
    C. $this->load->Session['session'];
                                                                 function HelloWorld(){
    D. $this->load->library('session');
                                                                 parent::Controller();
47. What is the right path to open config.php file?
                                                                 function index(){
    a) controller/config/config.php
                                                                 echo("Hello, World!");
    b) application/config/config.php
                                                                 }
    c) view/config/config.php
                                                                 }
    d) application/libraries/config.php
                                                                 ?>
48. What is the correct syntax for a Controller?
                                                             49. Which hook is called immediately after your
a)
                                                               Controller is executed?
    <?php
                                                                 a) post controller constructor
    class HelloWorld extends Controller
                                                                 b) post controller
                                                                 c) pre_controller
    function HelloWorld()
                                                                 d) display override
    { parent::Controller(); }
    function index()
                                                             50. How can you enable Codelgniter's hook?
    { echo("Hello, World!"); }
                                                                 a) In config.php setting
    }
                                                                      $config['enable_hooks']=TRUE;
    ?>
                                                                 b) In config.php setting
b)
                                                                      $config['hooks']=TRUE;
    <?php
                                                                 c) In config.php setting
    class Helloworld extends Controller
                                                                      $config['enable hook']=1;
                                                                 d) None
    function HelloWorld(){
                                                             51. Which is not Codelgniter helper function?
    parent::controller();
                                                                      a) $this->load-helper('html');
    }
                                                                 doctype()
    function index(){
                                                                      b) $this->load-helper('array');
    echo("Hello, World!");
                                                                 element()
                                                                     c) $this->load-helper('array');
    }
                                                                 rendom_element()
    }
                                                                      d) $this->load-helper('inflector');
    ?>
                                                                 singular()
c)
                                                                      e) $this->load-helper('inflector');
    <?php
                                                                 plural()
    class Helloworld extends Controller
                                                                     f) $this->load-helper('inflector');
                                                                 camelize()
    function HelloWorld(){
                                                                      g) $this->load-helper('inflector');
                                                                 underscore()
    parent:Controller();
                                                                     h) $this->load-helper('inflector');
                                                                 humanize()
    function index(){

 $this->load-helper('text');

    echo("Hello, World!");
                                                                 highlight_code()
    }
                                                                     j) directory_map()
    }
                                                                     k) $this->load-helper('html');
    ?>
                                                                 html()
```

- 52. Which hook is called immediately after your Controller has been instantiated, but prior to any method calls being made?
  - a) pre system
  - b) pre\_controller
  - c) post\_controller\_constructor
  - d) post\_controller
- 53. Which hook is called immediately before your Controller is called?
  - a) pre\_system
  - b) pre\_controller
  - c) post\_controller\_constructor
  - d) post controller
- 54. Which hook point is called very early during system execution?
  - a) pre system hook
  - b) pre\_controller hook
  - c) post\_controller hook
  - d) None
- 55. Which function is used to delete query cache?
  - a) \$this->db->cache delete()
  - b) \$this->db->delete cache()
  - c) \$this->cache->delete()
  - d) None
- 56. How function is used to turn on query caching in Codelgniter?
  - a) \$this->cache->on();
  - b) \$this->db->cache\_on()
  - c) \$this->db->cache()
  - d) None
- 57. Which of the following functions related to the escaping queries in codelgniter?
  - a) \$this->db->escape()
  - b) \$this->escape\_str()
  - c) \$this->escape like str()
  - d) \$this->escape\_string()
- 58. What is the correct way to rename application as app and system as core folder in codelgniter?
  - a) First open up confing/config.php for codelgniter base folder and set as follows: \$system\_path = 'core'; \$application\_folder = 'app'; and finally change both folders name as above.
  - b) First open up index.php from codelgniter base directory and set as follows: \$system\_path = 'core'; \$application\_folder = 'app';

## and finally change both folders name as above.

- c) First open up confing/constants.php for codelgniter base folder and set as follows: \$system\_path = 'core'; \$application\_folder = 'app'; and finally change both folders name as above.
- d) None
- 59. Which library is needed to call encode() and decode() functions to convert password encode or decode?
  - a) \$this->load->library("encryption");
  - b) \$this->load->library("encrypt");
  - c) \$this->load->library("security");
  - d) None
- 60. What is dynamic salting?
  - a) Salt is changed in every login
  - b) Salt is different for every user
  - c) Salt is loaded from database but same for all user
  - d) None
- 61. How can you make complex password salting?
  - a) Adding the salt at the beginning of the password.
  - b) Replacing some string from password with salt.
  - c) None
  - d) Split the password up somewhere, and add the salt in the middle.
- 62. What is password salting?
  - a) Adding a function to a password.
  - b) Adding a string to a password to change its end hash.
  - c) Deleting previous string and adding new string to password.
  - d) None
- 63. Which of the following library is needed to load to call \$this->encrypt->sha1() function?
  - a) \$this->load->library('encrypt');
  - b) \$this->load->library('encryption');
  - c) \$this->load->library('security');
  - d) \$this->load->library('sha');
- 64. Which of the following ways codelgniter support filtering data?
  - a) \$config["global\_xss\_filtering"]=TRUE
  - b) \$data=\$this->input->post(\$data,true);
  - c) \$data=\$this->input->xss\_clean(\$data);

- d) \$data=\$this->input->clear\_xss(\$data);
- 65. SMTP stands for what?
  - a) Simple Mail Transfer Port
  - b) Simple Mail Transaction Protocol
  - c) Sample Mail Transfer Protocol
  - d) Simple Mail Transfer Protocol
- 66. Which library is used to send email?
  - a) \$this->load->helper('email');
  - b) \$this->input->library('email');
  - c) \$this->load->library('email');
  - d) \$this->load->library('form');
- 67. Which of the following line of code is used to show the debugging information?
  - a) echo \$this->input->print\_debugger();
  - b) echo \$this->email->print\_debugger();
  - c) echo \$this->email->load debugger();
  - d) echo \$this->email\_debugger();
- 68. Which function is used to validate an IP address?
  - a) if(!\$this->input->valid\_ip(\$ip)){
     echo "Not a valid IP";
    }else{
     echo "Valid IP!";
    }
  - b) if(!\$this->input->ip\_address(\$ip)){
     echo "Not a valid IP";
     }else{
     echo "Valid IP!";
     }
  - c) if(\$this->input->valid\_ip(\$ip)){
     echo "Not a valid IP";
     }else{
     echo "Valid IP!";
    }
  - d) if(!\$this->load->valid\_ip(\$ip)){
     echo "Not a valid IP";
    }else{
     echo "Valid IP!";
    }
- 69. Which function is used to retrieving GET and POST data?
  - a) \$this->input->get('some\_field', TRUE);
  - b) \$this->input->get\_post('some\_field', TRUE);
  - c) \$this->input->post('some field');
  - d) \$this->load->get\_post('some\_field', TRUE);
- 70. Which is used for Filtering a single item?
  - a) \$name = \$this->load->xss\_filter(\$this->input>post('name'));

- b) \$name = \$this->input->xss\_filter(\$this->load>post('name'));
- c) \$name = \$this->input->xss(\$this->input>post('name'));
- d) \$name = \$this->input->xss\_filter(\$this->input>post('name'));
- 71. Which provide extra functionality that can be used across multiple projects?
  - a) Classes
  - b) Libraries
  - c) Helpers
  - d) Plugins
- 72. When utilizing CodeIgniter resources we could use \$CI in place of which super object?
  - a) \$Ci
  - b) \$THIS
  - c) \$this
  - d) None
- 73. Which is not a Benchmark step?
  - a) Mark the ending point.
  - b) Run the function to show the current time.
  - c) Mark the starting point.
  - d) Run the function to show the elapsed time.
- 74. Which is the correct syntax for benchmark?
  - a) \$this->benchmark->mark('end');
     // something happens here
     \$this->benchmark->mark('start');
     echo \$this->benchmark->elapsed\_time('start', 'end');
  - b) \$this->benchmark->mark('start');
    // something happens here
    \$this->benchmark->mark('end');
    echo \$this->benchmark->elapsed\_time('start', 'end');
  - c) \$this->benchmark->mark('end');
    // something happens here
    \$this->benchmark->mark('start');
    echo \$this->benchmark->current\_time('start',
     'end'):
  - d) \$this->benchmark->mark('start');
     // something happens here
     \$this->benchmark->mark('end');
     echo \$this->benchmark->elapsed\_time('end',
     'start');
- 75. Which is correct for displaying the total execution time for your application?
  - a) <?php echo \$this->benchmark->elapsed\_time(); ?>

- b) <?php echo \$this->benchmarkb) if(\$active == true) >elapsed time()?> \$zero = NULL; c) <?php echo \$this->benchmarkfunction test(\$test = FALSE) >elapsedTime(); ?> c) if(\$active == TRUE) d) <?php echo \$this->load->elapsed time(); ?> \$zero = NULL; function test(\$test = FALSE) 76. In codeigniter URI stands for d) if(\$active = TRUE) a) Uniform Resource Identifires \$zero = NULL; function test(\$test = FALSE) b) BUnit Resource Identifires c) CUniform Resource Identity 77. Codeigniter session is simply an array containing the following data a) Controllers a) Session ID b) Default controllers b) User's IP address c) Views d) None c) first activity timestamp 78. How we can load multiple helpers? 85. are the information that is being presented a) \$this->load->helper('form','url','cookie'); b) \$this->loada) Views >helper(array('form','url','cookie')); b) Controllers c) \$this->load->helper->'form','url','cookie'; c) Models d) DNone d) None 79. \_\_\_\_\_ files are a collection of functions in a 86. Codelgniter is an open source web application particular group framework for the a) PHP language a) Plugin b) Helper b) Java language c) Libraries c) Clanguage d) None d) C+ language 80. To load library which function is used? a) \$this->load->library('name'); be handled? b) \$this->load->librery('name'); a) Controllers c) \$this->load\_library('name'); b) Modules d) None c) Views 81. Which code is true for loading a helper? 88. To set default controller which file would you a) \$this->load helper('form'); open?
- - b) \$this->load->helper('form');
  - c) \$this->load->helper(array('form'));
  - d) \$this->load->helpar('form');
- 82. If we use closing tag in php file any controller or views then result may show \_\_\_\_\_.
  - a) PHP errors
  - b) warnings
  - c) even blank pages
  - d) All
- 83. Which syntax is correct about TRUE, FALSE and NULL?
  - a) Aif(\$active == true) < br />\$zero = null; < br />function test(\$test = false)

- 84. Which is use for business logic of any application?
- on the screen to users through theire web browsers.

87. Which one determine how HTTP request should

- a) application/config/routes.php
- b) application/routes / routes .php
- c) application/autoload/autoload.php
- 89. What is full meaning of MVC?
  - a) Model View Controller
  - b) Models Views Controllers
  - c) Model View Controllers
  - d) Models View Controller
- 90. Which file is used to open autoload resources?
  - a) application/config/ autoload.php
  - b) application/routes / routes .php
  - c) application/autoload/autoload.php

- 91. Which of the following in MVC represent any type data(returning,updating,removing)?
  - a) Models
  - b) Views
  - c) Controllers
- 92. Which is represents any type of data that our application may use?
  - a) Model
  - b) Views
  - c) Controllers
  - d) None
- 93. What is the difference between helper and plugin?
  - a) plug-in usually provides a single function, whereas a helper is usually a collection of functions.
  - Helper usually provides a single function, whereas a Plug-in is usually a collection of functions
- 94. true, false, null keywords always should write down in
  - a) Uppercase
  - b) Lowercase
  - c) Any one of the above
- 95. Which is/are the right code for loading a view?
  - a) \$this->load->view('view name');
  - b) \$this->load->view(view name);
  - c) \$data['title'] = "My Web Page"; \$this->load->view('view\_name', \$data);
  - d) \$data['title'] = "My Web Page"; \$this->load->view('view\_name',data);
- 96. Which one provides the extra functionality that can be used across multiple projects?
  - a) Libraries
  - b) Modules
  - c) Views
- 97. Which files are a collection of functions in a particular group?
  - a) Helper
  - b) Libraries
  - c) Modules
- 98. Which is/are the right code for loading Model?
  - a) \$this->load->model('model name');
  - b) \$this->load-
    - >model('sub folder/model name');
  - c) \$this->model name->function name();
  - d) None

```
99. Which is correct in CodeIgniter about closing tag?a) <?php</li>
```

```
<?php
class Helloworld extends Controller{
function index(){
  echo("Hello, World!");
}
}
?>
b) <?php
class Helloworld extends Controller{
function index(){
  echo("Hello, World!");
}
}
/* End of file helloworld.php */
/* Location: system/application/controllers/
*/</pre>
```

c) <?php
class Helloworld extends Controller{
 function index(){
 echo("Hello, World!");
 }
}
/\* End of file helloworld.php \*/
/\* Location: system/application/controllers/
\*/
?>

d) None

- 100. Helpers can be used within\_\_\_
  - a) Models
  - b) Controllers
  - c) Views
  - d) ALL