Tables (14)

Name	Туре	Schema
auth_group		CREATE TABLE "auth_group" ("id" integer NOT NULL PRIMARY KEY AUTOINCREMENT, "name" varchar(150) NOT NULL UNIQUE)
id	integer	"id" integer NOT NULL
name	varchar(150)	"name" varchar(150) NOT NULL UNIQUE
auth_group_per missions		CREATE TABLE "auth_group_permissions " ("id" integer NOT NULL PRIMARY KEY AUTOINCREMENT, "group_id" integer NOT NULL REFERENCES "auth_group" ("id") DEFERRABLE INITIALLY DEFERRED, "permission_id" integer NOT NULL REFERENCES "auth_permission" ("id") DEFERRABLE INITIALLY DEFERRED)
id	integer	"id" integer NOT NULL
group_id	integer	"group_id" integer NOT NULL
permission_id	integer	"permission_id" integer NOT NULL
auth_permissio n		CREATE TABLE "auth_permission" ("id" integer NOT NULL PRIMARY KEY AUTOINCREMENT, "content_type_id" integer NOT NULL REFERENCES

Name	Туре	Schema
		"django_content_type" ("id") DEFERRABLE INITIALLY DEFERRED, "codename" varchar(100) NOT NULL, "name" varchar(255) NOT NULL)
id	integer	"id" integer NOT NULL
content_type_id	integer	"content_type_id" integer NOT NULL
codename	varchar(100)	"codename" varchar(100) NOT NULL
name	varchar(255)	"name" varchar(255) NOT NULL
auth_user		CREATE TABLE "auth_user" ("id" integer NOT NULL PRIMARY KEY AUTOINCREMENT, "password" varchar(128) NOT NULL, "last_login" datetime NULL, "is_superuser" bool NOT NULL, "username" varchar(150) NOT NULL UNIQUE, "last_name" varchar(150) NOT NULL, "email" varchar(254) NOT NULL, "is_staff" bool NOT NULL, "is_active" bool NOT NULL, "date_joined" datetime NOT NULL, "first_name" varchar(150) NOT NULL)
id	integer	"id" integer NOT NULL
password	varchar(128)	"password" varchar(128) NOT NULL
last_login	datetime	"last_login" datetime
is_superuser	bool	"is_superuser" bool NOT

Name	Туре	Schema	
		NULL	
username	varchar(150)	"username" varchar(150) NOT NULL UNIQUE	
last_name	varchar(150)	"last_name" varchar(150) NOT NULL	
email	varchar(254)	"email" varchar(254) NOT NULL	
is_staff	bool	"is_staff" bool NOT NULL	
is_active	bool	"is_active" bool NOT NULL	
date_joined	datetime	"date_joined" datetime NOT NULL	
first_name	varchar(150)	"first_name" varchar(150) NOT NULL	
auth_user _gro ups		CREATE TABLE "auth_user_groups" ("id" integer NOT NULL PRIMARY KEY AUTOINCREMENT, "user_id" integer NOT NULL REFERENCES "auth_user" ("id") DEFERRABLE INITIALLY DEFERRED, "group_id" integer NOT NULL REFERENCES "auth_group" ("id") DEFERRABLE INITIALLY DEFERRED)	
id	integer	"id" integer NOT NULL	
user_id	integer	"user_id" integer NOT NULL	
group_id	integer	"group_id" integer NOT NULL	
auth_user _use r _permissions		CREATE TABLE "auth_user_user_permiss ions" ("id" integer NOT NULL PRIMARY KEY AUTOINCREMENT, "user_id" integer NOT NULL REFERENCES "auth_user" ("id")	

Name	Туре	Schema
		DEFERRABLE INITIALLY DEFERRED, "permission_id" integer NOT NULL REFERENCES "auth_permission" ("id") DEFERRABLE INITIALLY DEFERRED)
id	integer	"id" integer NOT NULL
user_id	integer	"user_id" integer NOT NULL
permission_id	integer	"permission_id" integer NOT NULL
django_admin_I og		CREATE TABLE "django_admin_log" ("id" integer NOT NULL PRIMARY KEY AUTOINCREMENT, "action_time" datetime NOT NULL, "object_id" text NULL, "object_repr" varchar(200) NOT NULL, "change_message" text NOT NULL, "content_type_id" integer NULL REFERENCES "django_content_type" ("id") DEFERRABLE INITIALLY DEFERRED, "user_id" integer NOT NULL REFERENCES "auth_user" ("id") DEFERRABLE INITIALLY DEFERRABLE INITIALLY DEFERRED, "action_flag" smallint unsigned NOT NULL CHECK ("action_flag" >= 0))
id	integer	"id" integer NOT NULL
action_time	datetime	"action_time" datetime NOT NULL

Name	Туре	Schema
object_id	text	"object_id" text
object_repr	varchar(200)	"object_repr" varchar(200) NOT NULL
change_message	text	"change_message" text NOT NULL
content_type_id	integer	"content_type_id" integer
user_id	integer	"user_id" integer NOT NULL
action_flag	smallint unsigned	"action_flag" smallint unsigned NOT NULL CHECK("action_flag" >= 0)
django_content _type		CREATE TABLE "django_content_type" ("id" integer NOT NULL PRIMARY KEY AUTOINCREMENT, "app_label" varchar(100) NOT NULL, "model" varchar(100) NOT NULL)
id	integer	"id" integer NOT NULL
app_label	varchar(100)	"app_label" varchar(100) NOT NULL
model	varchar(100)	"model" varchar(100) NOT NULL
django_migrati ons		CREATE TABLE "django_migrations" ("id" integer NOT NULL PRIMARY KEY AUTOINCREMENT, "app" varchar(255) NOT NULL, "name" varchar(255) NOT NULL, "applied" datetime NOT NULL)
id	integer	"id" integer NOT NULL
арр	varchar(255)	"app" varchar(255) NOT NULL
name	varchar(255)	"name" varchar(255) NOT NULL

Name	Туре	Schema
applied	datetime	"applied" datetime NOT NULL
django_session		CREATE TABLE "django_session" ("session_key" varchar(40) NOT NULL PRIMARY KEY, "session_data" text NOT NULL, "expire_date" datetime NOT NULL)
session_key	varchar(40)	"session_key" varchar(40) NOT NULL
session_data	text	"session_data" text NOT NULL
expire_date	datetime	"expire_date" datetime NOT NULL
essential_expe nse		CREATE TABLE "essential_expense" ("id" integer NOT NULL PRIMARY KEY AUTOINCREMENT, "month" varchar(10) NOT NULL, "store" varchar(50) NOT NULL, "classification" varchar(50) NOT NULL, "items" text NOT NULL, "method_of_payment" varchar(10) NOT NULL, "amount" decimal NOT NULL, "created" datetime NOT NULL, "updated" datetime NOT NULL)
id	integer	"id" integer NOT NULL
month	varchar(10)	"month" varchar(10) NOT NULL
store	varchar(50)	"store" varchar(50) NOT NULL
classification	varchar(50)	"classification" varchar(50) NOT NULL

Name	Туре	Schema
items	text	"items" text NOT NULL
method_of_payment	varchar(10)	"method_of_payment" varchar(10) NOT NULL
amount	decimal	"amount" decimal NOT NULL
created	datetime	"created" datetime NOT NULL
updated	datetime	"updated" datetime NOT NULL
essential_inco me		CREATE TABLE "essential_income" ("id" integer NOT NULL PRIMARY KEY AUTOINCREMENT, "month" varchar(10) NOT NULL, "salary" decimal NOT NULL, "investment" decimal NOT NULL, "credit_balance" decimal NOT NULL)
id	integer	"id" integer NOT NULL
month	varchar(10)	"month" varchar(10) NOT NULL
salary	decimal	"salary" decimal NOT NULL
investment	decimal	"investment" decimal NOT NULL
credit_balance	decimal	"credit_balance" decimal NOT NULL
essential_repor t		CREATE TABLE "essential_report" ("id" integer NOT NULL PRIMARY KEY AUTOINCREMENT, "month" varchar(10) NOT NULL, "total_income" integer NOT NULL, "total_expense" integer NOT NULL)
id	integer	"id" integer NOT NULL

Name	Туре	Schema
month	varchar(10)	"month" varchar(10) NOT NULL
total_income	integer	"total_income" integer NOT NULL
total_expense	integer	"total_expense" integer NOT NULL
sqlite_sequenc		CREATE TABLE sqlite_sequence(name,se
e		q)
name		"name"
seq		"seq"

Indices (15)

Name	Туре	Schema
auth_group_per missions_group _id_b120cbf9		CREATE INDEX "auth_group_permissions_group_id_ b120cbf9" ON "auth_group_permissions" ("group_id")
group_id		"group_id"
auth_group_per missions_group _id_permission _id_0cd325b0 _uniq		CREATE UNIQUE INDEX "auth_group_permissions_group_id_ permission_id_0cd325b0_uniq" ON "auth_group_permissions" ("group_id", "permission_id")
group_id		"group_id"
permission_id		"permission_id"
auth_group_per missions_permi ssion_id_84c5 c92e		CREATE INDEX "auth_group_permissions_permissio n_id_84c5c92e" ON "auth_group_permissions" ("permission_id")

Name	Туре	Schema
permission_id		"permission_id"
auth_permissio n_content_type _id_2f476e4b		CREATE INDEX "auth_permission_content_type_id_ 2f476e4b" ON "auth_permission" ("content_type_id")
content_type_id		"content_type_id"
auth_permissio n_content_type _id_codename _01ab375a_uni q		<pre>CREATE UNIQUE INDEX "auth_permission_content_type_id_ codename_01ab375a_uniq" ON "auth_permission" ("content_type_id", "codename")</pre>
content_type_id		"content_type_id"
codename		"codename"
auth_user _gro ups_group_id_ 97559544		CREATE INDEX "auth_user_groups_group_id_975595 44" ON "auth_user_groups" ("group_id")
group_id		"group_id"
auth_user _gro ups_user _id_6 a12ed8b		CREATE INDEX "auth_user_groups_user_id_6a12ed8 b" ON "auth_user_groups" ("user_id")
user_id		"user_id"
auth_user _gro ups_user _id_gr oup_id_94350 c0c_uniq		CREATE UNIQUE INDEX "auth_user_groups_user_id_group_i d_94350c0c_uniq" ON "auth_user_groups" ("user_id", "group_id")
user_id		"user_id"
group_id		"group_id"
auth_user _use		CREATE INDEX "auth_user_user_permissions_permi

Name	Туре	Schema
r _permissions_ permission_id_ 1fbb5f2c		<pre>ssion_id_1fbb5f2c" ON "auth_user_user_permissions" ("permission_id")</pre>
permission_id		"permission_id"
auth_user _use r _permissions_ user _id_a95ea d1b		CREATE INDEX "auth_user_user_permissions_user_ id_a95ead1b" ON "auth_user_user_permissions" ("user_id")
user_id		"user_id"
auth_user _use r _permissions_ user _id_permis sion_id_14a6b6 32_uniq		<pre>CREATE UNIQUE INDEX "auth_user_user_permissions_user_ id_permission_id_14a6b632_uniq" ON "auth_user_user_permissions" ("user_id", "permission_id")</pre>
user_id		"user_id"
permission_id		"permission_id"
django_admin_I og_content_ty pe_id_c4bce8e b		CREATE INDEX "django_admin_log_content_type_id _c4bce8eb" ON "django_admin_log" ("content_type_id")
content_type_id		"content_type_id"
django_admin_I og_user _id_c5 64eba6		CREATE INDEX "django_admin_log_user_id_c564eba 6" ON "django_admin_log" ("user_id")
user_id		"user_id"
django_content _type_app_lab		CREATE UNIQUE INDEX "django_content_type_app_label_mo del_76bd3d3b_uniq" ON

Name	Туре	Schema
el_model_76bd 3d3b_uniq		<pre>"django_content_type" ("app_label", "model")</pre>
app_label		"app_label"
model		"model"
django_session _expire_date_a 5c62663		CREATE INDEX "django_session_expire_date_a5c62 663" ON "django_session" ("expire_date")
expire_date		"expire_date"

Views (0)

Name Type Schema

Triggers (0)

Name Type Schema