


# SINGLE SIGN ON


SHARMEEN SHAIKH

ROLL.NO: A016

GO TO CONSOLE




Enable it



Enable IAM Identity Center

Choose how to configure IAM Identity Center in your AWS environment. [Learn more about IAM Identity Center configuration](#)

Enable with AWS Organizations  
(Recommended)




Create an organization instance to manage AWS accounts. [Learn more about AWS Organizations](#)

Manage multi-account permissions

Simplify application access across multiple accounts

Configure customer managed applications

Enable in only this AWS account



Create an account instance for this account only. Ideal for a single user or for testing.

Manage multi-account permissions

Simplify application access across multiple accounts

Configure customer managed applications


Cancel

Continue

In the dashboard settings, click on edit

## Settings summary

[Go to settings](#)

 Specify a unique name for your instance.

Instance name - [Edit](#)

-

Identity source

Identity Center directory

Region

US East (N. Virginia) | us-east-1


Organization ID

o-xdk0se4ozv

AWS access portal URL - [Edit](#)

 <https://d-9067fff609.awsapps.com/start> 

Issuer URL

 <https://identitycenter.amazonaws.com/ssoins-72235375d72a07c3>

Give any name to customize

### Customize AWS access portal URL



Enter a custom subdomain for the AWS access portal sign-in page where your authenticated users will access their assigned AWS accounts and cloud applications.

AWS access portal URL

Once saved, you will not be able to change this later.

https://  .awsapps.com/start

Type your subdomain to confirm:

Cancel

Save

✓ You have successfully created the organization instance of IAM Identity Center 72235375d72a07c3.

✓ The AWS access portal URL was successfully updated to 'https://cloudtech1.awsapps.com/start'.

IAM Identity Center enables you to manage workforce user access to multiple AWS accounts and applications. [Learn more](#)


[IAM Identity Center](#) > **AWS Organizations: AWS accounts**


### AWS accounts

Select one or more AWS accounts in your organization to provide multi-account access to users and groups in IAM Identity Center. [Learn more](#)

🔍 Search by name, email, account ID or OU ID.

### Organizational structure

▼  **Root**  
r-7mbz

☐  **Sharmeen Shaikh** **management account**  
796329916611 | shaikhsharmin857@gmail.com

[AWS Organizations](#) > [AWS accounts](#) > **Add an AWS account**

## Add an AWS account

You can add an AWS account to your organization either by creating an account or by inviting one or more existing AWS accounts to join your organization.

☒ **Create an AWS account**  
Create an AWS account that is added to your organization.

☐ **Invite an existing AWS account**  
Send an email request to the owner of the account. If they accept, the account joins the organization.

### Create an AWS account

AWS account name

Cloud-Tech2

Email address of the account's owner

cloud-tech2@gmail.com

IAM role name

The management account can use this IAM role to access resources in the member account.

OrganizationAccountAccessRole

It is visible after creating

Now add an user

Organizational structure	Account created/joined date
<div>▼  <b>Root</b></div> <div>r-7mbz</div>	
<div><input type="checkbox"/> <b>Cloud-Tech2</b></div> <div>533267442111   cloud-tech2@gmail.com</div>	Created 2024/04/04
<div><input type="checkbox"/> <b>Sharmeen Shaikh</b> <span>management account</span></div> <div>796329916611   shaikhsharmin857@gmail.com</div>	Joined 2024/04/04

Then go to identity center-> GROUPS

[IAM Identity Center](#) > [Groups](#) > [Create group](#)

## Create group

### Group details

Group name

Maximum of 128 characters

Description - *optional*

Group description detailing the permissions assigned to this group.

Maximum of 256 characters

Create group

Go to users->add user

[IAM Identity Center](#) > [Users](#) > Add user

Step 1  
**Specify user details**

Step 2 - optional  
Add user to groups

Step 3  
Review and add user

## Specify user details

### Primary information

**Username**  
This username will be required for this user to sign in to the AWS access portal. The username can't be changed later.  
  
Maximum length of 128 characters. Can only contain alphanumeric characters or any of the following: + = , @ - \_

**Password**  
Choose how you want this user to receive their password. [Learn more](#)  

☐ Send an email to this user with password setup instructions.  
☒ Generate a one-time password that you can share with this user.

**Email address**

**Confirm email address**

**First name**

**Last name**

**Display name**  
This is typically the full name of the workforce user (first and last name), is searchable, and appears in the users list.

[IAM Identity Center](#) > [Users](#) > Add user

Step 1  
[Specify user details](#)

Step 2 - optional  
**Add user to groups**

Step 3  
Review and add user

## Add user to groups - optional

You can assign this user to one or more groups.

**Groups (1)**

<input type="checkbox"/>	Group name <a href="#">↗</a>	Description
<input type="checkbox"/>	cloud-techdev	cloud-techdev

Click on the checkbox and next

## Review and add user

### Step 1: Specify user details

Primary information	
Attribute key	Value
Username	Cloud-Tech2
Email	cloud-tech2@gmail.com
First name	cloudtech2
Last name	demo
Display name	cloudtech2 demo

► **Contact methods - optional**

► **Job-related information - optional**

Now add user

### One-time password

×

✔ User password was reset for user "Cloud-Tech2".

You can copy and share the instructions for signing in to the AWS access portal with this user, or email them the instructions. This is the one-time password.

✔ Sign in instructions copied

Copy

AWS access portal URL

📄 <https://cloudtech1.awsapps.com/start>

Username

📄 Cloud-Tech2

One-time password

📄 \*\*\*\*\*

☐ Show password

Close

Copy and paste in notepad

Step 1

**Select permission set type**

Step 2

Specify permission set details

Step 3

Review and create

## Select permission set type

A permission set contains policies that determine a user's permissions to access an AWS account. When you assign a user or group to a permission set in an AWS account, IAM Identity Center creates an IAM role in the account and attaches the policies specified in the permission set to that role. Select an option to specify the permission set type. [Learn more](#)

### Permission set type

#### Types

**Predefined permission set**

Create a predefined permission set by choosing an AWS-defined template. This template enables you to select a single AWS managed policy. For example, you can select a policy that grants permissions for a common job function, such as Billing, or a specific level of access to AWS services and resources, such as ViewOnlyAccess. You can update the permission set as your needs evolve.

**Custom permission set**

Create a custom permission set by selecting AWS managed policies and creating an inline policy (recommended). You can also attach customer managed policies and set a permissions boundary (advanced).

### Policy for predefined permission set

### Create permission set

## Select permission set type

A permission set contains policies that determine a user's permissions to access an AWS account. When you assign a user or group to a permission set in an AWS account, IAM Identity Center creates an IAM role in the account and attaches the policies specified in the permission set to that role. Select an option to specify the permission set type. [Learn more](#)

### Permission set type

#### Types

**Predefined permission set**

Create a predefined permission set by choosing an AWS-defined template. This template enables you to select a single AWS managed policy. For example, you can select a policy that grants permissions for a common job function, such as Billing, or a specific level of access to AWS services and resources, such as ViewOnlyAccess. You can update the permission set as your needs evolve.

**Custom permission set**

Create a custom permission set by selecting AWS managed policies and creating an inline policy (recommended). You can also attach customer managed policies and set a permissions boundary (advanced).

Cancel

Next

Keep administrative access and click next

Click next



Permission set details

Permission set name

The name that you specify for this permission set appears in the AWS access portal as an available role. After users in IAM Identity Center sign in to the AWS access portal and select an AWS account, they can choose the role.

AdministratorAccess

Permission set names are limited to 32 characters or less. Names may only contain alphanumeric characters and the following special characters: + = , . @ - \_

Description - optional

Add a short explanation for this permission set.

AdministratorAccess

Permission set descriptions are limited to 700 characters or less. Descriptions should match the regular expression: [\u0009\u000A\u000D\u0020-\u007E\u00A1-\u00FF]\*

Session duration

The length of time a user can be logged on before the console logs them out of their session. [Learn more](#)

1 hour ▼

Relay state - optional

The value used in the federation process for redirecting users within the account. [Learn more](#)

Enter relay state

Relay states support up to 320 characters. Relay states may only contain alphanumeric characters, spaces and the following special characters: & \$ @ # \ / % ? = ~ - ' " | ! : , . ; \* + [ ] ( ) { }

Click next

Review and create

Step 1: Select permission set type

Edit

Permission set type

Type	AWS managed policy
Predefined permission set	AdministratorAccess

Step 2: Define permission set details

Edit

Permission set details

Permission set name	Session duration
AdministratorAccess	1 hour
Description	Relay state
AdministratorAccess	-

Tags (not set)

Key ▲	Value ▼
No resources	
You have not added any tags	

Cancel Previous Create

Click create

IAM Identity Center > Permission sets

IAM Identity Center now supports customer managed policies and permissions boundaries in your permission sets

This feature enables you to create customer managed policies in IAM and attach them to this permission set when you need to define custom permissions. You can also set a permissions boundary to control the maximum permissions for the permission set. [Learn more](#)

Permission sets (1)

Delete

Create permission set

Permission sets define the level of access that users in IAM Identity Center have to their assigned AWS accounts. The names of permission sets appear as available roles in the AWS access portal. Users who are assigned to multiple AWS permission sets can sign in to the AWS access portal, choose an account, and then choose a role that AWS created from an assigned permission set. [Learn more](#)

Find permission sets by full ARN or permission set ID (i.e., ps-abcdefg123456789).

< 1 > ⌵

Permission set	Description	ARN	Provisioned status
<input type="radio"/> AdministratorAccess	AdministratorAccess	arn:aws:sso::permissionSet/ssoins-72235375d72a07c3/ps-4c319225262...	<input type="radio"/> Not provisioned

## AWS accounts

Select one or more AWS accounts in your organization to provide multi-account access to users and groups in

## Organizational structure

☒ ☐ ☐ Root

r-7mbz

☒ ☐ Cloud-Tech2

533267442111 | cloud-tech2@gmail.com

☐ ☐ Sharmeen Shaikh management account

796329916611 | shaikhsharmin857@gmail.com

Assign users

## Assign users and groups to "Cloud-Tech2"

Select one or more users or groups in IAM Identity Center that you want to give multi-account access to.

Users

Groups

Groups (1/1)

↺

Create groups ↗

Find groups by group name

< 1 > ⚙

<input checked="" type="checkbox"/>	Group name ↗	Description
<input checked="" type="checkbox"/>	<a href="#">cloud-techdev</a>	cloud-techdev

▶ Selected users and groups (1)

Remove

Cancel

Next

Next

## Assign permission sets to "Cloud-Tech2"

Permission sets define the level of access that users and groups in IAM Identity Center have to an AWS account. You can assign more than one permission set to a user. To ensure least privilege access to AWS accounts, users in IAM Identity Center with multiple permission sets on an AWS account must pick a specific permission set when selecting the account and then return to the AWS access portal to pick a different set when necessary. [Learn more](#) ↗

Permission sets (1/1)

↺

↗ Create permission set

Find permission sets by name, ARN, or ID (i.e., ps-abcdefg123456789)

< 1 > ⚙

<input checked="" type="checkbox"/>	Permission set ↗	Description	ARN
<input checked="" type="checkbox"/>	<a href="#">AdministratorAccess</a>	AdministratorAccess	arn:aws:sso:::permissionSet/ssoins-72235375d72a07c3/ps-4c319225262b4b7e

Cancel

Previous


Next

## Review and submit assignments to "Cloud-Tech2"

**Step 1: Select users and groups** Edit

Users and groups (1)

< 1 >

Username / group name 	Type
<a href="#">cloud-techdev</a>	Group


**Step 2: Select permission sets** Edit

Permission sets (1)

Permission set	Description	ARN	Creation time
<a href="#">AdministratorAccess</a>	AdministratorAccess	arn:aws:sso::permissionSet/ssoins-72235375d72a07c3/ps-4c319225262b4b7e	5 minutes ago

Cancel Previous Submit



Submit


 We reprovisioned your AWS account successfully and applied the updated permission set to the account.


[IAM Identity Center](#) > **AWS Organizations: AWS accounts**

**AWS accounts**  
Select one or more AWS accounts in your organization to provide multi-account access to users and groups in IAM Identity Center. [Learn more](#)

**Organizational structure**

  **Root**  
r-7mbz

☐  **Cloud-Tech2**  
533267442111 | cloud-tech2@gmail.com

☐  **Sharmeen Shaikh** management account  
796329916611 | shaikhsharmin857@gmail.com

Now copy url from notepad and paste in incognito

\*Untitled - Notepad

File Edit Format View Help

AWS access portal URL: <https://cloudtech1.awsapps.com/start>,

Username: Cloud-Tech2,

One-time password: e7oR1<pHaE)0<0



### Sign in to cloudtech1

Username

Next

By continuing, you agree to the [AWS Customer Agreement](#) or other agreement for AWS services, and the [Privacy Notice](#). This site uses essential cookies. See our [Cookie Notice](#) for more information.



Copy username and password too

### Set new password

Username: Cloud-Tech2

New password

Confirm password

☐ Show password Matches

Set new password

After setting new password, an MFA code needs to be put twice for 2-factor authentication

Scan QR code and type the code


After successful sign in you'll get this page

## AWS access portal


[Accounts](#) | [Applications](#)

### AWS accounts (1)


▼

 Cloud-Tech2

533267442111 | cloud-tech2@gmail.com


[AdministratorAccess](#) | [Access keys](#) 

Click on administrator access



A new page is open with the access

Go to ec2



Service is showing since it was assigned to the user from group