

HTML Paragraphs

[< Previous](#)[Next >](#)

HTML Paragraphs

The HTML `<p>` element defines a **paragraph**:

Example

```
<p>This is a paragraph.</p>  
<p>This is another paragraph.</p>
```

[Try it Yourself »](#)

Note: Browsers automatically add some white space (a margin) before and after a paragraph.

HTML Display

You cannot be sure how HTML will be displayed.

Large or small screens, and resized windows will create different results.

With HTML, you cannot change the output by adding extra spaces or extra lines in your HTML code.

The browser will remove any extra spaces and extra lines when the page is displayed:

Example

```
<p>
```

```
This paragraph  
contains a lot of lines  
in the source code,  
but the browser  
ignores it.
```

```
</p>
```

```
<p>
```

```
This paragraph  
contains          a lot of spaces  
in the source      code,  
but the            browser  
ignores it.
```

```
</p>
```

[Try it Yourself »](#)

Don't Forget the End Tag

Most browsers will display HTML correctly even if you forget the end tag:

Example

```
<p>This is a paragraph.
```

```
<p>This is another paragraph.
```

[Try it Yourself »](#)

The example above will work in most browsers, but do not rely on it.

Note: Dropping the end tag can produce unexpected results or errors.

HTML Line Breaks

The HTML `
` element defines a **line break**.

Use `
` if you want a line break (a new line) without starting a new paragraph:

Example

```
<p>This is<br>a paragraph<br>with line breaks.</p>
```

[Try it Yourself »](#)

The `
` tag is an empty tag, which means that it has no end tag.

The Poem Problem

This poem will display on a single line:

Example

```
<p>
  My Bonnie lies over the ocean.

  My Bonnie lies over the sea.

  My Bonnie lies over the ocean.
```

```
Oh, bring back my Bonnie to me.  
</p>
```

[Try it Yourself »](#)

The HTML `<pre>` Element

The HTML `<pre>` element defines preformatted text.

The text inside a `<pre>` element is displayed in a fixed-width font (usually Courier), and it preserves both spaces and line breaks:

Example

```
<pre>  
My Bonnie lies over the ocean.  
  
My Bonnie lies over the sea.  
  
My Bonnie lies over the ocean.  
  
Oh, bring back my Bonnie to me.  
</pre>
```

[Try it Yourself »](#)

HTML Exercises

Test Yourself With Exercises

Exercise:

Use the correct HTML tag to add a paragraph with the text "Hello World!".

```
<html>  
<body>  
  
</body>  
</html>
```

[Submit Answer »](#)

[Start the Exercise](#)

HTML Tag Reference

W3Schools' tag reference contains additional information about HTML elements and their attributes.

Tag	Description
<u><p></u>	Defines a paragraph
<u>
</u>	Inserts a single line break
<u><pre></u>	Defines pre-formatted text

For a complete list of all available HTML tags, visit our [HTML Tag Reference](#).

[◀ Previous](#)

[Next ▶](#)

Copyright 1999-2019 by Refsnes Data. All Rights Reserved.