

Market Notice

To: Coinbase Derivatives Clients

From: Derivatives Command Center

Notice: 26-33.1

Date: 08/05/2026

Subject: 24x7 Transition: Rolling Gateway Deploys and Final Friday Maintenance Windows

Summary

Coinbase Derivatives, LLC ("CDE" or "Exchange") is completing its move to continuous (24x7) operation, after which the weekly 1-hour Friday maintenance window will be retired and rolling gateway restarts will occur during market hours.

This notice amends [Market Notice 26-33](#) (published 07/13/2026) to reflect a revised event schedule and updated final Friday maintenance windows.

The revised weekly Friday maintenance windows (16:00–16:50 CT, removal effective 17:00 CT) are:

- Integration (UAT): September 2026 (date to be announced)
- Production: October 2026 (date to be announced)

After each environment's final Friday window, TRUE_24X7 products will remain OPEN and trade continuously, subject only to the scheduled weekend maintenance windows.

At the final Friday window in each environment, all products that currently support weekend trading (the weekend trading set, comprising all crypto futures plus Gold and Silver futures) transition to a TRUE_24X7 trading schedule and trade continuously thereafter, subject only to scheduled weekend maintenance windows (see market notices). Products that do not trade on weekends currently are unaffected. Transitioning products are listed at the end of this Market Notice.

Key Milestones by Service

- Aug 14 (Event 2.6): Market Data only; Order Entry and Drop Copy are not in scope

coinbase DERIVATIVES

- Aug 21 (Event 2.7): SBE Order Entry (B-side) added back in-scope.
- Aug 28 (Event 2.8): First SBE Order Entry event to include the A-side (now B and then A)
 - TradingSessionID (336) is enabled in Production per [Market Notice 26-32](#). The value flips to TRUE_24X7 for 24x7-enabled instruments at the final Friday window (not on this date).
- Sept 11 (Event 2.9): first event to include FIX Order Entry (B-side).
- Sept 18 (Event 2.10): full Order Entry coverage (SBE and FIX, B & A).
- Event 3.0 (date to be announced): first event to include Drop Copy; use EventResendRequest to recover missed ExecutionReports from this date forward.
- Event 4 / GoLive (Early Q4 2026, date TBA): final Friday maintenance window. After this, rolling deploys may occur any time during trading hours, and 24x7-enabled products (crypto, gold and silver) trade continuously thereafter.

Seamless deploys are expected to be enabled per gateway type prior to that gateway's first event above (see Seamless Deploys below).

	<u>In Scope</u>			
<u>EventID</u>	<u>Market Data</u>	<u>Order Entry</u>	<u>Drop Copy</u>	<u>Target Date (Times CT)</u>
2.6	Yes	No	No	Friday, Aug 14, 2026 ~14:30
2.7	Yes	SBE B-Side Only (No FIX)	No	Friday, Aug 21, 2026 ~14:30
2.8	Yes	SBE - B & A (No FIX)	No	Friday, Aug 28, 2026 ~14:30
2.9	Yes	SBE - B & A FIX - B Only	No	Friday, Sept 11, 2026 ~14:30
2.10	Yes	Full (SBE - B & A FIX - B & A)	No	Friday, Sept 18, 2026 ~14:30
2.11	Yes	Full	No	Friday, Sept 25, 2026 ~14:30
3.0	Yes	Full	Yes	Date to be announced, along with additional testing dates
4 (GoLive)	Final Friday maintenance window. All 24x7-enabled products (crypto futures plus Gold and Silver) flip to TRUE_24X7 and trade continuously.			Early Q4 2026, date to be announced

coinbase DERIVATIVES

The Saturday Quarterly Maintenance previously scheduled for Saturday, Sept 12, 2026 is postponed; a new date will be announced.

For events that roll a single gateway side only (for example, the initial SBE B-side events), only sessions connected to that side are affected.

Seamless Deploys

CDE is rolling out seamless gateway deployments, and expects to enable them for each gateway type prior to that gateway's first rolling deploy listed above. For example, seamless deploys are already enabled for SBE Order Entry, and are targeted for FIX Order Entry prior to the first FIX event (Sept 11).

During a seamless takeover, the incoming gateway instance assumes ownership of the outgoing instance's active orders. Your session remains connected across the takeover: no reconnect or resubmission is required, resting orders are preserved on the book with their original price/time priority, and cancel-on-disconnect is not triggered for those orders.

During the takeover, order flow continues with no disconnect. Orders arriving in the brief takeover window are processed in sequence once the incoming instance assumes ownership: they are acknowledged with a small, temporary increase in latency for the duration of the handoff (observed in testing on the order of tens of milliseconds), with no rejects, cancels, or forced disconnects. Order priority is preserved, though such orders are not placed on the book until the incoming instance completes takeover.

Seamless deployments do not change the Connectivity Recommendations below. The planned rolling deploys listed above are expected to be seamless, but clients should keep standard session recovery in place (reconnect, and where applicable reset sequence numbers on logon) as a safeguard for unplanned service events.

To schedule a seamless deploy test in the Integration environment, please contact derivatives@coinbase.com.

Client Runbook & Impacted Services

Unless noted, guidance applies to both Internet and Cross Connect (data center) sessions, for whichever gateway side (A or B) a session is subscribed to. These recommendations apply to the rolling deployments above and to any unplanned service event on an A or B gateway.

- **Sequence Reset on Logon:** If your FIX engine reconnects to the opposite side during a restart window, the session is established as a new sequence-number epoch. We recommend sending ResetSeqNumFlag=Y (Tag 141) on all logons to handle this cleanly. Applies to FIX/SBE Order Entry and FIX Market Data. Recommended, not required.

coinbase DERIVATIVES

- **Order Entry (FIX and SBE):** Clients on a single gateway side experience a momentary disconnect then automatic reconnect. Your engine should handle this via standard session logon recovery.
- **Market Data – FIX:** Feeds may briefly interrupt during the restart of upstream sequencer and replication services. Reconnect and re-send a MarketDataRequest to receive the full snapshot. No data from the gap window is retransmitted automatically.
- **Market Data – UDP:** Expect a brief delay in sequence numbers as gateways restart. UDP sequence-number gapping is not expected.
- **Drop Copy:** Beginning with Event 3.0 (date to be announced), Drop Copy sessions are included in the rolling restart. On reconnect, use EventResendRequest to recover missed ExecutionReports and dedupe via ExecID and PossResend. Before Event 3.0, Drop Copy is not impacted.
- **REST API:** Momentary outages are possible. If a request times out, resend it.
- **No client-facing impact:** Post-Trade and Reporting pipelines resume automatically from their last checkpoint with no data loss. The CDE Portal is unaffected.

Connectivity Recommendations

- **Sequence Reset on Logon is optional but strongly recommended,** particularly for clients on Internet gateways that rely on aggregate-port failover. Sending 141=Y on every logon ensures a clean epoch when your session lands on the opposite side after a restart.
- **Monotonic sequence numbers and long-lived sessions:** Under continuous operation, sessions are expected to live indefinitely. A session whose outbound sequence number approaches the FIX protocol maximum (the signed 32-bit limit, roughly 2.1 billion) will be disconnected by the exchange to force a reset. Clients who never reset (141=N) should perform a periodic sequence reset to avoid an unexpected disconnect. Clients sending 141=Y on logon are not affected.
- **Internet connectivity:** If you connect to an A-side or B-side feed-specific port, switch to the aggregate ports for automatic load-balanced failover.
- **Failover:** A session that does not fail over to the opposite side remains disconnected until the impacted gateway completes its restart, then reconnects automatically. Configure your engine to initiate logon immediately on TCP reconnect.
- **Order Entry recovery (FIX):** Persist the last processed ExecID, and after reconnect use DCM's replay flow: LastExecIDRequest then EventResendRequest. Client processing should be idempotent and dedupe via ExecID and PossResend.
- **Order Entry recovery (SBE):** Same as FIX, except treat all events within the replay window as possibly duplicated and dedupe via the unique ExecID.

coinbase DERIVATIVES

Open Orders and Positions

- If CancelOnDisconnect is enabled (session or user level), resting orders are canceled on disconnect. If not enabled, they remain on the book during and after the rolling deploy. With seamless deploys, resting orders are preserved across the takeover regardless.
- Positions and balances are fully consistent before and after the restart. No reconciliation action is required.

Deployment Tracking (Status Page)

<https://status.cde.coinbase.com/> is updated before each deployment, during any unexpected issues, and at the conclusion of the deployment.

Example Architecture and Recommended Behavior

API	Connectivity	Best Practices
FIX Order Entry	Internet (Agg Port)	1. Connect via aggregate port for auto load-balanced failover. 2. Send 141=Y on every logon (recommended). 3. Auto-reconnect immediately on disconnect. 4. Persist last ExecID locally. 5. On reconnect: Logon → LastExecIDRequest → EventResendRequest → await EventResendComplete. 6. Dedupe via ExecID + PossResend.
FIX Order Entry	Cross Connect (A/B)	1. Dual connectivity to A and B sides. 2. Reset seq on every logon (recommended). 3. Track seq numbers on both A and B. 4. Fail over to the other side on disconnect. 5. Same ExecID-based recovery as above.
FIX Market Data	Internet (Agg Port)	1. Connect via aggregate port for auto failover. 2. Send 141=Y on every logon (recommended). 3. Auto-reconnect immediately. 4. On reconnect: Logon → re-send all MarketDataRequest subscriptions. 5. Full snapshot received on reconnect; no gap-fill.

coinbase DERIVATIVES

FIX Market Data	Cross Connect (A/B)	1. Dual connectivity to A and B sides. 2. Reset seq on every logon (recommended). 3. Track seq numbers on both sides. 4. Fail over on disconnect. 5. Re-send all MarketDataRequest subscriptions after logon. 6. Full snapshot received; no gap-fill.
SBE Order Entry	Cross Connect (A/B)	1. Dual connectivity to A and B sides. 2. Reset seq on every logon (recommended). 3. Track seq numbers on both sides. 4. Fail over on disconnect. 5. Recover via ExecID-based replay. 6. Treat replay window as possibly duplicated; dedupe via ExecID.
UDP Market Data	Cross Connect (A/B)	1. Dual feed from A and B sides if possible. 2. No logon or seq reset (connectionless). 3. Expect brief delay during restart; no gapping expected. 4. Tolerate brief feed pause without treating it as data loss.

Products Transitioning to TRUE_24X7

The following 48 products currently support weekend trading and will transition to a TRUE_24X7 schedule at the final Friday window in each environment. All other products retain their current trading hours and are unaffected.

Product	Symbol	Product ID
1k Shib Fut	SHB	1776
1k Shib Perp	SHP	7566
AAVE Perp	AVE	11368
Avalanche Fut	AVA	1764
Avalanche Perp	AVP	7698
BitCash Fut	BCH	1334
Bitcoin Cash Perp	BCP	8886
Bitcoin Fut	BTI	916
BNB Fut	BNF	13609
BNB Perp	BNB	13933
Cardano Fut	ADA	2839

coinbase DERIVATIVES

Cardano Perp	ADP	8754
Chainlink Fut	LNK	1770
Chainlink Perp	LNP	8622
Coin50 PSF	C50	11814
Doge Fut	DOG	1368
Dogecoin Perp	DOP	7830
Ethena Perp	ENA	11072
Ether Fut	ETI	925
Gold Futures	GOL	1587
Hedera Fut	HED	2516
Hedera Perp	HEP	8490
HYPE Fut	HYF	13445
HYPE Perp	HYP	13773
Litecoin Fut	LC	1326
Litecoin Perp	LCP	8358
nano Bitcoin Fut	BIT	409
nano Bitcoin Perp	BIP	3986
nano Ether Fut	ET	538
nano Ether Perp	ETP	3988
nano Solana Fut	SOL	2504
nano Solana Perp	SLP	4642
nano XRP Fut	XRP	3114
nano XRP Perp	XPP	4731
NEAR Perp	NER	10924
ONDO Perp	OND	11220
PAXG PSF	PAU	11962
Pepe PSF	PEP	11518
Polkadot Fut	DOT	1758
Polkadot Perp	POP	8226
Silver Futures	SLR	2141
Solana Fut	SLC	2510
Stellar Fut	XLM	2135
Stellar Perp	XLP	7962
SUI Fut	SUI	5501
SUI Perp	SUP	8094
XRP Fut	XRL	3108
Zcash Perp	ZEC	11666