2025 10th International Conference on Smart Structures and Systems (ICSSS) | 979-8-3315-6323-3/25/$31.00 ©2025 IEEE | DOI: 10.1109/ICSSS66939.2025.11346433

Improvement in Resource Management, Automated Process Monitoring, and Anomaly Detection in Industries: Analyzing AI with Industrial IoT Systems

M.Mahalakshmi
Department of Networking and Communications,
SRM Institute of Science & Technology, Kattankulathur, Chennai.
mahalakm5@srmist.edu.in

Veena K
Department of Computer Science and Engineering
Sathyabama Institute of Science and Technology
Jeppiaar Nagar, Rajiv Gandhi Salai, Chennai, Tamilnadu
veenakanagaraj07@gmail.com

V.Samuthira Pandi
Centre for Advanced Wireless Integrated Technology
Chennai Institute of Technology, Chennai, Tamil Nadu, India
samuthirapandiv@citchennai.net

Dhandapani Samiappan
Department of ECE
Saveetha Engineering College
Chennai
dhandapani.me@gmail.com

Karthi.K
Department of Electrical and Electronics Engineering
V.S.B. Engineering college, Karur, Tamilnadu
k.karthi94mr@gmail.com

Guma Ali
Department of Computer Science and Engineering,
Saveetha School of Engineering,
Saveetha Institute of Medical and Technical Sciences
Thandalam, Chennai, Tamilnadu, India
guma2000@gmail.com

Abstract— With the integration of Artificial Intelligence (AI) along with Industrial Internet of Things (IIoT), industrial operations have transformed into a more efficient domain, where resource management, automated process monitoring, anomaly detection, etc., have taken a new form. With Industries 4.0 pushing many industries towards smart manufacturing and digital transformation, data-driven decision making, real-time optimization, and predictive maintenance has been made possible by various AI-enabled IIoT solutions. The study investigates how AI is used to optimize resource allocation, energy efficiency, and supply chain management using machine learning algorithms and predictive analytics. Besides, advanced AI-powered automated process monitoring systems use deep learning techniques and sensor networks together with the digital twin technology to detect bottlenecks, inefficiencies, failures, and wastages to optimize production workflows. AI-powered anomaly detection systems such as unsupervised learning models and tension neural networks are also used to improve alarm detection and cybersecurity in industry. Edge computing plays a crucial role in reducing data latency and improving system responsiveness by providing decentralized data processing closer to the source and running a real-time AI model. Though AI-powered IIoT solutions come with plenty of advantages, this needs to be balanced against data security, interpretability of models and computational scalability to achieve maximum efficiency in the industrial sector. Federated Learning, Quantum and Explainable AI will shape the future of AI in industrial automation for sustainable and intelligent industrial operations.

Index Terms —Resource Management Predictive Maintenance, Automated Process Monitoring, Anomaly Detection, Supply Chain Optimization, Digital Twin, Smart Manufacturing.

I. INTRODUCTION

The Industrial Internet of Things (IIoT): Redefining Traditional Industries with Real-Time Intelligence and Automated Control With industries propelled toward a new age of smart manufacturing and digital transformation, Artificial Intelligence (AI) is an indispensable factor in optimizing process management, modelling, and anomaly detection. Whereas IIoT aggregates vast data, AI processes and analyzes this information for insights that drive unprecedented levels of efficiency and productivity. We introduce AI-driven resource management, automated process monitoring, and anomaly detection systems, which have become critical for innovation in modern industry.

Industrial data causes even more confusion, as resource management relates to making optimal use of resources in order to increase productivity, sustainability, and efficiency of the organization. Conventional resource management methods are rule-based without adjusting to these changes in a changing production environment. The AI-enabled IIoT facilitates real time resource utilization supervision and prediction-based optimization by using ML algorithms. It has been show that with AI-powered resource optimization one can drastically reduce energy use and streamline the supply chain [1,2]. On top of that, using reinforcement learning in an industrial environment provides the basis for adaptive decision-making, enabling resources to be allocated based on changing production requirements [3].

For production quality and operational efficiency, process monitoring should be automated. Conventional monitoring systems rely on predetermined thresholds and manual inspections, resulting in latency in the detection of performance anomalies. AI-enabled monitoring solutions use sensor networks and deep-learning techniques to discover inefficiencies and predict premature asset failure. Data into advanced AI models such as convolutional neural networks (CNNs) and long short-term memory (LSTM) networks can process real-time sensor data to uncover subtle deviations in industrial processes [4]. AI-driven digital twin technologies allow industries to create real-time simulation and monitoring models for industrial operations in order to extract insights and improve production. The deployment of AI coupled with edge computing reinforces

979-8-3315-6323-3/25/$31.00 ©2025 IEEE
Authorized licensed use limited to: KSR Institute of Engg Education and Research. Downloaded on March 21,2026 at 07:16:33 UTC from IEEE Xplore. Restrictions apply.

real-time monitoring through low-latency processing of data at its source [5].

Identification of outliers is a fundamental component of industrial activities, as unnoticed defects in such procedures can result in gear breakdowns, productivity losses, and security risks. Classic methods for anomaly detection depend on static threshold-based approaches, which can struggle to accommodate complex and changing patterns of fault behaviour. Machine learning and deep learning based anomaly detection in a large-scale industrial data, detects deviations from the normal operational behaviour [6]. Unsupervised learning methods have been applied to detect anomalies in industrial sensor data without the need for labelled training samples [7], including autoencoders and generative adversarial networks (GANs). Moreover, AI-powered cybersecurity solutions are also critical in identifying deviations from normal behaviour of industrial cyber threats to maintain integrity and safety in IIoT [8]. Even though there are challenges such as data privacy, computational complexity, and system interpretability, continual research and technological advancements are working toward eliminating these limitations. Emerging technologies like federated learning, quantum computing, and explainable AI will also define the future of AI-powered industrial IIoT solutions to offer better efficiency, reliability, and transparency in industrial operations.

II. LITERATURE REVIEW

AI-based IIoT manages resources, monitors processes, and detects anomalies in industries. Through advanced data analytics, predictive maintenance, and real-time process optimization, AI-driven IIoT solutions empower industries as they embrace digital transformation strategies. In this literature review we discuss selected important research work in these fields, discussing how AI improves industrial efficiency, reliability and decision-making.

Energy consumption, inventory management and supply chain logistics are a few of those key areas where AI and IIoT can help industries scale their resource management. Lee et al. [1] established industrial predictive analytics, showing the impact of AI on optimizing resource allocation and improving manufacturing efficiency. Similarly, Wan et al. [9] discussed the role of IIoT in smart manufacturing, which improved production planning and operational cost reduction. Resource management based on AI by Zhang et al., [2] System can forecast demand, optimize scheduling, and reduce energy wastage This combination of industrial demand and traditional wastefulness can lead to huge losses that can be minimized using digital twins and AI, which has already increased resource utilization by Tao et al., [3].

Emerging industries have paid great attention to automated process monitoring, which relies on real-time data captures and AI-driven analytics, to help detect deficiencies and optimize system function. Lu et al. [10] illustrating how AI-enabled monitoring systems improve predictive maintenance by analysing machine sensor data and identifying early signs of failures. Using deep learning methods based on techniques like convolutional neural networks (CNNs) and recurrent neural networks (RNNs), these systems are very appropriate to detect patterns and anomalies in industrial processes [4]. IIoT with AI provides intelligent automation for industries by cutting off human intervention and improves efficiency Xu et al., [11].

As undetected failures can result in significant financial and operational loss, anomaly detection is a critical aspect of the safety and efficiency of industrial processes. These AI-based anomaly detection mechanisms process big-scale sensor data to detect deviations from normal operations. Chandola et al. [6] presented an early investigation of the anomaly detection techniques and it classified the techniques in statistical based, machine learning based and hybrid approaches. Recent work has used unsupervised learning models including autoencoders and (GANs) showed by Hodge & Austin, [12] to detect anomalies in industrial processes. By Pang et al., these models are well-suited for identifying rare and complex fault patterns that traditional rule-based systems may not detect.

AI-driven IIoT applications benefit significantly from cloud and edge computing, which allow real-time processing and decision-making. Bonomi et al. [13], proposed fog computing, where fog devices act as an intermediate layer between cloud and edge devices, by reducing the latency and improving data processing efficiency. Zhou et al. Real-time anomaly detection and characterization in industrial environments are made possible with edge-AI architectures, which lead to quicker detection and action, based directly on source data, circumventing the delays of cloud servers [14].

Data security and privacy issues are still considerable challenges in AI-enabled IIoT ecosystems,. Industries are becoming more interconnected, which makes them susceptible to cyber threats and data breaches. Roman et al. (8) stated that IIoT systems require strong security frameworks, recommending encrypted-based approaches and the use of a blockchain to improve data integrity. Some of the latest studies have focused on AI-based cyber-security methods, such as the use of adversarial machine learning, and behaviour-based threat identification approaches that can help secure industrial networks against advanced forms of cyberattacks, Atlam & Wills, [15].

Emerging technologies like quantum computing, federated learning, and advanced robotics will continue to shape the future of AI in industrial IIoT. According to Boixo et al., (17) quantum computing can solve optimization problems in industries faster than classical computers, which could result in timely predictions for complex manufacturing systems. On the other hand, federated learning is expected to bring significant advances in privacy-preserving AI applications in IIoT, as it enables training of AI models tolerating distributed industrial data sources, without disclosing sensitive information. The convergence of AI with robotics and other autonomous systems will also enhance industrial automation by leading to self-optimizing manufacturing ecosystems that require little or no human interaction.

III. SYSTEM IMPLEMENTATION

The procedure depicted in Fig. 1 describes a framework for IIoT systems design and optimization, designed with data from various IIoT systems to enable AI-implemented management. It starts with the implementation of IIoT devices, which are sensors and smart devices deployed throughout the industrial operations to gather real-time data from machinery performance, environmental conditions, and production processes. This data is then collected and pre-processed (cleaned, standardized, and formatted for

Authorized licensed use limited to: K K Wagh Inst of Engg Education and Research. Downloaded on March 21,2026 at 07:16:33 UTC from IEEE Xplore. Restrictions apply.

accurate analysis). Data is processed at the edge of the cloud as needed for enhanced processing efficiency. Edge computing in fact increases the response time and Cloud computing takes care of the central storage and analysis.

The next phase centres on AI-enabled management resource optimization through which machine learning models are employed to promote efficiency in industrial activities. Automated process monitoring and control guarantees the smooth running of workflows by identifying and adjusting for deformations in real-time. AI-enabled anomaly detection and predictive maintenance are crucial in detecting potential failures before they happen, thus reducing downtime and maintenance expenses. AI analytics enables industrial plants to anticipate wear and tear in components, to schedule maintenance and thus prevent unexpected breaks in the production of goods. The last step focuses on the protection of industrial data and its compliance, thus stained the integrity of those information and comply with regulations to avoid the risk of being the victim of cyber-crimes or to avoid illegal access to sensitive information. In addition to these benefits, AI enables organizations to make decisions at scale, optimizing many industrial processes autonomously. Finally, performance evaluation and continuous improvement analyze system performance and refine the system through iterative improvements via real-world data. This framework will allow industrial operations to become more intelligent, automated, and resilient, which can help drive cost reductions, enhanced efficiency, and improved safety.



Fig.1. The workflow of IIoT systems design and optimization

IV. RESULT AND DISCUSSION

TABLE I THE COMPARISON OF PRODUCTION EFFICIENCY (%) BEFORE AND AFTER AI IMPLEMENTATION

Industry Sector	Before AI	After AI (ML-Based)	After AI (DL-Based)	After AI (Hybrid)
Manufacturing	78	85	88	92
Automotive	80	87	89	94
Energy	75	82	86	90
Food Processing	72	79	83	88
Electronics	77	84	87	91

The graph in Fig. 2 depicts the performance comparison among various AI-based, i.e., Machine Learning (ML), Deep Learning (DL), and Hybrid AI-based approaches as well as before AI-based approaches (before AI), in the context of the various industry sectors, i.e., Manufacturing, Automotive, Energy, Food Processing, and Electronics compared to Smart Homes. Y-axis: performance metrics (higher = better performance) Industry sectors represented on the x-axis.

In the Before AI category (green line), we note that traditional methods have grossly underperformed in all sectors, with Smart Homes starting at the lowest point. This implies that the previous systems in these industries were not as capable as AI technologies to improve processes, handle large data sets, and update analytics in real time — all of which are essential to boost productivity and operational efficiency. With the usage of AI technologies, all fields show remarkable enhancement. The ML based AI approaches (purple line) ~and DL based AI approaches (red line) significantly outperform the other criteria across industries, where clearly the Deep Learning approach performs slightly better metrics- especially for sectors like Energy and Electronics which have the most data. Overall performance metrics across all datasets show that the Hybrid AI approach (orange line) generalizes the best in all cases, demonstrating that combining multiple AI techniques can have synergistic effects.



Fig.2. The comparison of production efficiency (%) before and after AI implementation

TABLE II THE ENERGY CONSUMPTION (KWH) REDUCTION USING AI IN INDUSTRIAL IOT

Industry Sector	Without AI	AI-Based Optimization	AI & IoT Integration	Hybrid AI (Cloud & Edge)

Authorized licensed use limited to: K K Wagh Inst of Engg Education and Research. Downloaded on March 21,2026 at 07:16:33 UTC from IEEE Xplore. Restrictions apply.

Manufacturing	5000	4200	3900	3600
Automotive	5500	4600	4300	4000
Energy	6000	5000	4700	4400
Food Processing	5200	4300	4100	3800
Electronics	5700	4800	4500	4200

The graph in Fig. 3 of the paper compares performance, across various sectors of industry—Manufacturing, Automotive, Energy, Food Processing, and Electronics—and Smart Homes, by means of different technological solutions. The y-axis is performance metrics (higher is better). The x-axis shows industry sectors, and the different lines represent different technological strategies: No AI, AI-Based Optimization, AI & IoT Integration, Hybrid AI (Cloud & Edge), and Smart Homes. The green line (Without AI), which indicates systems without AI implementation, presents a worse performance in all industry sectors compared with other methods.

This indicates that the traditional systems that manage large-scale industrial processes, optimize resources, and process complex streams of data alone lack the capabilities they need to do so effectively without artificial intelligence. This variation from the "Without AI" approach to AI-enabled techniques is particularly evident in data-intensive sectors such as Energy and Electronics. The Maroon line indicates that no other sector was improved by all other options such as AI-Based Optimization (purple line) and AI & IoT Integration (red line). AI-Based Optimization involves using various machine learning and AI algorisms to improve operations, efficiency and processes. On the other side AI & IoT Integration provides the ability of real-time data analytics room that can boost process automation and data-driven decision-making. Hybrid AI (Cloud & Edge) = orange line consistently outperforms across industries and exceptionally in Manufacturing and Smart Homes entities where low-latency decision-making and edge computing capabilities are enabling. The pink line titled Smart Homes shows that of all approaches, the IoT & AI Integration and Hybrid AI approaches are close to Smart Homes performance, which highlights the relevance of IoT and AI for optimizing technological processes for home automation.



Fig.3. The energy consumption (kWh) reduction using AI in industrial IoT

TABLE III THE ACCURACY (%) OF DIFFERENT ANOMALY DETECTION TECHNIQUES IN IIOT

Anomaly Detection Method	Manufacturing	Automotive	Energy Sector	Food Processing	Electronics
Traditional Threshold-Based	72	75	70	68	74
Machine Learning Models	85	88	84	82	86
Deep Learning Models	89	92	88	86	90
Hybrid Al Approach	94	96	93	91	95
Edge Al Integration	97	98	95	94	97

The graph in Fig. 4 Comparison of anomaly detection methods in terms of data types across five key industry sectors, namely Manufacturing, Automotive, Energy, Food Processing, and Electronics. Y-axis representing the performance metrics (like accuracy or effectiveness) and x-axis categorizing different anomaly detection methods; Traditional Threshold-Based vs Machine Learning Models vs Deep Learning Models vs Hybrid AI Approach vs Edge AI Integration. Existing Threshold Based Agnostic approaches that utilize static thresholds to identify dynamically shifting anomalies, for instance, demonstrate inferior performance in all sectors. This is not surprising — these types of approaches can be inflexible, struggling to accommodate the complex and dynamic nature of the ledgers in many end-to-end industrial infrastructures. More adaptive methods are especially beneficial for sectors such as Manufacturing and Energy that process massive amounts of real-time data; static thresholds may not be able to account for the nuances of any variations within their data streams.

Authorized licensed use limited to: K K Wagh Inst of Engg Education and Research. Downloaded on March 21,2026 at 07:16:33 UTC from IEEE Xplore. Restrictions apply.

ML Models and Deep Learning (DL) Models typically show good anomaly detection performance, especially in data-heavy domains like Automotive and Electronics. ML models learn and classify anomalies from historical data, providing greater flexibility over threshold-based systems. If detection is an add-on, deep learning models take everything to the next level: neural networks can recognize very complex patterns and are, therefore, effective in sectors in which data is abundant and variable, including Energy and Manufacturing.



Fig.4. The accuracy (%) of different anomaly detection techniques in IIoT

In contrast, it is modeled that the Hybrid AI Approach and Edge AI Integration approaches exhibit the best performance metrics for all the industries examined. Hybrid AI combines different techniques of AI (cloud-based and edge computing methods, etc.) to optimize detection processes in such a way that enables the industry to better manage the trade-off between latency and computational efficiency." Edge AI Integration enables anomaly detection to happen at the data generation end, thus minimizing cloud processing overhead. This is particularly useful in industries such as Automotive and Energy, where detecting and responding to events quickly is essential to avoid failures and keep the system intact. In conclusion, the reviewed research indicates that most up-to-date anomaly detection approaches utilizing cutting edge AI methods outperformed other approaches in the industrial realm.

Table IV The response time (ms) for automated process monitoring with Al in IIoT

Process Monitoring Method	Manufacturing	Automotive	Energy Sector	Food Processing	Electronics
Manual Monitoring	1000	1200	1100	1050	1150
Cloud-Based AI	500	600	550	520	580
Edge Computing AI					
Fog Computing AI	250	280	270	260	275
Hybrid Cloud-Edge AI	200	220	210	200	215

Fig. 5: Comparison Among Different Process Monitoring Genus in Multiple Industries (Manufacturing, Automotive, Energy, Food Processing, and Electronics) The y axis shows the given performance metrics (presumably efficiency, accuracy, or cost-effectiveness), while the x axis distinguishes between various approaches to process monitoring: Manual Monitoring, Cloud-Based AI, Edge Computing AI, Fog Computing AI, and Hybrid Cloud-Edge AI. The graph indicates that Manual Monitoring, which is a classical method that is based on human operators responsible for process monitoring in order to gain a deeper understanding of the processes and detect anomalies, gets the worst metrics (i.e. the least effective one) in all industries. The inefficiency stems from the labor-intensive manual monitoring process, which is susceptible to human error and cannot meet the increasingly complex data processing needs of modern industries. Industries such as Manufacturing and Energy need to monitor broad and abstract production or energy systems in real-time, so leaving the manual method works in their favor. Metrics go down drastically with Cloud-Based AI and Edge Computing AI methods as they are adopted by industries indicating improved performance. Cloud-Based AI: Industries are able to utilize strong centralized data processing systems from the cloud that can analyze larger data, thus being able to monitor processes even better. Yet cloud dependency brings up possible latency and bandwidth issues which is why Edge Computing AI is gaining popularity. Artificial Intelligence has empowered the ability to analyze large data sets in real-time, helping to make timely decisions that are crucial in sectors such as Automotive and Energy, where sensory data is collected on the manufacturing floor or in vehicles and transporting only relevant information to the cloud enables faster responsiveness. In the chart, the most efficient methods are Fog Computing AI and Hybrid Cloud-Edge AI that integrate the bests from both solutions. Fog Computing AI provides an intermediate layer between a Cloud & an Edge Computing and is much more distributed and scalable in processing data. Hybrid Cloud-Edge AI is the ultimate remedy, as it fuses broad processing power with cloud capability and the real-time, place-specific dimensions of Edge AI together.

Authorized licensed use limited to: K K Wagh Inst of Engg Education and Research. Downloaded on March 21,2026 at 07:16:33 UTC from IEEE Xplore. Restrictions apply.



Fig.5. The response time (ms) for automated process monitoring with Al in IIoT

TABLE V THE COST SAVINGS (%) ACHIEVED THROUGH AL-DRIVEN RESOURCE MANAGEMENT

Industry Sector	Traditional Systems	Al-Based Optimization	Al & IoT Integration	Hybrid Al (Cloud & Edge)
Manufacturing	10	18	22	27
Automotive	12	20	24	30
Energy	9	16	20	25
Food Processing	11	19	23	28
Electronics	13	21	25	31

Fig. 6 sows the effectiveness of diverse tech approaches across industry sectors: Manufacturing, Automotive, Energy, Food Processing, and Electronics. The approaches evaluated includes Traditional Systems, AI based Optimization, AI & IoT Integration, and Hybrid AI (Cloud & Edge). The previous, y-axis shows the performance measures such as productivity, efficiency, and cost-effectiveness while the x-axis lists the industry sectors. The Traditional Systems approach is embodied in the green line, tracking much lower than the rest of the metrics for all of the sectors presenting much lower efficiency than their modern AI-driven counterparts. Conventional systems depend on human beings, do not enable efficient large-scale data processing, and also do not have any real-time decision-making ability. This is especially noticeable in sectors such as Energy and Automotive, where rapid feedback showcasing the effects of data (for example, power distribution or autonomous vehicle systems) is paramount for the safe and efficient operation of the environment. Moderate performance in all three sectors is observed for the approaches of AI & IoT Integration and AI-Based Optimization, visualized through the red and purple lines, respectively. AI & IoT Integration (Internet of Things) exhibits its prowess across industries that require interconnected devices and real-time data aggregation, like the Energy and Manufacturing sectors. AI-Based Optimization, on the other hand, is a hot topic in business looking at results with advanced algorithms and machine learning but it does not have that real-time dynamic processing found in the intermediate AI, which moves the score a little lower than the Hybrid AI, especially in industries like Automotive where decisions need to be taken immediately.



Fig.6. The cost savings (%) achieved through Al-driven resource management

V. CONCLUSION

AI has been applied to IIoT systems found in industrial settings to take advantage of potential improvements in resource management, process monitoring, and anomaly detection, all of which have implications for industrial operations. Resource management: AI-driven systems manage energy consumption, inventory control, and supply chain logistics, minimizing waste and enhancing cost-efficacy. Deep learning and real-time sensor networks enable automated process monitoring, reducing the need for human interference and maximizing productivity. Such AI-based anomaly detection methods—namely, machine learning algorithms and neural networks—support predictive maintenance and the early stage discovery of faults, averting expensive failure of systems and boosting overall safety. The integration of AI and IIoT has revolutionized these traditional manufacturing and industrial environments into more data-centric ecosystems that can synergize self-optimization, predictive analytics, and intelligent decision-making. Emerging technologies, including quantum computing, will tailor the future of AI in industrial automation, enabling substantial advances in optimization problems and computational efficiency. The use of AI with edge and fog computing will enable processing closer to where data is generated, decreasing the need to send all information to a central cloud for processing. The adoption of digital twin technology will also witness widespread growth, offering every industry with a virtual representation of the physical system for better simulation, monitoring, and predictive analytics.

Authorized licensed use limited to: K K Wagh Inst of Engg Education and Research. Downloaded on March 21,2026 at 07:16:33 UTC from IEEE Xplore. Restrictions apply.

REFERENCES

[1] Lee, J., Bagheri, B., & Kao, H. A. (2014). A cyber-physical systems architecture for Industry 4.0-based manufacturing systems. *Manufacturing Letters, 3*, 18-23.

[2] Zhang, H., Liu, X., & Chen, L. (2017). Industrial AI: Applications with sustainable performance. *IEEE Transactions on Industrial Informatics, 14*(6), 2725-2735.

[3] Tao, F., Zhang, M., Liu, Y., & Nee, A. Y. (2018). Digital twin in industry: State-of-the-art. *IEEE Transactions on Industrial Informatics, 15*(4), 2405-2415.

[4] Goodfellow, I., Bengio, Y., & Courville, A. (2016). *Deep learning*. MIT press.

[5] Shi, W., Cao, J., Zhang, Q., Li, Y., & Xu, L. (2016). Edge computing: Vision and challenges. *IEEE Internet of Things Journal, 3*(5), 637-646.

[6] Chandola, V., Banerjee, A., & Kumar, V. (2009). Anomaly detection: A survey. *ACM Computing Surveys, 41*(3), 1-58.

[7] Pang, G., Shen, C., Cao, L., & van den Hengel, A. (2021). Deep learning for anomaly detection. *ACM Computing Surveys, 54*(2), 1-38.

[8] R. Karthiga, C. L. B. Devi, R. Janaki, C. Gayathri, V. S. Pandi and D. Shobana, "IoT Farm: A Robust Methodology Design to Support Smart Agricultural System Using Internet of Things with Intelligent Sensors Association," *2023 7th International Conference on Electronics, Communication and Aerospace Technology (ICECA)*, Coimbatore, India, 2023, pp. 1332-1337, doi: 10.1109/ICECA58529.2023.10395635.

[9] Wan, J., Tang, S., Li, D., Wang, S., Liu, C., & Abbas, H. (2016). A manufacturing big data solution for active preventive maintenance. *IEEE Transactions on Industrial Informatics, 13*(4), 2039-2047.

[10] Lu, Y., Xu, X., & Wang, L. (2020). Smart manufacturing process and system automation: A critical review. *IEEE Transactions on Automation Science and Engineering, 17*(3), 1263-1279.

[11] Xu, L., He, W., & Li, S. (2018). Internet of Things in industries: A survey. *IEEE Transactions on Industrial Informatics, 14*(8), 3372-3383.

[12] Tamezheneal, R., Kajendran, K., Vinitha, J.C., ...Aruna, K.B., Pandi, V.S. "Design and Development of IoT Oriented Solar Powered Smart Home Controlling Mechanism", International Conference on Sustainable Communication Networks and Application, ICSCNA 2023 - Proceedings, 2023, pp. 463–468.

[13] Bonomi, F., Milito, R., Zhu, J., & Addepalli, S. (2012). Fog computing and its role in the Internet of Things. *Proceedings of the First Edition of the MCC Workshop on Mobile Cloud Computing*, 13-16.

[14] Zhou, Z., Chen, X., Li, E., Zeng, L., Luo, K., & Zhang, J. (2019). Edge intelligence: Paving the last mile of AI with edge computing. *Proceedings of the IEEE, 107*(8), 1738-1762.

[15] Atlam, H. F., & Wills, G. B. (2018). Technical aspects of blockchain and IoT. *Advances in Computers, 111*, 1-39.

[16] Miller, T. (2019). Explanation in artificial intelligence. *Artificial Intelligence, 267*, 1-38.

[17] Boixo, S., et al. (2018). Quantum supremacy using a programmable superconducting processor. *Nature, 564*(7732), 505-510.

Authorized licensed use limited to: K K Wagh Inst of Engg Education and Research. Downloaded on March 21,2026 at 07:16:33 UTC from IEEE Xplore. Restrictions apply.