




Welcome to an exploration of the dynamics that drive user engagement and content recommendation on Netflix, one of the leading streaming services globally.

In today's digital age, user engagement and content recommendation play pivotal roles in shaping the user experience, content discovery, and ultimately, the success of streaming platforms.

As millions of users navigate the vast library of content, understanding their preferences and enhancing content recommendations is key to keeping them engaged and satisfied

In the era of digital entertainment, Netflix stands as a prominent figure, reshaping how individuals consume media content. With its vast library of movies, TV shows, and original series, Netflix not only entertains but also offers a unique opportunity to understand user behavior and preferences.

This project delves into the intricacies of user interactions within the Netflix video-on-demand (VOD) platform, aiming to uncover patterns, trends, and insights that can benefit both content creators and platform administrators.



Problem Statement

Challenges in User Engagement and Content Recommendation

Understanding user engagement and interaction patterns on Netflix is crucial for content creators and platform administrators to optimize content delivery, enhance user experience, and drive platform growth. However, the dynamic nature of user behaviors, coupled with the vast array of content options, presents challenges in analyzing and interpreting the data effectively. Additionally, the evolving landscape of online media consumption requires novel approaches to extract meaningful insights from the available data.

Proposed Solution

- This project proposes a data-driven approach to analyze user interaction dynamics on Netflix. By leveraging advanced analytics techniques, including network analysis, and data visualization, we aim to unravel patterns of user engagement, identify popular content genres, and explore the evolving dynamics of the Netflix community. Insights gained from this analysis can inform content creators about audience preferences, guide platform administrators in optimizing content recommendations, and provide researchers with valuable insights into online media consumption behavior.
- Overall, this project offers a comprehensive exploration of user interaction dynamics within the Netflix platform, with the potential to drive innovation and enhance the overall viewing experience for millions of users worldwide.

Data Analysis

- **Clustering Coefficient:**

- The clustering coefficient measures the degree to which users in the network tend to cluster together. A higher clustering coefficient suggests tight-knit user communities sharing similar content preferences.

- **Degree Centrality:**

- Degree centrality reflects the prominence of users in the network based on the number of connections. By analyzing degree centrality, we gain insights into the most influential users shaping the overall content landscape.

- **Max Degree:**

- Max degree identifies the user with the highest number of connections. Understanding the user with the maximum degree is crucial for tailoring recommendations to meet the diverse preferences of this influential user.


- **Betweenness:**

- Betweenness centrality highlights users who act as bridges between different user clusters. By identifying these users, we can enhance content recommendations to bridge gaps and appeal to a broader audience.

Bipartite graph construction & visualization

- A **bipartite graph** is a type of graph in which the set of nodes are divided into two disjoint sets, U and V , such that every edge in the graph connects a node from set U to a node in set V , and no edges exist between nodes within the same set. In other words, there are no edges directly connecting nodes in U or nodes in V to each other.
- In this task, the bipartite graph represents the relationship between customers and movies in terms of the ratings given by the customers to the movies.

CONSTRUCTION





Reading Data: The code reads an edge list from a CSV file containing information about customer-movie relationships. The edge list includes columns for source (customer), target (movie), weight (rating given by the customer), and date.

Creating a Bipartite Graph: A NetworkX graph 'G' is initialized as an undirected graph.

Nodes are added to the graph, and each node is assigned a 'bipartite' attribute indicating whether it belongs to the set of customers (0) or movies (1).

Edges are added to the graph, connecting customers to movies with information about the rating (weight) and date.



Node Positioning: Nodes are separated into two sets: customers (top_nodes) and movies (bottom_nodes). A fixed position is assigned to each set using a dictionary, placing customers on the left ($x=1$) and movies on the right ($x=2$).

Edge Coloring: A dictionary 'weight_colors' is created to map different rating values to specific colors. 'edge_colors' is a list that holds the color for each edge in the graph based on its weight (rating).

Visualization: The bipartite graph is visualized using the `nx.draw()` function.

Nodes are positioned based on the assigned positions, and edges are colored according to the ratings. Customer nodes are colored in 'skyblue'.

Legend: A legend is created to provide information about the colors used for different rating categories. legend_labels is a dictionary that associates each rating category with a specific color in the legend.

ANALYSIS RESULTS

- 'Average Clustering Coefficient': 0.0,
- 'Maximum Degree': 299,
- 'Node with Maximum Degree': 'C769',
- 'Maximum Node Betweenness Centrality': 0.1530946175533155

Network analysis

1.Low Clustering Coefficient: This indicates that there are no triplets of nodes that are connected, which is expected in a bipartite network since no two nodes of the same set are directly connected to each other.

2.Varied Degree Centrality: The presence of nodes (customers and movies) with varied degree centrality levels suggests a spectrum of engagement and popularity. Some users are much more active than others, and similarly, some movies are much more popular. This variation is crucial for identifying both niche and blockbuster content.

3.Maximum Degree Node: Identifying the node with the maximum degree helps pinpoint the most engaged user or the most popular movie within the subset. This indicates potential trends and preferences within the Netflix ecosystem, revealing what types of content drive the most engagement.

4.High Betweenness Centrality: Nodes with high betweenness centrality act as bridges within the network, suggesting that certain users or movies play a pivotal role in connecting disparate parts of the user-movie graph. These nodes could be key to spreading new trends or recommendations through the network.