

SQL INDUSTRIAL PRACTICAL TASK

Employee Management System - DDL + Basic DML

60 Small Practical Tasks - Basic to Intermediate

Student Name : Sharvil Sharad Deshmukh

Mobile Number : 9021895725

Batch : Sep Date : 09/09/2026

Objective: Practice only core SQL DDL and basic DML operations using one simple employee-management database. No joins, ORDER BY, GROUP BY or advanced reporting are required.

Suggested target for 1 hour: Minimum Task 1-40, Good Task 1-50, Excellent all 60.

Part A - Database & Table Creation

Task 1: Create a database named **company_db**.

Task 2: Use/select the **company_db** database.

Task 3: Create a table named **employees** with the following columns:

Task 4: Display the structure of the **employees** table.

Task 5: Display all tables available inside **company_db**.

```
employees table structure:

employee_id      INT PRIMARY KEY
employee_name    VARCHAR(100)
department       VARCHAR(50)
salary          DECIMAL(10,2)
city            VARCHAR(50)
joining_date     DATE
status          VARCHAR(20)

= mysql> show databases;
+-----+
| Database |
+-----+
| company_db |
| information_schema |
| mysql |
| performance_schema |
| sharvil |
| sys |
+-----+
6 rows in set (0.00 sec)

== mysql> use company_db
Database changed
== mysql> CREATE TABLE employees (
->     employee_id INT PRIMARY KEY,
->     employee_name VARCHAR(100),
->     department VARCHAR(50),
->     salary DECIMAL(10,2),
->     city VARCHAR(50),
->     joining_date DATE,
->     status VARCHAR(20)
-> );

== mysql> SHOW TABLES;
+-----+
| Tables_in_company_db |
+-----+
| employees |
+-----+
1 row in set (0.07 sec)

== mysql> DESC employees;
+-----+-----+-----+-----+-----+-----+
| Field | Type | Null | Key | Default | Extra |
+-----+-----+-----+-----+-----+-----+
| employee_id | int | NO | PRI | NULL | |
| employee_name | varchar(100) | YES | | NULL | |
| department | varchar(50) | YES | | NULL | |
| salary | decimal(10,2) | YES | | NULL | |
| city | varchar(50) | YES | | NULL | |
| joining_date | date | YES | | NULL | |
| status | varchar(20) | YES | | NULL | |
+-----+-----+-----+-----+-----+-----+
7 rows in set (0.01 sec)
```

Part B - INSERT Operations

Task 6: Insert the following employee record:

101, Rahul Patil, Development, 45000, Pune, 2026-01-10, Active

Task 7: Insert the following employee record:

102, Priya Sharma, Testing, 38000, Mumbai, 2026-02-15, Active

Task 8: Insert the following employee record:

103, Amit Joshi, Development, 52000, Pune, 2025-12-05, Active

Task 9: Insert the following employee record:

104, Sneha Kulkarni, HR, 35000, Nashik, 2026-03-20, Active

Task 10: Insert the following employee record:

105, Rohan Deshmukh, Support, 30000, Mumbai, 2026-04-01, Inactive

Task 11: Insert the following employee record:

106, Anjali More, Testing, 42000, Pune, 2026-05-12, Active

```
mysql> USE company_db;
Database changed
mysql> INSERT INTO employees
-> (employee_id, employee_name, department, salary, city, joining_date, status)
-> VALUES
-> (101, 'Rahul Patil', 'Development', 45000, 'Pune', '2026-01-10', 'Active');
Query OK, 1 row affected (0.01 sec)

mysql> INSERT INTO employees
-> (employee_id, employee_name, department, salary, city, joining_date, status)
-> VALUES
-> (102, 'Priya Sharma', 'Testing', 38000, 'Mumbai', '2026-02-15', 'Active');
Query OK, 1 row affected (0.03 sec)

mysql> INSERT INTO employees
-> (employee_id, employee_name, department, salary, city, joining_date, status)
-> VALUES
-> (103, 'Amit Joshi', 'Development', 52000, 'Pune', '2025-12-05', 'Active');
Query OK, 1 row affected (0.03 sec)

mysql> INSERT INTO employees
-> (employee_id, employee_name, department, salary, city, joining_date, status)
-> VALUES
-> (104, 'Sneha Kulkarni', 'HR', 35000, 'Nashik', '2026-03-20', 'Active');
Query OK, 1 row affected (0.00 sec)

mysql> INSERT INTO employees
-> (employee_id, employee_name, department, salary, city, joining_date, status)
-> VALUES
-> (105, 'Rohan Deshmukh', 'Support', 30000, 'Mumbai', '2026-04-01', 'Inactive');
Query OK, 1 row affected (0.00 sec)

mysql> INSERT INTO employees
-> (employee_id, employee_name, department, salary, city, joining_date, status)
-> VALUES
-> (106, 'Anjali More', 'Testing', 42000, 'Pune', '2026-05-12', 'Active');
Query OK, 1 row affected (0.01 sec)
```

```
mysql> SELECT * FROM employees;
+-----+-----+-----+-----+-----+-----+-----+
| employee_id | employee_name | department | salary | city | joining_date | status |
+-----+-----+-----+-----+-----+-----+-----+
| 101 | Rahul Patil | Development | 45000.00 | Pune | 2026-01-10 | Active |
| 102 | Priya Sharma | Testing | 38000.00 | Mumbai | 2026-02-15 | Active |
| 103 | Amit Joshi | Development | 52000.00 | Pune | 2025-12-05 | Active |
| 104 | Sneha Kulkarni | HR | 35000.00 | Nashik | 2026-03-20 | Active |
| 105 | Rohan Deshmukh | Support | 30000.00 | Mumbai | 2026-04-01 | Inactive |
| 106 | Anjali More | Testing | 42000.00 | Pune | 2026-05-12 | Active |
+-----+-----+-----+-----+-----+-----+-----+
6 rows in set (0.00 sec)
```

Part C - Basic SELECT Queries

Task 12: Display all records from employees.

Task 13: Display only employee_name.

Task 14: Display employee_name and salary.

Task 15: Display employee_name, department, and city.

Task 16: Display employees from Pune.

Task 17: Display employees from Mumbai.

Task 18: Display Development department employees.

Task 19: Display Testing department employees.

Task 20: Display only Active employees.

Task 21: Display only Inactive employees.

Task 22: Display the employee whose employee_id = 103.

Task 23: Display the employee whose name is Priya Sharma.

Task 24: Display employees whose salary is greater than 40000.

Task 25: Display employees whose salary is less than 40000.

Task 26: Display employees whose salary is equal to 35000.

Task 27: Display employees whose salary is greater than or equal to 42000.

Task 28: Display Pune employees whose status is Active.

Task 29: Display Development employees whose salary is greater than 45000.

Task 30: Display employees from Pune or Mumbai.

```
mysql> USE company_db;
Database changed
mysql> SELECT * FROM employees;
+-----+-----+-----+-----+-----+-----+-----+
| employee_id | employee_name | department | salary | city | joining_date | status |
+-----+-----+-----+-----+-----+-----+-----+
| 101 | Rahul Patil | Development | 45000.00 | Pune | 2026-01-10 | Active |
| 102 | Priya Sharma | Testing | 38000.00 | Mumbai | 2026-02-15 | Active |
| 103 | Amit Joshi | Development | 52000.00 | Pune | 2025-12-05 | Active |
| 104 | Sneha Kulkarni | HR | 35000.00 | Nashik | 2026-03-20 | Active |
| 105 | Rohan Deshmukh | Support | 30000.00 | Mumbai | 2026-04-01 | Inactive |
| 106 | Anjali More | Testing | 42000.00 | Pune | 2026-05-12 | Active |
+-----+-----+-----+-----+-----+-----+-----+
6 rows in set (0.00 sec)

mysql> SELECT employee_name
-> FROM employees;
+-----+
| employee_name |
+-----+
| Rahul Patil |
| Priya Sharma |
| Amit Joshi |
| Sneha Kulkarni |
| Rohan Deshmukh |
| Anjali More |
+-----+
6 rows in set (0.00 sec)

mysql> SELECT employee_name, salary
-> FROM employees;
+-----+-----+
| employee_name | salary |
+-----+-----+
| Rahul Patil | 45000.00 |
| Priya Sharma | 38000.00 |
| Amit Joshi | 52000.00 |
| Sneha Kulkarni | 35000.00 |
| Rohan Deshmukh | 30000.00 |
| Anjali More | 42000.00 |
+-----+-----+
```

```

| employee_name | salary |
+-----+
| Rahul Patil   | 45000.00 |
| Priya Sharma  | 38000.00 |
| Amit Joshi    | 52000.00 |
| Sneha Kulkarni | 35000.00 |
| Rohan Deshmukh | 30000.00 |
| Anjali More   | 42000.00 |
+-----+
6 rows in set (0.00 sec)

```

```

mysql> SELECT employee_name, department, city
      -> FROM employees;

```

```

+-----+
| employee_name | department | city |
+-----+
| Rahul Patil   | Development | Pune |
| Priya Sharma  | Testing     | Mumbai |
| Amit Joshi    | Development | Pune |
| Sneha Kulkarni | HR          | Nashik |
| Rohan Deshmukh | Support     | Mumbai |
| Anjali More   | Testing     | Pune |
+-----+
6 rows in set (0.00 sec)

```

```

mysql> SELECT *
      -> FROM employees
      -> WHERE city = 'Pune';

```

```

+-----+
| employee_id | employee_name | department | salary | city | joining_date | status |
+-----+
| 101 | Rahul Patil | Development | 45000.00 | Pune | 2026-01-10 | Active |
| 103 | Amit Joshi | Development | 52000.00 | Pune | 2025-12-05 | Active |
| 106 | Anjali More | Testing     | 42000.00 | Pune | 2026-05-12 | Active |
+-----+
3 rows in set (0.00 sec)

```

```

mysql>
mysql> SELECT *
      -> FROM employees
      -> WHERE city = 'Mumbai';

```

```

+-----+
| employee_id | employee_name | department | salary | city | joining_date | status |
+-----+
| 102 | Priya Sharma | Testing     | 38000.00 | Mumbai | 2026-02-15 | Active |
| 105 | Rohan Deshmukh | Support     | 30000.00 | Mumbai | 2026-04-01 | Inactive |
+-----+
2 rows in set (0.00 sec)

```

```

mysql> SELECT *
      -> FROM employees
      -> WHERE department = 'Development';

```

```

+-----+
| employee_id | employee_name | department | salary | city | joining_date | status |
+-----+
| 101 | Rahul Patil | Development | 45000.00 | Pune | 2026-01-10 | Active |
| 103 | Amit Joshi | Development | 52000.00 | Pune | 2025-12-05 | Active |
+-----+
2 rows in set (0.00 sec)

```

```

mysql> SELECT *
      -> FROM employees
      -> WHERE department = 'Testing';

```

```

+-----+
| employee_id | employee_name | department | salary | city | joining_date | status |
+-----+

```

```

+-----+-----+-----+-----+-----+-----+-----+
|      102 | Priya Sharma | Testing | 38000.00 | Mumbai | 2026-02-15 | Active |
|      106 | Anjali More  | Testing | 42000.00 | Pune   | 2026-05-12 | Active |
+-----+-----+-----+-----+-----+-----+-----+
2 rows in set (0.00 sec)

mysql> SELECT *
      -> FROM employees
      -> WHERE status = 'Active';

+-----+-----+-----+-----+-----+-----+-----+
| employee_id | employee_name | department | salary | city | joining_date | status |
+-----+-----+-----+-----+-----+-----+-----+
|      101 | Rahul Patil   | Development | 45000.00 | Pune | 2026-01-10 | Active |
|      102 | Priya Sharma  | Testing    | 38000.00 | Mumbai | 2026-02-15 | Active |
|      103 | Amit Joshi    | Development | 52000.00 | Pune | 2025-12-05 | Active |
|      104 | Sneha Kulkarni | HR         | 35000.00 | Nashik | 2026-03-20 | Active |
|      106 | Anjali More   | Testing    | 42000.00 | Pune | 2026-05-12 | Active |
+-----+-----+-----+-----+-----+-----+-----+
5 rows in set (0.00 sec)

mysql> SELECT *
      -> FROM employees
      -> WHERE status = 'Inactive';

+-----+-----+-----+-----+-----+-----+-----+
| employee_id | employee_name | department | salary | city | joining_date | status |
+-----+-----+-----+-----+-----+-----+-----+
|      105 | Rohan Deshmukh | Support   | 30000.00 | Mumbai | 2026-04-01 | Inactive |
+-----+-----+-----+-----+-----+-----+-----+
1 row in set (0.00 sec)

mysql> SELECT *
      -> FROM employees
      -> WHERE employee_id = 103;

+-----+-----+-----+-----+-----+-----+-----+
| employee_id | employee_name | department | salary | city | joining_date | status |
+-----+-----+-----+-----+-----+-----+-----+
|      103 | Amit Joshi    | Development | 52000.00 | Pune | 2025-12-05 | Active |
+-----+-----+-----+-----+-----+-----+-----+
1 row in set (0.00 sec)

mysql> SELECT *
      -> FROM employees
      -> WHERE employee_name = 'Priya Sharma';

+-----+-----+-----+-----+-----+-----+-----+
| employee_id | employee_name | department | salary | city | joining_date | status |
+-----+-----+-----+-----+-----+-----+-----+
|      102 | Priya Sharma  | Testing    | 38000.00 | Mumbai | 2026-02-15 | Active |
+-----+-----+-----+-----+-----+-----+-----+
1 row in set (0.00 sec)

mysql> SELECT *
      -> FROM employees
      -> WHERE salary > 40000;

+-----+-----+-----+-----+-----+-----+-----+
| employee_id | employee_name | department | salary | city | joining_date | status |
+-----+-----+-----+-----+-----+-----+-----+
|      101 | Rahul Patil   | Development | 45000.00 | Pune | 2026-01-10 | Active |
|      103 | Amit Joshi    | Development | 52000.00 | Pune | 2025-12-05 | Active |
|      106 | Anjali More   | Testing    | 42000.00 | Pune | 2026-05-12 | Active |
+-----+-----+-----+-----+-----+-----+-----+
3 rows in set (0.00 sec)

mysql> SELECT *
      -> FROM employees
      -> WHERE salary < 40000;

```

```

+-----+-----+-----+-----+-----+-----+-----+
| employee_id | employee_name | department | salary | city | joining_date | status |
+-----+-----+-----+-----+-----+-----+-----+
| 102 | Priya Sharma | Testing | 38000.00 | Mumbai | 2026-02-15 | Active |
| 104 | Sneha Kulkarni | HR | 35000.00 | Nashik | 2026-03-20 | Active |
| 105 | Rohan Deshmukh | Support | 30000.00 | Mumbai | 2026-04-01 | Inactive |
+-----+-----+-----+-----+-----+-----+-----+
3 rows in set (0.00 sec)

```

```

mysql> SELECT *
      -> FROM employees
      -> WHERE salary = 35000;
+-----+-----+-----+-----+-----+-----+-----+
| employee_id | employee_name | department | salary | city | joining_date | status |
+-----+-----+-----+-----+-----+-----+-----+
| 104 | Sneha Kulkarni | HR | 35000.00 | Nashik | 2026-03-20 | Active |
+-----+-----+-----+-----+-----+-----+-----+
1 row in set (0.00 sec)

```

```

mysql> SELECT *
      -> FROM employees
      -> WHERE salary >= 42000;
+-----+-----+-----+-----+-----+-----+-----+
| employee_id | employee_name | department | salary | city | joining_date | status |
+-----+-----+-----+-----+-----+-----+-----+
| 101 | Rahul Patil | Development | 45000.00 | Pune | 2026-01-10 | Active |
| 103 | Amit Joshi | Development | 52000.00 | Pune | 2025-12-05 | Active |
| 106 | Anjali More | Testing | 42000.00 | Pune | 2026-05-12 | Active |
+-----+-----+-----+-----+-----+-----+-----+
3 rows in set (0.00 sec)

```

```

mysql> SELECT *
      -> FROM employees
      -> WHERE city = 'Pune'
      -> AND status = 'Active';
+-----+-----+-----+-----+-----+-----+-----+
| employee_id | employee_name | department | salary | city | joining_date | status |
+-----+-----+-----+-----+-----+-----+-----+
| 101 | Rahul Patil | Development | 45000.00 | Pune | 2026-01-10 | Active |
| 103 | Amit Joshi | Development | 52000.00 | Pune | 2025-12-05 | Active |
| 106 | Anjali More | Testing | 42000.00 | Pune | 2026-05-12 | Active |
+-----+-----+-----+-----+-----+-----+-----+
3 rows in set (0.00 sec)

```

```

mysql> SELECT *
      -> FROM employees
      -> WHERE department = 'Development'
      -> AND salary > 45000;
+-----+-----+-----+-----+-----+-----+-----+
| employee_id | employee_name | department | salary | city | joining_date | status |
+-----+-----+-----+-----+-----+-----+-----+
| 103 | Amit Joshi | Development | 52000.00 | Pune | 2025-12-05 | Active |
+-----+-----+-----+-----+-----+-----+-----+
1 row in set (0.00 sec)

```

```

mysql> SELECT *
      -> FROM employees
      -> WHERE city = 'Pune'
      -> OR city = 'Mumbai';
+-----+-----+-----+-----+-----+-----+-----+
| employee_id | employee_name | department | salary | city | joining_date | status |
+-----+-----+-----+-----+-----+-----+-----+
| 101 | Rahul Patil | Development | 45000.00 | Pune | 2026-01-10 | Active |
| 102 | Priya Sharma | Testing | 38000.00 | Mumbai | 2026-02-15 | Active |
| 103 | Amit Joshi | Development | 52000.00 | Pune | 2025-12-05 | Active |
+-----+-----+-----+-----+-----+-----+-----+

```

105	Rohan Deshmukh	Support	30000.00	Mumbai	2026-04-01	Inactive
106	Anjali More	Testing	42000.00	Pune	2026-05-12	Active

5 rows in set (0.00 sec)

Part D - UPDATE Operations

Task 31: Update Rahul Patil's salary from 45000 to 48000.

Task 32: Update Rohan Deshmukh's status from Inactive to Active.

Task 33: Update Sneha Kulkarni's city from Nashik to Pune.

Task 34: Update Priya Sharma's department from Testing to Development.

Task 35: Update employee 106 salary to 45000.

Task 36: Increase salary of employee 103 by 3000.

Task 37: Increase salary of all Testing employees by 2000.

Task 38: Change all employees from Mumbai to Mumbai Branch in the city column.

```
mysql> USE company_db;

Database changed

mysql> UPDATE employees

    -> SET salary = 48000

    -> WHERE employee_name = 'Rahul Patil';

Query OK, 1 row affected (0.04 sec)

Rows matched: 1  Changed: 1  Warnings: 0


mysql> UPDATE employees

    -> SET status = 'Active'

    -> WHERE employee_name = 'Rohan Deshmukh';

Query OK, 1 row affected (0.03 sec)

Rows matched: 1  Changed: 1  Warnings: 0


mysql> UPDATE employees

    -> SET city = 'Pune'

    -> WHERE employee_name = 'Sneha Kulkarni';

Query OK, 1 row affected (0.01 sec)

Rows matched: 1  Changed: 1  Warnings: 0


mysql> UPDATE employees

    -> SET department = 'Development'

    -> WHERE employee_name = 'Priya Sharma';

Query OK, 1 row affected (0.01 sec)

Rows matched: 1  Changed: 1  Warnings: 0


mysql> UPDATE employees

    -> SET salary = 45000

    -> WHERE employee_id = 106;

Query OK, 1 row affected (0.04 sec)

Rows matched: 1  Changed: 1  Warnings: 0


mysql> UPDATE employees

    -> SET salary = salary + 3000

    -> WHERE employee_id = 103;

Query OK, 1 row affected (0.01 sec)

Rows matched: 1  Changed: 1  Warnings: 0
```

```
mysql> UPDATE employees
    -> SET salary = salary + 2000
    -> WHERE department = 'Testing';
Query OK, 1 row affected (0.01 sec)

Rows matched: 1  Changed: 1  Warnings: 0
```

```
mysql> UPDATE employees
    -> SET city = 'Mumbai Branch'
    -> WHERE city = 'Mumbai';
Query OK, 2 rows affected (0.03 sec)

Rows matched: 2  Changed: 2  Warnings: 0
```

```
mysql> SELECT * FROM employees;
+-----+-----+-----+-----+-----+-----+-----+
| employee_id | employee_name | department | salary | city | joining_date | status |
+-----+-----+-----+-----+-----+-----+-----+
| 101 | Rahul Patil | Development | 48000.00 | Pune | 2026-01-10 | Active |
| 102 | Priya Sharma | Development | 38000.00 | Mumbai Branch | 2026-02-15 | Active |
| 103 | Amit Joshi | Development | 55000.00 | Pune | 2025-12-05 | Active |
| 104 | Sneha Kulkarni | HR | 35000.00 | Pune | 2026-03-20 | Active |
| 105 | Rohan Deshmukh | Support | 30000.00 | Mumbai Branch | 2026-04-01 | Active |
| 106 | Anjali More | Testing | 47000.00 | Pune | 2026-05-12 | Active |
+-----+-----+-----+-----+-----+-----+-----+
6 rows in set (0.00 sec)
```

```
mysql>
```

Part E - DELETE Operations

Task 39: Delete the employee with employee_id = 105.

Task 40: Delete the employee named Rohan Deshmukh.

Task 41: Delete all employees whose status is Inactive.

Task 42: Delete employees whose salary is less than 30000.

Task 43: Delete the employee with employee_id = 104.

```
mysql> USE company_db;
Database changed
mysql> DELETE FROM employees
    -> WHERE employee_id = 105;
Query OK, 1 row affected (0.03 sec)

mysql> DELETE FROM employees
    -> WHERE employee_name = 'Rohan Deshmukh';
Query OK, 0 rows affected (0.00 sec)

mysql> DELETE FROM employees
    -> WHERE status = 'Inactive';
Query OK, 0 rows affected (0.00 sec)

mysql> DELETE FROM employees
    -> WHERE salary < 30000;
Query OK, 0 rows affected (0.00 sec)

mysql> DELETE FROM employees
```

```
-> WHERE employee_id = 104;
Query OK, 1 row affected (0.03 sec)
```

```
mysql>
```

```
mysql> SELECT * FROM employees;
```

```
+-----+-----+-----+-----+-----+-----+-----+
| employee_id | employee_name | department | salary | city | joining_date | status |
+-----+-----+-----+-----+-----+-----+-----+
| 101 | Rahul Patil | Development | 48000.00 | Pune | 2026-01-10 | Active |
| 102 | Priya Sharma | Development | 38000.00 | Mumbai Branch | 2026-02-15 | Active |
| 103 | Amit Joshi | Development | 55000.00 | Pune | 2025-12-05 | Active |
| 106 | Anjali More | Testing | 47000.00 | Pune | 2026-05-12 | Active |
+-----+-----+-----+-----+-----+-----+-----+
4 rows in set (0.00 sec)
```

```
mysql
```

Part F - ALTER TABLE / DDL Practice

Task 44: Add a new column: email VARCHAR(100).

Task 45: Add a new column: mobile VARCHAR(15).

Task 46: Change the size of city to VARCHAR(100).

Task 47: Rename column employee_name to name.

Task 48: Delete the mobile column.

Task 49: Add a column: experience INT.

Task 50: Update experience for one employee.

```
mysql> USE company_db;
Database changed
mysql> ^C
mysql> ALTER TABLE employees
    -> ADD COLUMN email VARCHAR(100);
Query OK, 0 rows affected (0.04 sec)
Records: 0 Duplicates: 0 Warnings: 0

mysql> ALTER TABLE employees
    -> ADD COLUMN mobile VARCHAR(15);
Query OK, 0 rows affected (0.05 sec)
Records: 0 Duplicates: 0 Warnings: 0

mysql> ALTER TABLE employees
    -> MODIFY COLUMN city VARCHAR(100);
Query OK, 4 rows affected (0.11 sec)
Records: 4 Duplicates: 0 Warnings: 0

mysql> ALTER TABLE employees
    -> RENAME COLUMN employee_name TO name;
Query OK, 0 rows affected (0.05 sec)
Records: 0 Duplicates: 0 Warnings: 0

mysql> ALTER TABLE employees
    -> CHANGE COLUMN employee_name name VARCHAR(100);
ERROR 1054 (42S22): Unknown column 'employee_name' in 'employees'
mysql> ALTER TABLE employees
    -> DROP COLUMN mobile;
Query OK, 0 rows affected (0.05 sec)
Records: 0 Duplicates: 0 Warnings: 0

mysql> UPDATE employees
    -> SET experience = 2
    -> WHERE name = 'Rahul Patil';
ERROR 1054 (42S22): Unknown column 'experience' in 'field list'
mysql> ALTER TABLE employees
    -> ADD COLUMN experience INT;
Query OK, 0 rows affected (0.03 sec)
Records: 0 Duplicates: 0 Warnings: 0

mysql> UPDATE employees
```

```

-> SET experience = 2

-> WHERE name = 'Rahul Patil';

Query OK, 1 row affected (0.03 sec)

Rows matched: 1  Changed: 1  Warnings: 0

```

```

mysql> SELECT * FROM employees

-> WHERE name = 'Rahul Patil';

+-----+-----+-----+-----+-----+-----+-----+-----+-----+
| employee_id | name      | department | salary | city | joining_date | status | email | experience |
+-----+-----+-----+-----+-----+-----+-----+-----+-----+
|          101 | Rahul Patil | Development | 48000.00 | Pune | 2026-01-10 | Active | NULL |          2 |
+-----+-----+-----+-----+-----+-----+-----+-----+-----+

1 row in set (0.00 sec)

```

```
mysql>
```

Part G - Table-Level DDL Practice

Task 51: Create another table named departments with the structure shown below.

```

department_id    INT PRIMARY KEY
department_name   VARCHAR(100)
location         VARCHAR(100)

```

Task 52: Insert 3 department records.

Task 53: Display all department records.

Task 54: Update one department location.

Task 55: Delete one department record.

Task 56: Rename departments table to company_departments.

Task 57: Display the structure of company_departments.

Task 58: Remove all records from company_departments while keeping the table.

Task 59: Delete the company_departments table completely.

Task 60: Display all remaining tables in the database.

```

mysql> USE company_db;

Database changed

mysql> CREATE TABLE departments (

->     department_id INT PRIMARY KEY,

->     department_name VARCHAR(100),

->     location VARCHAR(100)

-> );

Query OK, 0 rows affected (0.06 sec)

mysql>

mysql> INSERT INTO departments

->

-> ;

ERROR 1064 (42000): You have an error in your SQL syntax; check the manual that corresponds to your MySQL server version for the right syntax to use near '' at line 1

mysql> INSERT INTO departments;

ERROR 1064 (42000): You have an error in your SQL syntax; check the manual that corresponds to your MySQL server version for the right syntax to use near '' at line 1

mysql> INSERT INTO departments

-> (department_id, department_name, location)

-> VALUES

```

```

-> (1, 'Development', 'Pune'),
-> (2, 'Testing', 'Mumbai'),
-> (3, 'HR', 'Nashik');

Query OK, 3 rows affected (0.01 sec)

Records: 3  Duplicates: 0  Warnings: 0

```

```

mysql> SELECT * FROM departments;
+-----+-----+-----+
| department_id | department_name | location |
+-----+-----+-----+
|          1   | Development     | Pune     |
|          2   | Testing         | Mumbai   |
|          3   | HR              | Nashik   |
+-----+-----+-----+

3 rows in set (0.00 sec)

```

```

mysql> UPDATE departments
      -> SET location = 'Pune'
      -> WHERE department_id = 2;

Query OK, 1 row affected (0.03 sec)

Rows matched: 1  Changed: 1  Warnings: 0

```

```

mysql>

mysql> DELETE FROM departments
      -> WHERE department_id = 3;

Query OK, 1 row affected (0.01 sec)

```

```

mysql> RENAME TABLE departments TO company_departments;

Query OK, 0 rows affected (0.05 sec)

```

```

mysql>

mysql> DESC company_departments;
+-----+-----+-----+-----+-----+-----+
| Field          | Type          | Null | Key | Default | Extra |
+-----+-----+-----+-----+-----+-----+
| department_id  | int           | NO   | PRI | NULL    |      |
| department_name | varchar(100)  | YES  |     | NULL    |      |
| location       | varchar(100)  | YES  |     | NULL    |      |
+-----+-----+-----+-----+-----+-----+

3 rows in set (0.01 sec)

```

```

mysql> TRUNCATE TABLE company_departments;

Query OK, 0 rows affected (0.04 sec)

```

```

mysql> DROP TABLE company_departments;

Query OK, 0 rows affected (0.06 sec)

```

```

mysql> SHOW TABLES;
+-----+
| Tables_in_company_db |
+-----+
| employees             |
+-----+

```

Topics Used in This Practical

```
CREATE DATABASE
USE
CREATE TABLE
DESC / DESCRIBE
SHOW TABLES
```

```
INSERT
SELECT
WHERE
AND
OR
```

```
UPDATE
DELETE
```

```
ALTER TABLE
ADD COLUMN
MODIFY COLUMN
RENAME COLUMN
DROP COLUMN
RENAME TABLE
TRUNCATE TABLE
DROP TABLE
```

Reminder: To display all remaining tables in the selected database, use `SHOW TABLES;`