### **EXPERIMENT 4.1**

NAME	Shasank Suman
UID	23BCS12489
CLASS	622-A

### PART – A

```
CREATE TABLE FeePayments (

payment_id INT PRIMARY KEY,

student_name VARCHAR(100) NOT NULL,

amount DECIMAL(10,2) CHECK (amount > 0),

payment_date DATE NOT NULL
);

START TRANSACTION;

INSERT INTO FeePayments VALUES (1, 'Ashish', 5000.00, '2024-06-01');

INSERT INTO FeePayments VALUES (2, 'Smaran', 4500.00, '2024-06-02');

INSERT INTO FeePayments VALUES (3, 'Vaibhav', 5500.00, '2024-06-03');

COMMIT;

SELECT * FROM FeePayments;
```

payment_id	student_name	amount	payment_date
1	Ashish	5000.00	2024-06-01
2	Smaran	4500.00	2024-06-02
3	Vaibhav	5500.00	2024-06-03

# PART-B

#### START TRANSACTION;

INSERT INTO FeePayments VALUES (4, 'Kiran', 6000.00, '2024-06-04');
INSERT INTO FeePayments VALUES (1, 'Ashish', -2000.00, '2024-06-05');

ROLLBACK;

#### SELECT \* FROM FeePayments;

payment_id	student_name	amount	payment_date
1	Ashish	5000.00	2024-06-01
2	Smaran	4500.00	2024-06-02
3	Vaibhav	5500.00	2024-06-03

# **PART-C**

START TRANSACTION;

INSERT INTO FeePayments VALUES (5, 'Ravi', 4000.00, '2024-06-06');
INSERT INTO FeePayments VALUES (6, NULL, 7000.00, '2024-06-07');

ROLLBACK;

#### SELECT \* FROM FeePayments;

payment_id	student_name	amount	payment_date
1	Ashish	5000.00	2024-06-01
2	Smaran	4500.00	2024-06-02
3	Vaibhav	5500.00	2024-06-03

### PART-D

START TRANSACTION;

INSERT INTO FeePayments VALUES (7, 'Neha', 8000.00, '2024-06-08');
INSERT INTO FeePayments VALUES (1, 'DuplicateTest', 1000.00, '2024-06-09');

ROLLBACK;

START TRANSACTION;

INSERT INTO FeePayments VALUES (8, 'Manish', 6500.00, '2024-06-10'); COMMIT;

### SELECT \* FROM FeePayments;

payment_id	student_name	amount	payment_date
1	Ashish	5000.00	2024-06-01T00:00:00.000Z
2	Smaran	4500.00	2024-06-02T00:00:00.000Z
3	Vaibhav	5500.00	2024-06-03T00:00:00.000Z
7	Sneha	4700.00	2024-06-08T00:00:00.000Z
8	Arjun	4900.00	2024-06-09T00:00:00.000Z