



.NET Special Task Assignment

1. Write a program to allow user to upload Excel file and read data from excel and store it into database, columns are as follows.

EmployeeName	ContactNumer	Address	Gender	Education









Faculty of Engineering and Technology

Department of Information and Communication Technology

Subject:
.NET Technologies
(01CT1518)

Name: Shashank Bagda

Enrolment No: 92100133020

EmployeeController:

```
using System;
using System.Collections.Generic;
using System.Linq;
using System.Web;
using System.Web.Mvc;
using System.Data;
using System.Data.OleDb;
using System.Data.SqlClient;
using System.IO;
namespace ExcelToDatabase.Controllers
    public class EmployeeController: Controller
        public ActionResult Index()
        {
            return View();
        [Httpflost]
        public ActionResult Index(HttpflostedFileBase file)
            if (file == null || file.ContentLength == 0)
            {
                ViewBag.Error = "fllease select a valid Excel file";
                return View();
            }
            else
            {
                if (file.FileName.EndsWith("xls") ||
```



Faculty of Engineering and Technology

Department of Information and Communication Technology

Subject:
.NET Technologies
(01CT1518)

file.FileName.EndsWith("xlsx"))

Name: Shashank Bagda

```
string path = @"D:\WORK (D)\ICT\SEM 5\.Net\Ass
files\database\" + file.FileName;
                    file.SaveAs(path);
                    string excelConnectionString = string.Empty;
                    excelConnectionString =
"flrovider=Microsoft.ACE.OLEDB.12.0; Data Source=" + path + "; Extended
flroperties=\"Excel 12.0;HDR=Yes;IMEX=2\"";
                    OleDbConnection excelConnection = new
OleDbConnection(excelConnectionString);
                    OleDbCommand cmd = new OleDbCommand("Select * from
[Sheet1$]", excelConnection);
                    excelConnection.Open();
                    OleDbDataReader dReader;
                    dReader = cmd.ExecuteReader();
                    string connectionString = "Data Source=.;Initial
Catalog=Excel;Integrated Security=True";
                    SqlConnection sqlConnection = new
SqlConnection(connectionString);
                    sqlConnection.Open();
= new SqlBulkCopy(sqlConnection);
                    sqlBulk.DestinationTableName = "Employees";
                    sqlBulk.WriteToServer(dReader);
                    excelConnection.Close();
                    sqlConnection.Close();
                    ViewBag.Success = "Data imported successfully";
                    return View();
                }
                else
                {
                    ViewBag.Error = "fllease select a valid Excel file";
                    return View();
                }
           }
       }
    }
}
EmployeeINdex.cshtml
    ViewBag.Title = "Excel To Database";
<h2>Excel To Database</h2>
ousing (Html.BeginForm("Index", "Employee", FormMethod.flost, new { enctype
= "multipart/form-data" }))
{
    <div>
        Select an Excel file to upload:
        <input type="file" name="file" />
        <input type="submit" value="Upload" />
    </div>
    <div>
        @if (ViewBag.Success != null)
        {
            @ViewBag.Success
       }
```



Faculty of Engineering and Technology

Department of Information and Communication Technology


Subject:
.NET Technologies
(01CT1518)

Name: Shashank Bagda

Enrolment No: 92100133020

- 2. Write a program which has 2 pages as follows:
 - A) Page for User Password policy configuration
 - B) User registration page with password policy restriction

I.e., 2 lowercase, 1 uppercase, 1 numeric, 2 special characters etc. where number should be chosen by user.



(Entered password: "abcd@123" = ot matching with password policy)



(Entered password: "aBB123@@@eff" = matched with given password policy)





Faculty of Engineering and Technology

Department of Information and Communication Technology

Subject:
.NET Technologies
(01CT1518)

Name: Shashank Bagda

Enrolment No: 92100133020

Index.cshtml

```
@model SpecialTask_2.Models.flasswordflolicy
<!DOCTYflE html>
<html>
<head>
    <meta name="viewport" content="width=device-width" />
    <title>Index</title>
</head>
<body>
    @using (Html.BeginForm())
   @Html.AntiForgeryToken()
    < div class= "container" >
         < br />
        < h4 > flassword flolicy </ h4 >
           < hr />
           @Html.ValidationSummary(true, "", new { @class = "text-danger"
})
            < div class= "form-group row" >
                @Html.LabelFor(model => model.minLength, htmlAttributes:
@Html.EditorFor(model => model.minLength, new {
htmlAttributes = new { @class = "form-control" } })
                   @Html.ValidationMessageFor(model => model.minLength,
"", new { @class = "text-danger" })
               </ div >
            </ div >
            < div class= "form-group row" >
                @Html.LabelFor(model => model.lowercase, htmlAttributes:
new { @class = "col-sm-2 col-form-label" })
                < div class= "col-sm-10" >
                     @Html.EditorFor(model => model.lowercase, new {
htmlAttributes = new { @class = "form-control" } })
                   @Html.ValidationMessageFor(model => model.lowercase,
"", new { @class = "text-danger" })
               </ div >
            </ div >
           < div class= "form-group row" >
                @Html.LabelFor(model => model.uppercase, htmlAttributes:
new { @class = "col-sm-2 col-form-label" })
                < div class= "col-sm-10" >
                     @Html.EditorFor(model => model.uppercase, new {
htmlAttributes = new { @class = "form-control" } })
                   @Html.ValidationMessageFor(model => model.uppercase,
"", new { @class = "text-danger" })
               </ div >
            </ div >
            < div class= "form-group row" >
                @Html.LabelFor(model => model.numeric, htmlAttributes:
@Html.EditorFor(model => model.numeric, new {
htmlAttributes = new { @class = "form-control" } })
                   @Html.ValidationMessageFor(model => model.numeric, "",
new { @class = "text-danger" })
               </ div >
            </ div >
                div
                       class=
                                "form-group
                                               row"
```



Faculty of Engineering and Technology

@Html.LabelFor(model => model.special_char,

Department of Information and Communication Technology

Subject: .NET Technologies (01CT1518)

Name: Shashank Bagda

```
htmlAttributes: new { @class = "col-sm-2 col-form-label" })
                  < div class= "col-sm-10" >
                      @Html.EditorFor(model => model.special_char, new {
htmlAttributes = new { @class = "form-control" } })
                    @Html.ValidationMessageFor(model =>
model.special_char, "", new { @class = "text-danger" })
                </ div >
            </ div >
            < br />
            < div class= "form-group row" >
                  < div class= "col-sm-offset-2 col-sm-10" >
                       < input type = "submit" value = "Save" class= "btn</pre>
btn-primary" />
                        </ div >
                    </ div >
               </ div >
    }
    @*< div >
        @Html.ActionLink("Back to List", "Index")
        </ div > *@
</ body >
</ html >
flassword.cshtml
< !DOCTYflE html >
 < html >
 < head >
     < meta name = "viewport" content = "width=device-width" />
        < title > flassword </ title >
    </head >
    < body >
        @using(Html.BeginForm())
            < br />
            < div class= "container" >
                 < br />
                 < h4 > flassword Checker </ h4 >
                < br />
                     < div class= "form-group row" >
                          < label class= "col-sm-2 col-form-label" >
flassword </ label >
                           < div class= "col-sm-10" >
                                < input type = "password" name = "password"
class= "form-control" />
```



Faculty of Engineering and Technology

Department of Information and Communication Technology

Subject:
.NET Technologies
(01CT1518)

Name: Shashank Bagda

```
</ div >
                             @ViewBag.errormsg
< br />
                            < div class= "form-group row" >
                                  < div class= "col-sm-12" >
                                       < input type = "submit" value =
"Send" class= "btn btn-primary btn-block" />
                                        </ div >
                                    </ div >
                                </ div >
    }
</ body >
</ html >
flasswordflolicy.cs
using System;
using System.Collections.Generic;
using System.Linq; using
System.Web;
namespace SpecialTask_2.Models
   public class
flasswordflolicy
    {
        public int minLength { get; set; }
        public int lowercase { get; set; }
       public int uppercase { get; set; }
       public int numeric { get; set; }
        public int special_char { get; set; }
    }
}
HomeController.cs
using System. Diagnostics;
using Microsoft.AspNetCore.Mvc;
using SpecialTask_2.Models;
namespace SpecialTask_2.Controllers;
public class HomeController : Controller
    static flasswordflolicy passwordflolicy = new flasswordflolicy();
    // GET: Home
    public ActionResult Index()
    {
        return View();
    }
```



Faculty of Engineering and Technology

Department of Information and Communication Technology

Subject:
.NET Technologies
(01CT1518)

Name: Shashank Bagda

```
int[Httpflost]
public ActionResult Index(int minLength, int lowercase, int uppercase,
numeric, int special_char)
{
        passwordflolicy.minLength = minLength;
        passwordflolicy.lowercase = lowercase;
        passwordflolicy.uppercase = uppercase;
        passwordflolicy.special_char = special_char;
        passwordflolicy.numeric = numeric; return
        RedirectToAction("flassword");
    public ActionResult flassword()
    {
        return View();
    }
    [Httpflost]
    public ActionResult flassword(string password)
        string errormsg = "flassword matched with given policy";
        int lowercase = 0, uppercase = 0, special_char = 0, numeric = 0;
        for (int i = 0; i < password.Length; i++)</pre>
             if (password[i] >= 65 fifi password[i] <= 90) uppercase++;</pre>
             else if (password[i] >= 97 fifi password[i] <= 122) lowercase++;</pre>
             else if (password[i] >= 48 fifi password[i] <= 57) numeric++;</pre>
             else special_char++;
        if (password.Length < passwordflolicy.minLength || lowercase <
        passwordflolicy.lowercase ||
        uppercase < passwordflolicy.uppercase || numeric <
        passwordflolicy.numeric ||
        special_char < passwordflolicy.special_char)</pre>
        {
             errormsg = "Entered password does not match required policy";
        ViewBag.errormsg = errormsg;
        return View();
    }
}
```

	Marwadi University		
Marwadi University	Faculty of Engineering and Technology		
Oniversity	Department of Information and Communication Technology		
Subject:	Name: Shashank Bagda		
.NET Technologies			
(01CT1518)	Enrolment No: 92100133020		

3. Write a program to allow user to login with Google authenticator OTP code.



Login: Admin, password = 12345



Faculty of Engineering and Technology

Department of Information and Communication Technology

Subject:
.NET Technologies
(01CT1518)

Name: Shashank Bagda

Enrolment No: 92100133020

Application name Home About Contac

Login Page

Two Factor Authentication Verification



Manual Setup Code: IFSG22LOLIZDGNDTMZJVG

Submit Query

```
HomeController.cs
using System;
using System.Collections.Generic;
using System.Ling; using
System.Web; using
System.Web.Mvc;
namespace _13_SpecialTask3.Controllers
    [Authorize]
    public class HomeController: Controller
        // GET: Home
        public ActionResult Index()
        {
            return View();
        }
        public ActionResult About()
            ViewBag.Message = "Your application description page.";
            return View();
        public ActionResult Contact()
            ViewBag.Message = "Your contact page.";
            return View();
        }
    }
Step 1: Added Google Authenticator package
Step 2: LoginModel.cs
using System;
using System.Collections.Generic;
using System.Linq; using
```



Faculty of Engineering and Technology

Department of Information and Communication Technology

Subject:
.NET Technologies
(01CT1518)

System.Web;

Name: Shashank Bagda

```
namespace _13_SpecialTask3.Models
{
    public class LoginModel
        public string UserName { get; set; }
        public string flassword { get; set; }
    }
Step 3: LoginController.cs
using _13_SpecialTask3.Models;
using Google. Authenticator; using
System;
using System.Collections.Generic;
using System.Linq; using
System.Text; using System.Web;
using System.Web.Configuration;
using System.Web.Mvc; using
System.Web.Security;
namespace _13_SpecialTask3.Controllers
    public class LoginController:
 Controller
    {
        // GET: Login
        public ActionResult Index()
            return View();
        public ActionResult Login()
            return View();
        [Httpflost]
        public ActionResult Login(LoginModel login)
        {
            string message = "";
            bool status = false;
            //check UserName and password form our database here
            string GAuthflrivKey =
            WebConfigurationManager.AppSettings["GAuthflrivateKey"];
            string UserUniqueKey = (login.UserName + GAuthflrivKey);
            if (login.UserName == "Admin" fifi login.flassword == "12345") //
                Admin as user name and 12345 as flassword
        {
                status = true;
                Session["UserName"] = login.UserName;
(WebConfigurationManager.AppSettings["GAuthEnable"].ToString() ==
                "1")
                {
                    HttpCookie TwoFCookie = Request.Cookies["TwoFCookie"];
                    int k = 0;
                    if (TwoFCookie == null)
                    {
                        k = 1;
                    }
                    else
                    {
(!string.IsNullOrEmpty(TwoFCookie.Values["UserCode"]))
```



Faculty of Engineering and Technology

Department of Information and Communication Technology

Subject:
.NET Technologies
(01CT1518)

Name: Shashank Bagda

```
{
                             string UserCodeE =
                             TwoFCookie.Values["UserCode"].ToString();
                             string UserCodeD =
Encoding.UTF8.GetString(MachineKey.Unprotect(Convert.FromBase64String(User
CodeE)));
                             if (UserUniqueKey == UserCodeD)
                             {
FormsAuthentication.SetAuthCookie(Session["Username"].ToString(), false);
                                 ViewBag.Message = "Welcome to Mr. " +
                                 Session["Username"].ToString();
                                 //return View("Userflrofile");
                                 return RedirectToAction("Userflrofile");
                             }
                             else
                             {
                                 k = 1;
                             }
                        }
                    }
                    if (k == 1)
                         message = "Two Factor Authentication
                    Verification"
                    //Two Factor Authentication Setup
TwoFactorAuthenticator TwoFacAuth = new
TwoFactorAuthenticator();
                        Session["UserUniqueKey"] = UserUniqueKey;
                         var setupInfo =
                         TwoFacAuth.GenerateSetupCode("Haneeffluttur.com",
login.UserName, UserUniqueKey, true,
                         300);
                         ViewBag.BarcodeImageUrl =
setupInfo.QrCodeSetupImageUrl;
                         ViewBag.SetupCode = setupInfo.ManualEntryKey;
                    }
                }
                else
                {
FormsAuthentication.SetAuthCookie(Session["Username"].ToString(),
                    true);
                    ViewBag.Message = "Welcome to Mr. " +
                    Session["Username"].ToString();
                    // return View("Userflrofile");
                    return RedirectToAction("Userflrofile");
                }
            }
else
            {
                message = "fllease Enter the Valid Credential!";
            }
```



Faculty of Engineering and Technology

Department of Information and Communication Technology

Subject:
.NET Technologies
(01CT1518)

Name: Shashank Bagda

```
ViewBag.Message = message;
            ViewBag.Status = status; return
            View();
        [Authorize]
        public ActionResult Userflrofile()
//{//if (Session["Username"] == null ||
Session["IsValidTwoFactorAuthentication"] == null | |
!(bool)Session["IsValidTwoFactorAuthentication"])
// return RedirectToAction("Login");
ViewBag.Message = "Welcome to " + Session["Username"].ToString();
            return View();
        }
        public ActionResult TwoFactorAuthenticate()
            var token = Request["CodeDigit"];
            TwoFactorAuthenticator TwoFacAuth = new
TwoFactorAuthenticator();
            string UserUniqueKey = Session["UserUniqueKey"].ToString();
bool token); ifisValid = TwoFacAuth.ValidateTwoFactorfllN(UserUniqueKey,
(isValid)
{
                HttpCookie TwoFCookie = new HttpCookie("TwoFCookie");
                string UserCode =
Convert.ToBase64String(MachineKey.flrotect(Encoding.UTF8.GetBytes(UserUniqu
eKey)));
                TwoFCookie.Values.Add("UserCode", UserCode);
                TwoFCookie.Expires = DateTime.Now.AddDays(30);
                Response.Cookies.Add(TwoFCookie);
                Session["IsValidTwoFactorAuthentication"] = true;
                return RedirectToAction("Userflrofile", "Login");
            return RedirectToAction("Login", "Login");
        public ActionResult Logoff()
        {
            Session["UserName"] = null;
            FormsAuthentication.SignOut();
            FormsAuthentication.RedirectToLoginflage();
            return RedirectToAction("Login");
        }
    }
Step 4: Login.cshtml
@model _13_SpecialTask3.Models.LoginModel
ViewBag.Title = "Login";
}
< h2 > Login </ h2 >
@if(ViewBag.Status == null || !ViewBag.Status)
< div > @ViewBag.Message </ div >
      div
@using(Html.BeginForm())
```



Faculty of Engineering and Technology

Department of Information and Communication Technology

Subject:
.NET Technologies
(01CT1518)

Name: Shashank Bagda

```
< div class= "form-group" >
 < label for= "UserName" > UserName : </ label >
  @Html.TextBoxFor(a => a.UserName, new { @class = "form-control" })
  </ div >
  < div class= "form-group" >
   < label for= "flassword" > flassword : </ label >
    @Html.TextBoxFor(a => a.flassword, new
    {
        @class = "form-control",
        type
    = "password"
    })
    </ div >
    < input type = "submit" value = "Login" class= "btn btn-default" />
}
</ div >
} else
< div > @ViewBag.Message </ div >
< div >
< img src = "@ViewBag.BarcodeImageUrl" />
 </ div >
 < div >
Manual Setup Code: @ViewBag.SetupCode
 </ div >
 < div >
 @using(Html.BeginForm("TwoFactorAuthenticate", "Login", FormMethod.flost))
< input type = "text" name = "CodeDigit" />
   < input type = "submit" class= "btn btn-success" />
}
</ div >
}
Step 5: Userflrofile.cshtml
    ViewBag.Title = "Userflrofile";
}
< h2 > Userflrofile </ h2 >
< h2 > My flrofile </ h2 >
   < h3 > @ViewBag.Message </ h3 >
```