PAGE NO: perelope a java program and create a CIE package consists of student and Internal classes and SEE package consists of Externals and main class and display the students masks in internals & externals. 1/student - Jara miles bugai bi package CJB; impost java. Util. Scannes; public class Student protected string USN = new string(); protected string name = new string(); protected int sem; public void Input student defails () Scanner o = new Scanner (System. in); System out printin ('enter usn: "); USN = 9 - next Line (); mi longer System. out . println ("enter Name:"); name = s · nextline (); system.out println ("enter somester;"); sem = 2. next2nt() public void display student ortails () Systemout pointin ("USN: "+UIN); system out println ("Name:"- name); system.out. println ("sem;"+sem); · 10 / 20 mars proper of Allice - ber welly

PAGE NO: 11 Internals. Java package CIE; is allow spelled 313 impost java util . Scannes; public class Fotornals extends student protected int masks[] = next int[5]; public void input comorks () Imports Scanner s = new Scanner (system in); System. outprovila ("Inter internal marks for mane) (++1; 2); (0=1) 60 (1+1) System.out . println ("subject" + (i+1)+ marks:1; mosksti] = 2. nextInt(); ablic void sagal studend defilse) Street cory displace on ...) is MExternals. jaxa () saillers = & Mas package SEE, sofae) all-aig - has malzy? Impost (IF. Internals) and the second im post java . util. sconner; a ha make public class Externals extends Internals 9 protected int marks[]; protected int final mosts [], public Externals () of Can be mosks = new ind [5]; (my final marts = new int [s]; public void input. SEE mosts ()& Scannes = new scanner (system in): System-OH . printly ("FATER SEE mas & 100"+ rame); b(1+1;2);(0=1 tm) 60d

PAGE NO: System. Oct parm) In ("subject" + (i+1) + "mosts:"); marks[i]=2.nex+In+(); public void calculate Finalmarks () d

foolint i=D; ics; i+1)d public void display firal Marks () of display student petails ();

for lint i=0; i < 5; i ++)d System.out. print In ("subject"+(i+1)+":"+ 6 inalmarks (i); Il Main java. import SEE. Externals; public class Main ? public static void main (String args [] int num of students = 2; Externals final marty []: new Externals (num- of-students); for(int i=0; ic num-of. students; i +1) of firal marks[i] = new externals(); final mark[i] input student Details (); System out - print Im ("Enter (IE marks: ") final marks[i]. input (FE Marks(); system. out , println ("Enter SEP marks: "); finals marks [i] - Input sermarks); System. out - point in l'i Display dota !!);

\$00(int i = 0; ic num - 0] - students ; int)d [inalsmosts[i]. calculate firol Marrs();

	PAGE NO: DATE:
T. Carles	finalmarks [i] display Final Marks();
	3 Chiclan and Discon
	4
	3
	ented voil realiste realists May side
	18M22CS2CM81
(detrom	enter name:
	Shashonk (
	enter sem rellaris palaris biox silder
	3 illelistation police
	enter (15 mosts:
- C - C	enter Internal marks'
Might I	subject): 45
	30bject 2:46
	Subject 3:42
	subject 4:43
	subject 5: 44 illowether and francis
	enter SEE monts?
P(enter SEE morks 600 shashank c
~	subject 1:85
Landy.	Subject 2:89
Le horbanke .	20Bjec+ 3: 87
-	subject \$: 87
	subjects: 87
7	Display data.
3.	USA1. 18M221525 W
	Mame . Shashank C
1 (10	12 min 32 roses hallower to red to
	206,001; 87
	806/649:40
	subject 3:85
	Subject 5:87
	Subject 5:87 Mais Consider