Breed Descriptor of Gir (Cattle)





Breeding Tract					
State: Gujarat	Rajkot				
	Junagadh				
	Bhavnagar				
	Amreli				
Location					
Longitude (deg.)	70 72.				
Latitude (deg.)	20.5 - 22.6				
General Information					
Synonyms	Bhodali, Desan, Gujarati, Kathiawari, Sorthi, and Surati				
Origin	Named after the Gir forest, the geographical/origin of the				
	breed				
Major utility	Food - Milk				
Comments on utility	Gir cows are good milk producers. Bullocks can drag heavy loads on all kinds of soils, be it sandy, black or				
	rocky.				
Comments on breeding	_	on of Gujarat spe	cially area in and around		
tract	Gir forest.				
Adaptability to environment	It is a hardy animal and can survive and produce in				
D 14	difficult environment				
Population	X 7	D 1.1			
	Year	Population	Other information		
	2000	917081	Source: Indian J.		
			Animal Sciences,		
	2012	1200200	2008, 78(6):672.		
	2013	1380208	Source: Estimated		
			Livestock Population		
			Breed Wise Based on		
			Breed Survey 2013.		
			Department of		
			Animal Husbandry,		
			Dairying & Fisheries,		
			Government of India,		
			New Delhi		
Management					

Management system	Semi-Intensive				
Mobility	Stationary				
Feeding of adults	Grazing and Concentrate				
Comments on Management	Gir cattle are largely bred by professional breeders				
	known as Rabaris, Bhanoads, Maldharis, Ahirs and				
	Charans. Calves are allowed to suck for 8 to 12 months.				
	Milking cows are usually retained in the village while dry				
	cows and young stock are sent for grazing. Animals are				
	herded in a field for 3 or 4 nights by the farmers as it				
	provides manure in the form of dung and urine.				
Morphology					
Colour	Most of the Gir aninmals are pure red though some are				
	speckled red.				
Horn shape and size	Horns are peculiarly curved. Starting at the base of the crown they take a sideways downward and backward curve and again incline a little upward and forward				
	taking a spiral inward sweep, ending in a fine taper- thus				
	giving a half moon appearance.				
Visible characteristics	Long and pendulous ears folded like a leaf. Ears hang all the time and their inside face forward.				
	Male	Female	Overall		
Height (avg. cm.)	159.84	130.79			
Body Length (avg. cm.)	137.51	131.4			
Heart girth (avg. cm.)	201.41	166.47			
Body weight (avg. kg.)	544.0	310.0			
Birth weight (avg. kg.)			20.77		
Performance					
	Average	Minimum	Maximum		
Age at first parturition	46.08	39.0	59.0		
(months)					
Parturition interval	13.4				
(months)					
Milk yield per lactation (kg)	2110.0	800.0	3300.0		
Milk Fat (%)	4.6	3.9	5.1		
Any Peculiarity of the breed					
	to stress conditions. Having faced scarcity for a numbers				
	of years, it has the capacity for yielding more milk with				
	less feeding and is resistant to various tropical diseases. It				
	has been imported by Brazil, USA, Venezuela and Mexico, and bred there successfully.				