Breed Descriptor of Bachaur (Cattle)





Breeding Tract				
State: Bihar	Madhubani			
	Darbhanga			
	Sitamarhi			
Location				
Longitude (deg.)	85 85.6			
Latitude (deg.)	26 26.6			
General Information				
Synonyms	Bhutia			
Origin	This breed has close simmilarity to the Hariana breed.			
Major utility	Work - Draught			
Comments on utility	Bullocks can work for long periods without any break.			
Comments on breeding				
tract				
Adaptability to environment				
Population				
	Year	Population	Other information	
	2001	12947	Source: Indian J.	
			Animal Science,	
			2008, 78(8):897.Total	
			population including	
			castrated bullocks	
			was 43397.	
	2013	741432	Source: Estimated	
			Livestock Population	
			Breed Wise Based on	
			Breed Survey 2013.	
			Department of	
			Animal Husbandry,	
			Dairying & Fisheries,	
			Government of India,	
			New Delhi	
Management				
Management system	Extensive			
Mobility	Stationary			

Feeding of adults	Grazing and Fodder			
Comments on Management	Maintained by Koir and Ahir communities. Cattle are			
	grazed in the nearby grassland area. Cows having male			
	calves are not milked at all and the calf is allowed to take			
	all the milk. Males are castrated at the time of eruption of			
	horns. The males are traded everyday in small Hatia.			
	Mustard sown with high seed rate is gradually thined and			
	used as green fodder.			
Morphology				
Colour	White or Grey			
Horn shape and size	Horns are small and stumpy, curving outward, upward			
	and downward.			
Visible characteristics	Medium sized compact animals with straight back.			
	Forehead flat or slightly convex.			
	Male	Female	Overall	
Height (avg. cm.)	118.38	110.41		
Body Length (avg. cm.)	117.4	109.79		
Heart girth (avg. cm.)	148.58	140.22		
Body weight (avg. kg.)	270.0	243.0		
Birth weight (avg. kg.)	19.7	18.8		
Performance				
	Average	Minimum	Maximum	
Age at first parturition	48.37	40.0	62.0	
(months)				
Parturition interval	12.5	11.0	14.0	
(months)				
Milk yield per lactation (kg)	347.0	225.0	630.0	
Milk Fat (%)	5.0	4.8	7.1	
Any Peculiarity of the breed	Known for draught qualities and ability to thrive on			
	poor fodder resources.			