Breed Descriptor of Rohilkhandi (Goat)





Breeding Tra	ict						
State: Uttar Pradesh			Pilibhit				
			Shahjahanpur				
			Budaun				
			Bareilly				
Location							
Longitude (deg.)			79.12 - 79.91				
Latitude (deg.)			27.88 - 28.28				
General Information		on					
Synonyms			Desi, Chheri				
Origin			Local. Originated in Rohilkhand region of Uttar Pradesh				
Major utility			Meat and Milk				
Comments on utility							
Comments on breeding tract			п				
Adaptability to environment							
Population							

	Year	Popu	lation	Other information					
	2017	2860	00	Source: Based on preliminary survey and population records of State Department, Animal Husbandry, Uttar Pradesh					
Managemei	nt								
Management system		Extensive							
Mobility		Stationary							
Feeding of adults		Grazing and Fodder							
Comments on Management		These goats are mostly maintained in backyard production with partial grazing in open area or grassland.							
Morphology	/								
Colour		Mo	Mostly black. Few animals are brown, fawn or mixed						
Horn shape size	and	Slightly curved and directed laterally and outwards							
Visible characterist	ics	Forehead is slightly convex. Tuft of hair (black or brown) is present in thigh region. Tail is bunchy. Ears mostly pendulous.							
		Mal	le	Female			O	verall	
Height (avg. cm.) 68.		68.5	8.58		65.22				
Body Length (avg. 59. cm.)).84		57.23					
Heart girth (cm.)	avg.	73.5	73.5		70.21				
Body weight	t (avg.	29.9	29.92		25.33				
Birth weight	(avg.	1.94	1.94		1.73				
Performance				'					
				Average		Minimum		Maximum	

Litter size born	1.57	1.0	4.0		
Age at first parturition (months)	17.27	15.0	18.0		
Parturition interval (months)	8.27	7.6	9.5		
Milk yield per lactation (kg)	52.83	43.0	65.0		
Milk Fat (%)	4.24	3.7	6.3		
Staple length (cm)	11.46	7.9	15.4		
Dressing percentage	46.0				
Any Peculiarity of the breed	Twinning is the most common and triplets are also frequently observed.				