Breed Descriptor of Bidri (Goat)



Breeding Tract	
State: Karnataka	Gulbarga
	Bidar
Location	
Longitude (deg.)	76.04 - 77.52
Latitude (deg.)	17.12 - 17.17
General Information	
Synonyms	-
Origin	Local. Named after its place of origin i.e. Bidar
Major utility	Food- Meat
Comments on utility	-
Comments on breeding tract	Native tract is bounded by Nizamabad and Medak districts of Telangana state on the eastern side, Latur and Osmanabad districts of Maharastra state on the western side, Nanded district of Maharastra state on the northern side. Bidar plateau has an elevation range from 640 to 684m above MSL. The ground surface is flat, gently sloping forming broad valleys and flat topped hills. The main occupation of the people in the district is agriculture and related operations. The main food crops are Jowar, Paddy, Wheat, Bajra, Maize and pulses. Groundnut, sugarcane and cotton are the cash crops

			ell adapted to the agro ecological conditions of the region and maintained inly on grazing				
Population							
	Year	Popul	ation	Other inform	nation		
	2016	11000	0	Estimate bas	sed on survey (2016) and live	estock census (2012)	
Management							
Management system		em	Extensive				
Mobility			Stationary				
Feeding of adults		Grazing					
Comments on Management			Average flock size is 74.3 (21 - 130). Goats were housed in kutcha open sheds during night only.				
Morphology							
Colour Blac			ack, some have white spots on ears, forehead, neck and knees				
,			Curved and directed backward, outward and downward.Female 13.72 cm, Male 16.44cm				
Visible characteristics			Forehead is straight. Muzzle, eyelids and hooves are black. Ears are pendulous. Udder is hairy and small in size.				
M		Mal	e		Female	Overall	
Height (avg. cm.)		79.2	79.25		74.84		
Body Length (avg. 58.1 cm.)		58.17		56.09			
Heart girth cm.)	eart girth (avg. 80.75 n.)		30.75		77.12		
Body weigh kg.)	t (avg.	36.7	78		32.36		
Birth weigh	t (avg.	2.5			2.2		

Performance					
	Average	Minimum	Maximum		
Litter size born	1.71	1.0	4.0		
Age at first parturition (months)	15.95	14.8	17.0		
Parturition interval (months)	9.04	8.5	10.0		
Any Peculiarity of the breed	Goats are reared for meat only. Milking not practiced. Twining is common but first kidding single.				