

Assignment – 3

Name: Shashank Raj

Roll: 25SCS1003001227

Sec: 2CSE14

// Q1. Sum of two number

```
import java.util.Scanner;

public class Q_01 {

    public static void main(String[] args) {

        Scanner sc = new Scanner(System.in);

        System.out.print("Enter First Number:");

        int firstNum = sc.nextInt();

        System.out.print("Enter Second Number:");

        int secondNum = sc.nextInt();


        int sum = firstNum + secondNum;

        System.out.println("Sum: " + sum);

    }

}
```

}OUTPUT-

A screenshot of an IDE window titled 'Assignment_3'. The Explorer panel on the left shows a project structure with files 'Q_01.class', 'Q_01.java', 'Q_02.class', 'Q_02.java', 'Q_03.class', and 'Q_03.java'. The Terminal panel on the right shows the command 'java Q_01.java' being executed in a PowerShell prompt. The output of the program is displayed: 'Enter First Number:55', 'Enter Second Number:62', and 'Sum: 117'. The status bar at the bottom indicates 'Ln 1, Col 1 (25 selected)', 'Spaces: 4', 'UTF-8', 'CRLF', and 'Java'.

```
// Q2. Email Address Input
```

```
import java.util.Scanner;

public class Q_02 {

    public static void main(String[] args) {

        Scanner sc = new Scanner(System.in);

        System.out.print("Enter Name: ");

        String name = sc.nextLine();

        System.out.print("Enter Email: ");

        String email = sc.nextLine();

        System.out.println("Student Details");


        System.out.println("Name: " + name);

        System.out.println("Email: " + email);

    }

}
```

OUTPUT-



```
PS C:\Users\rajjs\Desktop\JAVA\Assignment_3> java Q_02.java
Enter Name: Shashankraj
Enter Email: rshashankxxx@gmail.com
Student Details
Name: Shashankraj
Email: rshashankxxx@gmail.com
PS C:\Users\rajjs\Desktop\JAVA\Assignment_3>
```

```
// Q3. Simple Interest Calculator
```

```
import java.util.Scanner;

public class Q_03 {

    public static void main(String[] args) {

        Scanner sc = new Scanner(System.in);

        System.out.print("Enter Principal Amount: ");

        int P = sc.nextInt();

        System.out.print("Enter Rate of Interest: ");

        int R = sc.nextInt();

        System.out.print("Enter Time(in years): ");

        int T = sc.nextInt();


        int SI = (P * R * T) / 100;

        System.out.println("Simple Interst: " + SI);

    }

}
```

OUTPUT-



The screenshot shows an IDE window titled "Assignment_3". The Explorer panel on the left shows a project structure with files Q_01.class, Q_01.java, Q_02.class, Q_02.java, Q_03.class, and Q_03.java. The Terminal panel on the right shows the execution of the program. The command prompt is "PS C:\Users\rajjs\Desktop\JAVA\Assignment_3> java Q_03.java". The program prompts for input: "Enter Principal Amount: 10000", "Enter Rate of Interest: 8", and "Enter Time(in years): 5". The output is "Simple Interst: 4000". The status bar at the bottom indicates "Ln 7, Col 1", "Spaces: 4", "UTF-8", "CRLF", and "Java".

```
PS C:\Users\rajjs\Desktop\JAVA\Assignment_3> java Q_03.java
Enter Principal Amount: 10000
Enter Rate of Interest: 8
Enter Time(in years): 5
Simple Interst: 4000
PS C:\Users\rajjs\Desktop\JAVA\Assignment_3>
```