

Assignment- 5

Name: Shashank Raj

Roll: 25SCS1003001227

Sec: 2CSE14

```
// Q1. Find the sum of numbers from 1 to N

import java.util.Scanner;

public class Q_01 {

    public static void main(String[] args) {

        Scanner sc = new Scanner(System.in);

        System.out.print("Enter N: ");

        int n = sc.nextInt();

        int sum = 0;

        for (int i = 1; i <= n; i++) {

            sum = sum + i;

        }


        System.out.println("The sum is: " + sum);

        sc.close();

    }

}
```


OUTPUT-

The screenshot shows an IDE window titled 'Assignment_5'. The 'Terminal' tab is active, displaying the command prompt output. The user has run the command 'java Q_01.java' twice. In the first run, they entered '99' and the output was 'The sum is: 4950'. In the second run, they entered '5' and the output was 'The sum is: 15'. The file explorer on the left shows a project named 'Assignment_5' containing several Java files: Q_01.class, Q_01.java, Q_02.class, Q_02.java, Q_03.class, Q_03.java, Q_04.class, Q_04.java, Q_05.class, and Q_05.java. The status bar at the bottom indicates 'Ln 3, Col 26', 'Spaces: 4', 'UTF-8', 'CRLF', and 'Java'.

```
// Q2. Print multiples of 5 from 1 to 100
```

```
public class Q_02 {  
  
    public static void main(String[] args) {  
  
        for (int i = 1; i <= 100; i++) {  
  
            if (i % 5 == 0) {  
  
                System.out.println(i);  
  
            }  
  
        }  
  
    }  
  
}
```

OUTPUT-



```
PS C:\Users\rnjjs\Desktop\JAVA\Assignment_5> java Q_02.java  
5  
10  
15  
20  
25  
30  
35  
40  
45  
50  
55  
60  
65  
70  
75  
80  
85  
90  
95  
100  
PS C:\Users\rnjjs\Desktop\JAVA\Assignment_5>
```

```
// Q3. Count how many numbers are divisible by 3 between 1 and N
```

```
import java.util.Scanner;  
  
public class Q_03 {  
  
    public static void main(String[] args) {  
  
        Scanner sc = new Scanner(System.in);  
  
        System.out.print("Enter N: ");  
  
        int n = sc.nextInt();  
  
        int count = 0;
```

```

for (int i = 1; i <= n; i++) {

    if (i % 3 == 0) {

        count++;

    }

}

System.out.println("Count of numbers divisible by 3: " + count);

sc.close();

}

}

```

OUTPUT-

```

PS C:\Users\rajjs\Desktop\JAVA\Assignment_5> java Q_03.java
Enter N: 99
Count of numbers divisible by 3: 33
PS C:\Users\rajjs\Desktop\JAVA\Assignment_5> java Q_03.java
Enter N: 10
Count of numbers divisible by 3: 3
PS C:\Users\rajjs\Desktop\JAVA\Assignment_5>

```

// Q4. Check whether a number is prime or Not

```

import java.util.Scanner;

public class Q_04 {

    public static void main(String[] args) {

        Scanner sc = new Scanner(System.in);

        System.out.print("Enter a number: ");

        int n = sc.nextInt();

        boolean isPrime = true;

        if (n <= 1) {

            isPrime = false;

```

```

    } else {

        for (int i = 2; i < n; i++) {

            if (n % i == 0) {

                isPrime = false;

                break;

            }

        }

    }

    if (isPrime) {

        System.out.println(n + " is a Prime number");

    } else {

        System.out.println(n + " is not a Prime number");

    }

    sc.close();

}

}

```

OUTPUT-

```

PS C:\Users\rajjs\Desktop\JAVA\Assignment_5> java Q_04.java
Enter a number: 100
100 is not a Prime number
PS C:\Users\rajjs\Desktop\JAVA\Assignment_5> java Q_04.java
Enter a number: 47
47 is a Prime number
PS C:\Users\rajjs\Desktop\JAVA\Assignment_5>

```

// Q5. Reverse of a Given number

```
import java.util.Scanner;

public class Q_05 {

    public static void main(String[] args) {

        Scanner sc = new Scanner(System.in);

        System.out.print("Enter a number: ");

        int num = sc.nextInt();

        int reverse = 0;

        while (num != 0) {

            int digit = num % 10;

            reverse = reverse * 10 + digit;

            num = num / 10;

        }


        System.out.println("Reversed number: " + reverse);

        sc.close();

    }

}
```

OUTPUT-

The screenshot shows an IDE window titled 'Assignment_5'. The 'Explorer' sidebar on the left lists files: 'Assignment_5', 'Q_01.class', 'Q_01.java', 'Q_02.class', 'Q_02.java', 'Q_03.class', 'Q_03.java', 'Q_04.class', 'Q_04.java', 'Q_05.class', and 'Q_05.java'. The 'Terminal' pane on the right shows the execution of 'java Q_05.java' twice. The first run takes input '96493' and outputs 'Reversed number: 39469'. The second run takes input '10000' and outputs 'Reversed number: 1'. The status bar at the bottom indicates 'Ln 6, Col 1', 'Spaces: 4', 'UTF-8', 'CRLF', and 'Java'.