Module 1 and 2 Oracle Test Execution

Run 14 October 2026 | IAM and Customers & KYC

40 of 40 Oracle acceptance methods passed; 56 of 56 database-free frontend checks passed. The 118-case test plan remains an execution worksheet: focused evidence does not close a case whose other steps or variants have not been run.

Check	Result	Evidence
Database	Oracle metadata asserted in the acceptance suite; no demo H2 tests run	backend-final.xml
Oracle acceptance	40 passed; 0 failed; 0 errors; 0 skipped	backend-final.xml
Frontend and edge	56 passed; 0 failed	frontend-node-tests.log
Oracle schema preflight	10 pass; 1 fail	schema-preflight.json

Environment: Oracle-backed gateway and services on local QA ports 18090–18097; Oracle JET frontend on 15173. Customer signup was disabled in the live UI and enabled only inside rollback-scoped Oracle acceptance tests. Business fixtures in those tests rolled back; rejected-request security audit events use independent transactions and remain in the audit trail. The live browser used one clearly named synthetic maker and CIF.

What was exercised

Area	Oracle and browser evidence
Module 1 pages	Employee sign-in; Overview; Users and detail; Roles & permissions; Access requests; Audit trail; My security; account-holder key. Search, paging, conditional fields, dialogs, validation, session detail and authorization checks were sampled.
Module 2 tabs	Synthetic Oracle CIF opened in Profile, KYC and evidence, Relationships and consent, and Audit. Each tab and its visible actions were inspected; keyboard arrows/Home/End, selected panel state and return to directory were verified.
KYC guard	Submitting the synthetic DRAFT case without identity and address documents returned both missing-document codes and kept the case editable. Oracle tests covered upload, attestation, approval, rejection, rework, latest-version gates, expiry and closure.
Additional Oracle checks	A second overlapping access grant was rejected, adjacent validity windows were accepted, and stale profile and KYC review submissions were denied after their roles were retired. Simultaneous checker decisions and the full open-browser restoration sequence remain open.
Shared UI	Phone 390 px, tablet 1024 px and desktop 1440 px layouts had no document overflow; the mobile table remained horizontally scrollable. Hindi and Kannada labels were checked, then English was restored.

Defects corrected and retested

ID	Observed failure	Correction and retest
D1	A newly linked customer could fail closure in the same Oracle clock tick.	Use a positive microsecond end interval; Oracle closure method passed.
D2	Access target catalogue stopped after 100 users.	Fetch and deduplicate all pages; 101-user Oracle fixture and Node pagination checks passed.
D3	BRANCH and REGION left the visible scope reference disabled; switching scope could retain stale text.	Synchronize JET and submitted field state. Browser recheck passed with normal focus change; disabled source value was empty.
D4	Customer tabs had no keyboard traversal or tabpanel ARIA links.	Arrow/Home/End and roving focus added; all four Oracle customer tabs passed browser checks.
D5	A late audit search could write to the next page and show a JavaScript error.	Check the original form/result remains connected; rapid navigation retest showed no error.
D6	Treasury navigation appeared to a maker without Treasury permissions.	Only show it with Treasury read or liquidity permission; Oracle maker navigation no longer showed it.
D7	Blank account-holder key displayed a saved success state.	Validate the enhanced field before saving; blank rejected, synthetic value saved and cleared in browser.
D8	Configured menu label and sort order were ignored by the shell.	Render saved label and order for backend menu entries; source change and default Oracle menu render verified. A changed-label Oracle browser variant remains open.

Open finding and test limits

The read-only Oracle preflight found one pre-existing account position mismatch: account 6 has posted balance 500000 and journal-derived balance 0. Its authoritative posting history must be reconciled before any financial closure or balance repair. No existing account, balance, journal or real customer record was changed during this run.

The shared Oracle schema is already bootstrapped, and no disposable schema is available. Fresh-checker creation and contaminated-signup-role tests therefore remain blocked. Parallel approval races, the complete financial closure-blocker matrix and the open-browser revocation/restoration sequence remain outstanding. A separate Oracle service stack occupied the shared run record when the controlled outage check began, so that stack was left untouched and the outage check was not run. The matrix records every case as Partial or Not run until its full sequence and variants are evidenced; no case-level acceptance signoff is claimed.

Final Oracle-only package verification passed without running demo-database tests. After browser testing, the synthetic CIF was confirmed CLOSED, its test identity DISABLED and its role RETIRED; only the services launched for this run were stopped. The audit trail was retained.

Case-by-case execution state

See MODULE-1-AND-2-DETAILED-TEST-PLAN.docx for each case's exact inputs, steps and expected result. "Partial" means at least one related Oracle or UI check was executed, while untested variants remain. "Not run" identifies an unexecuted primary flow. The green automated counts above apply only to their 40 and 56 method inventories.

Sign in and customer registration

Case	Scenario	State	Evidence / open work
M1-AUTH-01	Valid sign in and workspace routing	Partial	Oracle authentication, signup and MFA methods; sign-in UI
M1-AUTH-02	Required inputs and failed login recovery	Partial	Oracle authentication, signup and MFA methods; sign-in UI
M1-AUTH-03	Inactive user states deny authentication	Partial	Oracle authentication, signup and MFA methods; sign-in UI
M1-AUTH-04	Failed attempt threshold and timed lockout	Partial	Oracle authentication, signup and MFA methods; sign-in UI
M1-AUTH-05	Authenticator challenge and replay at sign in	Partial	Oracle authentication, signup and MFA methods; sign-in UI
M1-AUTH-06	Sign up availability and back navigation	Partial	Oracle authentication, signup and MFA methods; sign-in UI
M1-AUTH-07	Adult demo signup creates linked identity atomically	Partial	Oracle authentication, signup and MFA methods; sign-in UI
M1-AUTH-08	Signup age and field boundaries	Partial	Oracle authentication, signup and MFA methods; sign-in UI
M1-AUTH-09	Signup permissions and partial failure rollback	Not run	Contaminated signup-role configuration requires a disposable isolated Oracle schema.

Identity and access overview

Case	Scenario	State	Evidence / open work
M1-OVR-01	Overview counters and shortcuts	Partial	Oracle dashboard/audit method; Overview UI
M1-OVR-02	One time independent checker setup	Not run	Fresh, unbootstrapped Oracle schema unavailable; repeat setup was rejected as expected.
M1-OVR-03	Overview load failure and least privilege	Partial	Oracle dashboard/audit method; Overview UI

Users and user detail

Case	Scenario	State	Evidence / open work
M1-USR-01	User directory search filters and pagination	Partial	Oracle identity, status, session and paging methods; Users UI
M1-USR-02	Create employee and service identities	Partial	Oracle identity, status, session and paging methods; Users UI
M1-USR-03	Create customer in standard and demo modes	Partial	Oracle identity, status, session and paging methods; Users UI
M1-USR-04	User creation validation and duplicates	Partial	Oracle identity, status, session and paging methods; Users UI
M1-USR-05	User detail record and controls	Partial	Oracle identity, status, session and paging methods; Users UI

Case	Scenario	State	Evidence / open work
M1-USR-06	Identity lifecycle permitted transitions	Partial	Oracle identity, status, session and paging methods; Users UI
M1-USR-07	Identity status self protection and stale edit	Partial	Oracle identity, status, session and paging methods; Users UI
M1-USR-08	Administrative password reset	Partial	Oracle identity, status, session and paging methods; Users UI
M1-USR-09	Lost MFA reset and administrative session revoke	Partial	Oracle identity, status, session and paging methods; Users UI
M1-USR-10	Link existing active CIF to customer identity	Partial	Oracle identity, status, session and paging methods; Users UI
M1-USR-11	Revoke link and immediate scope reevaluation	Partial	Oracle identity, status, session and paging methods; Users UI

Roles permissions and approval authority

Case	Scenario	State	Evidence / open work
M1-ROLE-01	Role and permission catalogues	Partial	Oracle role, permission and authority methods; Roles UI
M1-ROLE-02	Create and edit a custom role	Partial	Oracle role, permission and authority methods; Roles UI
M1-ROLE-03	Role validation protection and concurrent edit	Partial	Oracle role, permission and authority methods; Roles UI
M1-ROLE-04	Create permission and enforce fresh MFA	Partial	Oracle role, permission and authority methods; Roles UI
M1-ROLE-05	Permission contract and reserved namespaces	Partial	Oracle role, permission and authority methods; Roles UI
M1-ROLE-06	Add authority and numeric boundaries	Partial	Oracle role, permission and authority methods; Roles UI
M1-ROLE-07	Authority validation validity and end action	Partial	Oracle role, permission and authority methods; Roles UI

Access requests and independent approval

Case	Scenario	State	Evidence / open work
M1-ACC-01	Submit scoped access grant	Partial	Oracle access decision, scope and paging methods; queue UI
M1-ACC-02	Scope fields and contract validation	Partial	Oracle access decision, scope and paging methods; queue UI
M1-ACC-03	Approve grant and propagate effective access	Partial	Oracle access decision, scope and paging methods; queue UI
M1-ACC-04	Reject request without changing entitlements	Partial	Oracle access decision, scope and paging methods; queue UI
M1-ACC-05	Maker target and missing permission cannot decide	Partial	Oracle access decision, scope and paging methods; queue UI
M1-ACC-06	Request revocation of exact assignment	Partial	Oracle access decision, scope and paging methods; queue UI
M1-ACC-07	Expiry and state changes during review	Partial	Oracle access decision, scope and paging methods; queue UI
M1-ACC-08	Overlapping grants and concurrent decisions	Partial	Oracle overlap rejected and adjacent validity windows accepted; simultaneous decisions remain open.
M1-ACC-09	Queue completeness and large user catalogue	Partial	Oracle access decision, scope and paging methods; queue UI

My security and authorization checks

Case	Scenario	State	Evidence / open work
M1-SEC-01	Identity refresh and refresh token rotation	Partial	Oracle session, MFA and authorization methods; My security UI
M1-SEC-02	Change own password	Partial	Oracle session, MFA and authorization methods; My security UI
M1-SEC-03	Enroll and confirm authenticator	Partial	Oracle session, MFA and authorization methods; My security UI
M1-SEC-04	Abandoned enrollment and one time code use	Partial	Oracle session, MFA and authorization methods; My security UI
M1-SEC-05	Fresh MFA step up and exact expiry	Partial	Oracle session, MFA and authorization methods; My security UI
M1-SEC-06	Remove authenticator safely	Partial	Oracle session, MFA and authorization methods; My security UI
M1-SEC-07	View and revoke own sessions	Partial	Oracle session, MFA and authorization methods; My security UI

Case	Scenario	State	Evidence / open work
M1-SEC-08	Idle and absolute session expiry	Partial	Oracle session, MFA and authorization methods; My security UI
M1-SEC-09	Authorization scope and dimensions matrix	Partial	Oracle session, MFA and authorization methods; My security UI
M1-SEC-10	Authorization cannot combine unrelated grants	Partial	Oracle session, MFA and authorization methods; My security UI

Workspace navigation management

Case	Scenario	State	Evidence / open work
M1-MENU-01	Add and edit workspace menu metadata	Partial	Oracle menu contract method; menu catalogue UI
M1-MENU-02	Menu validation and hierarchy API	Partial	Oracle menu contract method; menu catalogue UI

IAM audit trail

Case	Scenario	State	Evidence / open work
M1-AUD-01	Security event search and traceability	Partial	Oracle audit method; security and financial audit UI
M1-AUD-02	Stored domain events and delivery labels	Partial	Oracle audit method; security and financial audit UI
M1-AUD-03	Financial audit filters and failure isolation	Partial	Oracle audit method; security and financial audit UI
M1-AUD-04	Audit privilege and immutable evidence	Partial	Oracle audit method; security and financial audit UI

Account holder access key

Case	Scenario	State	Evidence / open work
M1-KEY-01	Generate and rotate own holder key	Partial	Oracle key-rotation method; key form and clear UI
M1-KEY-02	Use clear and discard key in staff tab	Partial	Oracle key-rotation method; key form and clear UI
M1-KEY-03	Key cannot replace authorization or ownership	Partial	Oracle key-rotation method; key form and clear UI

Customer directory and record navigation

Case	Scenario	State	Evidence / open work
M2-DIR-01	Search customer name and CIF	Partial	Oracle customer directory/scope method; directory and tab UI
M2-DIR-02	All four customer tabs and return behavior	Partial	Oracle customer directory/scope method; directory and tab UI
M2-DIR-03	Directory permissions empty states and cap	Partial	Oracle customer directory/scope method; directory and tab UI
M2-DIR-04	Create individual customer and initial case	Partial	Oracle customer directory/scope method; directory and tab UI
M2-DIR-05	Create organization and switch party type	Partial	Oracle customer directory/scope method; directory and tab UI
M2-DIR-06	Customer creation boundaries and branch scope	Partial	Oracle customer directory/scope method; directory and tab UI

Profile tab and proposed customer information

Case	Scenario	State	Evidence / open work
M2-PRO-01	Profile details names and masked history	Partial	Oracle profile, facts and boundary methods; Profile tab UI
M2-PRO-02	Propose legal name and segment revision	Partial	Oracle profile, facts and boundary methods; Profile tab UI
M2-PRO-03	Profile revision rejection blank segment and concurrency	Partial	Oracle profile, facts and boundary methods; Profile tab UI
M2-PRO-04	Profile editing state and maker restrictions	Partial	Oracle profile, facts and boundary methods; Profile tab UI
M2-PRO-05	Add and replace email and mobile contacts	Partial	Oracle profile, facts and boundary methods; Profile tab UI
M2-PRO-06	Contact syntax and value boundaries	Partial	Oracle profile, facts and boundary methods; Profile tab UI
M2-PRO-07	Add identifier with expiry and masking	Partial	Oracle profile, facts and boundary methods; Profile tab UI
M2-PRO-08	Duplicate identifier detection without customer leakage	Partial	Oracle profile, facts and boundary methods; Profile tab UI
M2-PRO-09	Add each address type and optional fields	Partial	Oracle profile, facts and boundary methods; Profile tab UI
M2-PRO-10	Address evidence ownership and input validation	Partial	Oracle profile, facts and boundary methods; Profile tab UI

KYC cases and independent decisions

Case	Scenario	State	Evidence / open work
M2-KYC-01	Open and select cases with correct defaults	Partial	Oracle completeness, approval, rework and expiry methods; KYC tab UI
M2-KYC-02	Only one open case per CIF	Partial	Oracle completeness, approval, rework and expiry methods; KYC tab UI
M2-KYC-03	Submission completeness identifies missing items	Partial	Oracle completeness, approval, rework and expiry methods; KYC tab UI
M2-KYC-04	Submit freezes evidence and proposed data	Partial	Oracle completeness, approval, rework and expiry methods; KYC tab UI
M2-KYC-05	Assign independent eligible officer	Partial	Oracle completeness, approval, rework and expiry methods; KYC tab UI
M2-KYC-06	Officer assignment invalid and stale variants	Partial	Oracle completeness, approval, rework and expiry methods; KYC tab UI
M2-KYC-07	Approve complete onboarding case	Partial	Oracle completeness, approval, rework and expiry methods; KYC tab UI
M2-KYC-08	Approval risk and future review date validation	Partial	Oracle completeness, approval, rework and expiry methods; KYC tab UI
M2-KYC-09	Latest evidence and identifier expiry gate approval	Partial	Oracle completeness, approval, rework and expiry methods; KYC tab UI
M2-KYC-10	Request more information and resubmit	Partial	Oracle completeness, approval, rework and expiry methods; KYC tab UI
M2-KYC-11	Reject KYC and begin remediation	Partial	Oracle completeness, approval, rework and expiry methods; KYC tab UI
M2-KYC-12	Maker separation and conflicting review decisions	Partial	Oracle completeness, approval, rework and expiry methods; KYC tab UI

KYC evidence upload review and download

Case	Scenario	State	Evidence / open work
M2-DOC-01	Upload supported formats and document versions	Partial	Oracle upload, review, integrity and download methods; upload UI
M2-DOC-02	File size and content type boundaries	Partial	Oracle upload, review, integrity and download methods; upload UI
M2-DOC-03	Upload ownership frozen states and concurrent versions	Partial	Oracle upload, review, integrity and download methods; upload UI
M2-DOC-04	Independent evidence attestation combinations	Partial	Oracle upload, review, integrity and download methods; upload UI
M2-DOC-05	Evidence review separation and assignment	Partial	Oracle upload, review, integrity and download methods; upload UI
M2-DOC-06	Pending clean and unsafe evidence downloads	Partial	Oracle upload, review, integrity and download methods; upload UI
M2-DOC-07	Download integrity unavailable storage and audit	Partial	Oracle upload, review, integrity and download methods; upload UI

Customer status periodic review and closure

Case	Scenario	State	Evidence / open work
M2-LIFE-01	Status changes and effective KYC activation gate	Partial	Oracle lifecycle and closure methods
M2-LIFE-02	Periodic expiry before and after sweep	Partial	Oracle lifecycle and closure methods
M2-LIFE-03	Reverify restricted or dormant customer	Partial	Oracle lifecycle and closure methods
M2-LIFE-04	Closure blocked by every financial dependency	Not run	No synthetic account with every financial blocker was prepared; shared balances were protected.
M2-LIFE-05	Successful closure cascades and terminal history	Partial	Oracle lifecycle and closure methods
M2-LIFE-06	Closure handles one or multiple linked CIFs	Partial	Oracle lifecycle and closure methods

Relationships and consent tab

Case	Scenario	State	Evidence / open work
M2-REL-01	Capture consent with evidence	Partial	Oracle consent and relationship method; Relationships tab UI
M2-REL-02	Withdraw and recapture consent	Partial	Oracle consent and relationship method; Relationships tab UI

Case	Scenario	State	Evidence / open work
M2-REL-03	Create party relationship for every authority	Partial	Oracle consent and relationship method; Relationships tab UI
M2-REL-04	Relationship negative validation and duplicates	Partial	Oracle consent and relationship method; Relationships tab UI
M2-REL-05	End outgoing relationship and enforce direction	Partial	Oracle consent and relationship method; Relationships tab UI

Customer audit tab and eligibility facts

Case	Scenario	State	Evidence / open work
M2-AUD-01	Customer audit complete flow trace	Partial	Oracle audit/scope methods; customer Audit tab UI
M2-AUD-02	Audit and facts cannot bypass customer scope	Partial	Oracle audit/scope methods; customer Audit tab UI

End to end flows across modules

Case	Scenario	State	Evidence / open work
X-FLOW-01	Staff provisioning through first KYC approval	Partial	Related Oracle integration methods; full multi-session variant open
X-FLOW-02	Verified CIF to digital customer self access	Partial	Related Oracle integration methods; full multi-session variant open
X-FLOW-03	Privilege revocation during open KYC work	Partial	Oracle stale edit/review requests denied after role retirement; open-browser dialog and restore flow remain open.
X-FLOW-04	Periodic revision blocks premature downstream use	Partial	Related Oracle integration methods; full multi-session variant open
X-FLOW-05	Closure and in flight authorization stay atomic	Partial	Related Oracle integration methods; full multi-session variant open
X-FLOW-06	Identity and banking service outage recovery	Not run	A controlled identity/gateway outage and recovery was not run.

Shared interaction accessibility and resilience

Case	Scenario	State	Evidence / open work
X-UI-01	Dialog cancel validation and duplicate clicks	Partial	Oracle browser checks and 56 Node checks; variant coverage open
X-UI-02	Keyboard focus and accessible tab semantics	Partial	Oracle browser checks and 56 Node checks; variant coverage open
X-UI-03	Responsive layout zoom and long content	Partial	Oracle browser checks and 56 Node checks; variant coverage open
X-UI-04	Localization dates and numeric presentation	Partial	Oracle browser checks and 56 Node checks; variant coverage open
X-UI-05	Safe text rendering and request errors	Partial	Oracle browser checks and 56 Node checks; variant coverage open
X-UI-06	Direct API denial and no partial persistence	Partial	Oracle browser checks and 56 Node checks; variant coverage open

Detailed-plan state: 114 Partial; 4 Not run; 0 fully signed off. The remaining cases need follow-on Oracle execution; the two fresh-schema cases cannot be completed in the current shared schema.

Evidence files are under Downloads/integrated/.runtime/oracle-m12/; backend acceptance source is backend/acceptance-tests/src/test/java/com/moneybags/Module12OracleTest.java. The final execution report deliberately excludes credentials, tokens, evidence content and private Oracle settings.