




2.1 Routine Prenatal Care

SurgHx (abdominal surgeries) 6. FHx (genetic d/o) 7. TravelHx (Zika) 8. SocHx (tobacco/EtOH/drugs) 9. IPV

5. Uterus pot w/ succulents

→ First OB visit ?s to ask = 1. Date the pregnancy 2. OB Hx (GsPs, mode of delivery, complications eg. preX, hemorrhage) 3. Gyn Hx (uterine anomalies, fibroids) 4. PMH/meds 5.

SurgHx (abdominal surgeries) 6. FHx (genetic d/o) 7. TravelHx (Zika) 8. SocHx (tobacco/EtOH/drugs) 9. IPV

6. “Stupid Medical Drama” DVD box set

→ First OB visit ?s to ask = 1. Date the pregnancy 2. OB Hx (GsPs, mode of delivery, complications eg. preX, hemorrhage) 3. Gyn Hx (uterine anomalies, fibroids) 4. PMH/meds 5.

SurgHx (abdominal surgeries) 6. FHx (genetic d/o) 7. TravelHx (Zika) 8. SocHx (tobacco/EtOH/drugs) 9. IPV

7. Scalpel on “Stupid Horror Film” DVD

→ First OB visit ?s to ask = 1. Date the pregnancy 2. OB Hx (GsPs, mode of delivery, complications eg. preX, hemorrhage) 3. Gyn Hx (uterine anomalies, fibroids) 4. PMH/meds 5.

SurgHx (abdominal surgeries) 6. FHx (genetic d/o) 7. TravelHx (Zika) 8. SocHx (tobacco/EtOH/drugs) 9. IPV

8. Chromosome pattern on Family Sitcom DVD box

→ First OB visit ?s to ask = 1. Date the pregnancy 2. OB Hx (GsPs, mode of delivery, complications eg. preX, hemorrhage) 3. Gyn Hx (uterine anomalies, fibroids) 4. PMH/meds 5.

SurgHx (abdominal surgeries) 6. FHx (genetic d/o) 7. TravelHx (Zika) 8. SocHx (tobacco/EtOH/drugs) 9. IPV

9. Travel Guide

→ First OB visit ?s to ask = 1. Date the pregnancy 2. OB Hx (GsPs, mode of delivery, complications eg. preX, hemorrhage) 3. Gyn Hx (uterine anomalies, fibroids) 4. PMH/meds 5.

SurgHx (abdominal surgeries) 6. FHx (genetic d/o) 7. TravelHx (Zika) 8. SocHx (tobacco/EtOH/drugs) 9. IPV

10. “How to Quit Substances” self-help book

→ First OB visit ?s to ask = 1. Date the pregnancy 2. OB Hx (GsPs, mode of delivery, complications eg. preX, hemorrhage) 3. Gyn Hx (uterine anomalies, fibroids) 4. PMH/meds 5.

SurgHx (abdominal surgeries) 6. FHx (genetic d/o) 7. TravelHx (Zika) 8. SocHx (tobacco/EtOH/drugs) 9. IPV

11

First OB visit ?s to ask = 1. Date the pregnancy 2. OB Hx (GsPs, mode of delivery,

complications eg. preX, hemorrhage) 3. Gyn Hx (uterine anomalies, fibroids) 4. PMH/meds 5.

SurgHx (abdominal surgeries) 6. FHx (genetic d/o) 7. TravelHx (Zika) 8. SocHx (tobacco/EtOH/drugs) 9. IPV

12. Weighing scale + BP cuff

→ First OB visit vitals = baseline BP, baseline weight

13. ABO red hair dye + antibody shaped dye applicators

→ First OB visit labs = 1. Type and Screen (ABO/Rh + Ab) 2. CBC 3. Immunity titers (rubella, varicella) 4. STI screen (HIV, syphilis, Hep B, GC/CT) 5. Urine protein 6. UCx 7. Pap smear

14. CBC compact

→ First OB visit labs = 1. Type and Screen (ABO/Rh + Ab) 2. CBC 3. Immunity titers (rubella, varicella) 4. STI screen (HIV, syphilis, Hep B, GC/CT) 5. Urine protein 6. UCx 7. Pap smear

15. Antibody shaped makeup brushes

→ First OB visit labs = 1. Type and Screen (ABO/Rh + Ab) 2. CBC 3. Immunity titers (rubella, varicella) 4. STI screen (HIV, syphilis, Hep B, GC/CT) 5. Urine protein 6. UCx 7. Pap smear

16. Yellow protein-enhanced shampoo

→ First OB visit labs = 1. Type and Screen (ABO/Rh + Ab) 2. CBC 3. Immunity titers (rubella, varicella) 4. STI screen (HIV, syphilis, Hep B, GC/CT) 5. Urine protein 6. UCx 7. Pap smear

17. Yellow petri dish shaped foundation

→ First OB visit labs = 1. Type and Screen (ABO/Rh + Ab) 2. CBC 3. Immunity titers (rubella, varicella) 4. STI screen (HIV, syphilis, Hep B, GC/CT) 5. Urine protein 6. UCx 7. Pap smear

18. Pap brush mascara applicator

→ First OB visit labs = 1. Type and Screen (ABO/Rh + Ab) 2. CBC 3. Immunity titers (rubella, varicella) 4. STI screen (HIV, syphilis, Hep B, GC/CT) 5. Urine protein 6. UCx 7. Pap smear

19. Weighing scale + BP cuff underneath “CHECKUP EVERY VISIT” sign

→ Every prenatal visit = 1. BP 2. Weight 3. Urine dipstick (proteinuria, bacteriuria) 4. Fundal height (>20wks) 5. Fetal HR

20

Chicken drumsticks in yellow mopping fluid + mop handle underneath

“CHECKUP EVERY

VISIT” sign

20

Every prenatal visit = 1. BP 2. Weight 3. Urine dipstick (proteinuria, bacteriuria)
4. Fundal

height (>20wks) 5. Fetal HR

21. Girl w/ pink fundus hat measuring her height underneath “CHECKUP EVERY
VISIT” sign

→ Every prenatal visit = 1. BP 2. Weight 3. Urine dipstick (proteinuria,
bacteriuria) 4. Fundal
height (>20wks) 5. Fetal HR

22. Heart on doppler US underneath “CHECKUP EVERY VISIT” sign

→ Every prenatal visit = 1. BP 2. Weight 3. Urine dipstick (proteinuria,
bacteriuria) 4. Fundal
height (>20wks) 5. Fetal HR

23. “28 monthly bargains!” sale

→ Frequency of prenatal visits = <28wks → q4wk, 28wks - 36wks → q2wks,
36wks - delivery →
q1wk

24. “36 bi-weekly deals!” sale

→ Frequency of prenatal visits = <28wks → q4wk, 28wks - 36wks → q2wks,
36wks - delivery →
q1wk

25. “>36 weekly steals!” sale

→ Frequency of prenatal visits = <28wks → q4wk, 28wks - 36wks → q2wks,
36wks - delivery →
q1wk

26. Fallen pregnant lady holding her belly

→ ?s to ask every encounter w/ a pregnant patient = 1. Cramping/contractions?
2. Vaginal
bleeding? 3. Leakage of fluid? 4. Feel fetal movement? 5. HA/RUQ
pain/changes in vision?

27. Red spilt drink next to fallen lady

→ ?s to ask every encounter w/ a pregnant patient = 1. Cramping/contractions?
2. Vaginal
bleeding? 3. Leakage of fluid? 4. Feel fetal movement? 5. HA/RUQ
pain/changes in vision?

28. Wet floor underneath fallen lady

→ ?s to ask every encounter w/ a pregnant patient = 1. Cramping/contractions?
2. Vaginal
bleeding? 3. Leakage of fluid? 4. Feel fetal movement? 5. HA/RUQ
pain/changes in vision?

29

Movement lines next to fallen pregnant lady's belly

29

?s to ask every encounter w/ a pregnant patient = 1. Cramping/contractions? 2. Vaginal

bleeding? 3. Leakage of fluid? 4. Feel fetal movement? 5. HA/RUQ pain/changes in vision?

30. Fallen pregnant lady holding her head

→ ?s to ask every encounter w/ a pregnant patient = 1. Cramping/contractions?

2. Vaginal

bleeding? 3. Leakage of fluid? 4. Feel fetal movement? 5. HA/RUQ pain/changes in vision?

31. Pain lines on R side of figure on wet floor sign

→ ?s to ask every encounter w/ a pregnant patient = 1. Cramping/contractions?

2. Vaginal

bleeding? 3. Leakage of fluid? 4. Feel fetal movement? 5. HA/RUQ pain/changes in vision?

32. Crossed eyes on fallen pregnant lady

→ ?s to ask every encounter w/ a pregnant patient = 1. Cramping/contractions?

2. Vaginal

bleeding? 3. Leakage of fluid? 4. Feel fetal movement? 5. HA/RUQ pain/changes in vision?

33. Sad Movie next to fallen pregnant lady

→ Depression screening in pregnancy = every visit, use validated screening tool (ex. Edinburgh postnatal depression scale)

34. 1st checkout counter

→ First trimester studies (0-14wks) = 1. Prenatal genetic screening - 1st tri screen (β -hCG, PAPP-A) + NT OR cell-free DNA (AKA NIPT, NIPS)

35. Beta sunglasses + Pappa Christmas

→ First trimester studies (0-14wks) = 1. Prenatal genetic screening - 1st tri screen (β -hCG, PAPP-A) + NT OR cell-free DNA (AKA NIPT, NIPS)

36. "FREE NIPBLES" bowl

→ First trimester studies (0-14wks) = 1. Prenatal genetic screening - 1st tri screen (β -hCG, PAPP-A) + NT OR cell-free DNA (AKA NIPT, NIPS)

37. 2nd checkout counter

→ Second trimester studies (14-28 wks) = 1. 15-22wks → 2nd tri screening (β -hCG, inhibin A, estriol, AFP) 2. ~20wks → anatomy scan 3. 24-28wks → GDM screening (OGTT) 4. ≥ 27 wks → give Tdap 5) If flu season → flu vaccine

38

“ β -hCG, inhibin A, estriol, AFP” items being rung up at the second checkout

38

Second trimester studies (14-28 wks) = 1. 15-22wks → 2nd tri screening (β -hCG, inhibin A,

estriol, AFP) 2. ~20wks → anatomy scan 3. 24-28wks → GDM screening (OGTT)

4. ≥ 27 wks →

give Tdap 5. If flu season → flu vaccine

39. \$20 doll being price scanned

→ Second trimester studies (14-28 wks) = 1. 15-22wks → 2nd tri screening (β -hCG, inhibin A,

estriol, AFP) 2. ~20wks → anatomy scan 3. 24-28wks → GDM screening (OGTT)

4. ≥ 27 wks →

give Tdap 5. If flu season → flu vaccine

40. Juice Cleanse juices

→ Second trimester studies (14-28 wks) = 1. 15-22wks → 2nd tri screening (β -hCG, inhibin A,

estriol, AFP) 2. ~20wks → anatomy scan 3. 24-28wks → GDM screening (OGTT)

4. ≥ 27 wks →

give Tdap 5. If flu season → flu vaccine

41. 1h 50g juice cleanse bottle

→ Oral glucose tolerance tests = 2 step approach → 1h OGTT (50g glucose) + 3h OGTT (100g

glucose + fasting), 1 step approach → 2h OGTT (75g glucose + fasting)

42. 3h fasting, 100g juice cleanse bottle

→ Oral glucose tolerance tests = 2 step approach → 1h OGTT (50g glucose) + 3h OGTT (100g

glucose + fasting), 1 step approach → 2h OGTT (75g glucose + fasting)

43. 2h fasting, 75g juice cleanse bottle

→ Oral glucose tolerance tests = 2 step approach → 1h OGTT (50g glucose) + 3h OGTT (100g

glucose + fasting), 1 step approach → 2h OGTT (75g glucose + fasting)

44. AdapT to Survive video game + syringe

→ Second trimester studies (14-28 wks) = 1) 15-22wks → 2nd tri screening (β -hCG, inhibin A,

estriol, AFP) 2) ~20wks → anatomy scan 3) 24-28wks → GDM screening (OGTT)

4) ≥ 27 wks →

give Tdap 5) If flu season → flu vaccine

45. Paper airplane + syringe

→ Second trimester studies (14-28 wks) = 1) 15-22wks → 2nd tri screening (β -hCG, inhibin A,

estriol, AFP) 2) ~20wks → anatomy scan 3) 24-28wks → GDM screening (OGTT)

4) ≥ 27 wks →

give Tdap 5) If flu season → flu vaccine

46

“NO LIVE ANIMALS PERMITTED IN STORE” sign

46

vaccines contraindicated in pregnancy = live vaccines (MMR, varicella)

47. 3rd checkout counter

→ Third trimester studies (≥ 28 wks) = 1. 28wks → RhoGAM (anti-D immunoglobulin) 2. ≥ 36 wks
→ screen for GBS

48. Rhesus monkey w/ D shaped belly patch and antibody tail

→ Third trimester studies (≥ 28 wks) = 1. 28wks → RhoGAM (anti-D immunoglobulin) 2. ≥ 36 wks
→ screen for GBS

49. GBS baby holding swab

→ Third trimester studies (≥ 28 wks) = 1) 28wks → RhoGAM (anti-D immunoglobulin) 2) ≥ 36 wks
→ screen for GBS

50. Couple kissing

→ Pregnancy counseling dos/don'ts = sexual activity ok (unless PTL, placenta previa, PPRM),
travel ok up to 36wks, no tobacco/EtOH/drugs

51. "Free Trip Around the World in 36 wks!" coupon

→ Pregnancy counseling dos/don'ts = sexual activity ok (unless PTL, placenta previa, PPRM),
travel ok up to 36wks, no tobacco/EtOH/drugs

52. "No Smoking!" sign

→ Pregnancy counseling dos/don'ts = sexual activity ok (unless PTL, placenta previa, PPRM),
travel ok up to 36wks, no tobacco/EtOH/drugs

53. Free Salad! Coupon

→ Supplements to take during pregnancy = 1) folate 400 μ g qday (if h/o NTD → 4mg qday) 2)
iron if maternal hgb < 11g/dL

54. Gym membership coupon w/ iron weight

→ Supplements to take during pregnancy = 1) folate 400 μ g qday (if h/o NTD → 4mg qday) 2)
iron if maternal hgb < 11g/dL