

1
2 SIGN-UPS
3
4
5
6
7
8
9
10
11
12 200m
13
14
15
16
17
18
19
20

1.2 - Bradycardia ECG Interpretation

1) Tortoise with “60” heart-shaped watch:
In adults, bradycardia is generally defined as a HR < 60 bpm

2) Track meet SIGN-UPS:
Sinus bradycardia is defined on ECG by a rate < 60 bpm; upright P wave in leads I, II, & aVL; negative P wave in lead aVR; and a 1:1 relationship between P waves and QRS complexes

3) 1:1 **P**uffin to **Q**uail ratio:
Sinus bradycardia is defined on ECG by a rate < 60 bpm; upright P wave in leads I, II, & aVL; negative P wave in lead aVR; and a **1:1 relationship between P waves and QRS complexes**

4) Sick puffin:
Sick Sinus Syndrome is defined by ECG abnormalities (e.g., sinus bradycardia, sinus pauses/arrest) associated with clinical symptoms & signs

5) Spaced out puffins & quails:
Sick Sinus Syndrome is defined by ECG abnormalities (e.g., sinus bradycardia, sinus pauses/arrest) associated with clinical symptoms & signs

6) Empty space with no puffins or quails:
Sick Sinus Syndrome is defined by ECG abnormalities (e.g., sinus bradycardia, sinus pauses/arrest) associated with clinical symptoms & signs

7) Stacked up puffins & quails:
Sick Sinus Syndrome can be accompanied by atrial tachyarrhythmias (aka tachycardia-bradycardia syndrome)

8) Note in right superior region of heart:
Sinus brady & sick sinus syndrome are SA node-related causes of bradycardia

9) Note in the center region of the heart:
AV node

10) Track with 1 heart shield hurdle:
First degree AV block = prolonged PR interval of >200 ms

11) Long connection between runners:
First degree AV block = prolonged PR interval of >200 ms

12) 200m sign:
First degree AV block = prolonged PR interval of >200 ms

13) Track with 2 heart shield hurdles:
Mobitz type I second degree AV block (aka Wenkebach block) = cycle of progressive PR prolongation until a non-conducted P wave occurs

14) Slinky monkey relay race:
Mobitz type I second degree AV block (aka Wenkebach block) = cycle of progressive PR prolongation until a non-conducted P wave occurs

15) Progressive prolongation of slinky:
Mobitz type I second degree AV block (aka Wenkebach block) = cycle of progressive PR prolongation until a non-conducted P wave occurs

16) Broken slinky:
Mobitz type I second degree AV block (aka Wenkebach block) = cycle of progressive PR prolongation until a non-conducted P wave occurs

17) Track with 2 heart shield hurdles:
Mobitz type II second degree AV block = regular pattern of conducted P waves (with unchanged PR interval) until a non-conducted P wave occurs

18) Monkeys held by constant length of rope:
Mobitz type II second degree AV block = regular pattern of conducted P waves (with unchanged PR interval) until a non-conducted P wave occurs

19) Broken rope:
Mobitz type II second degree AV block = regular pattern of conducted P waves (with unchanged PR interval) until a non-conducted P wave occurs

20) No association between large QRS frogs and small P frogs:
Third degree AV block = complete dissociation between P waves and QRS complexes