


1.3 Gestational DM

1. “G” candy racer car
   → gestational diabetes = hyperglycemia 2/2 ↑insulin resistance during pregnancy

2. A1 signpost
   → “A1GDM” = diet controlled gestational diabetes (normoglycemia achieved w/ diet alone)

3. A2 signpost
   → “A2GDM” = medication controlled gestational diabetes (normoglycemia achieved w/ use of
   medication)

4. Milk waterfall by “Welcome Inside” mat w/ scratch
   → hormone that causes ↑insulin resistance in pregnancy = human placental lactogen (hPL) AKA
   human chorionic somatomammotropin (hCS)

risks of gestational diabetes = large for gestational age (≥90%ile for GA), macrosomia (≥4000-4500g),

birth injury, ↑c-section, perineal lacerations, preeclampsia, neonatal hypoglycemia

6. Large gingerbread man statue
   → risks of gestational diabetes = large for gestational age (≥90%ile for GA), macrosomia (≥4000-4500g),
   birth injury, ↑c-section, perineal lacerations, preeclampsia, neonatal hypoglycemia

7. 4500g bag of sugar above large gingerbread man
   → risks of gestational diabetes = large for gestational age (≥90%ile for GA), macrosomia (≥4000-4500g),
   birth injury, ↑c-section, perineal lacerations, preeclampsia, neonatal hypoglycemia

8. Arm breaking off gingerbread man
   → risks of gestational diabetes = large for gestational age (≥90%ile for GA), macrosomia (≥4000-4500g),
   birth injury, ↑c-section, perineal lacerations, preeclampsia, neonatal hypoglycemia

9. Julius Caesar gingerbread man holding scalpel
   → risks of gestational diabetes = large for gestational age (≥90%ile for GA), macrosomia (≥4000-4500g),
   birth injury, ↑c-section, perineal lacerations, preeclampsia, neonatal hypoglycemia

10. Tear over bridge
    → risks of gestational diabetes = large for gestational age (≥90%ile for GA), macrosomia (≥4000-4500g),
    birth injury, ↑c-section, perineal lacerations, preeclampsia, neonatal hypoglycemia

11. Clamp on bag of sugar

risks of gestational diabetes = large for gestational age (≥90%ile for GA), macrosomia (≥4000-4500g),

birth injury, ↑c-section, perineal lacerations, preeclampsia, neonatal hypoglycemia

12. Candy falling down the waterfall
    → risks of gestational diabetes = large for gestational age (≥90%ile for GA), macrosomia (≥4000-4500g),
    birth injury, ↑c-section, perineal lacerations, preeclampsia, neonatal hypoglycemia

13. Desert of Demographics
    → populations at ↑risk for gestational diabetes = hispanic/latinx, asian/pacific islander, african
    american, native american

14. Fat pixie stick
    → demographic RF for gestational diabetes = obesity, ↑age

15. Wrinkled old pixie stick
    → demographic RF for gestational diabetes = obesity, ↑age

16. 4500g bag of sugar above large gingerbread man
    → OB hx RF for gestational diabetes = h/o macrosomic infant

17. Family in “G” candy car
    → FHx RF for gestational diabetes = FHx of DM

18. 24-28 peppermints

timing of screening for gestational diabetes = 24-28wks GA. Screening tests = 1h oral glucose

tolerance test (2 steps) or 2h oral glucose tolerance test (1 step)

19. 1 and 3 squares on gameboard
    → 2 step screening for GDM = 1h/50g OGTT screen, if + → 3h/100g OGTT

20. 2 quarters on “1” square
    → 1h oral glucose tolerance test (no fasting) = 50g glucose load, then test plasma glucose levels 1h later, if above threshold (>140 mg/dL) → + screen

21. “140” card next to “1” square
    → 1h oral glucose tolerance test (no fasting) = 50g glucose load, then test plasma glucose levels 1h later, if above threshold (>140 mg/dL) → + screen

22. 4 quarters on “3” square
    → if + 1h OGTT screen → 3h OGTT = 100g glucose load, obtain blood glucose at fasting, 1h, 2h, and 3h. If 2/4 values are elevated → dx of GDM

23. Yellow card with BG ranges next to “3” square
    → 3h OGTT normal values = F 95-105mg/dL, 1h 180-190, 2h 155-165, 3h 140-145

24. 3 quarters on “2” square
    → 2h oral glucose tolerance test (fasting) = 75g glucose load, then test plasma glucose levels at fasting, 1h and 2h. If 1/3 elevated → dx of GDM

25. Yellow card with BG ranges next to “2” square

2h OGTT normal values = F 92mg/dL, 1h 180, 2h 153

26. Jellybean with candy corn US speaker pointing at large gingerbread man underneath 4500g sugar bag
    → US findings = large for gestational age (≥90%ile for GA), macrosomia (EFW ≥4000-4500g)

27. Jellybean in fruit punch pond
    → polyhydramnios = abnormally high amniotic fluid volume (AFI ≥24cm or DVP ≥8cm)

28. Sweet World score sheet
    → GDM post-prandial blood sugar goals = fasting <95mg/dL, 1h <140, 2h <120

29. Sinking candy in Lifestyle Lagoon
    → A1GDM tx = carb controlled diet, exercise

30. Dumbbells on lily pads in Lifestyle Lagoon
    → A1GDM tx = carb controlled diet, exercise

31. 1 marble rolling down chute to “Medication Mountains”
    → threshold for starting medication in GDM = ≥1/3 blood sugar values elevated

32. Prize INSIDE egg
    → first line med for GDM = insulin

33

“Life is a box of candies” metaphor

33

second line meds for GDM = metformin, glyburide (c/i sulfa allergy)

34. 2nd gen goslings RIDing on neck of mother goose flying above sulfur eggs
    → second line meds for GDM = metformin, glyburRIDE (c/i sulfa allergy)

35. Gingerbread man stuck in the sand
    → risk of shoulder dystocia if EFW >4000g

36. Julius Caesar gingerbread man holding scalpel
    → recommend cesarean section if EFW ≥4500g

37. “41” on A1 signpost
    → delivery for A1GDM = 41wks GA

38. 39-40 on A2 signpost
    → delivery for A2GDM (well-controlled) = 39wks - 39wks+6d GA

39. 3 quarters on “2” square at the end of the game board
    → GDM post-partum f/u = 75g 2h OGTT @ 4-12wks postpartum