

- 21.** Each lobe of a typical anther in angiosperm having two theca it is called :
- (1) Monotheous (2) Ditheous
(3) Monosporangiate (4) Tetrasporangiate
- 22.** Which of the following part of the flower serves as a landing platform for pollen grain ?
- (1) Stigma (2) Ovary
(3) Style (4) Ovule
- 23.** Enclosed within the integuments is a mass of cells called
- (1) Micropyle (2) Nucellus
(3) Chalaza (4) Embryosac
- 24.** Example of plants, which contains cleistogamous flowers :
- (1) *Oxalis*
(2) *Commelina*
(3) *Viola* (Common pansy)
(4) All of the above
- 25.** Cleistogamous flowers are invariably :
- (1) Autogamous (2) Xenogamous
(3) Geitonogamous (4) All are possible
- 26.** Wind pollinated flowers often have.....ovule in each ovary.
- (1) Many (2) Two (3) One (4) Three
- 27.** Pollen tube enters into the embryosac through :
- (1) Chalaza (2) Integument
(3) Filiform apparatus (4) Funiculus
- 28.** Syngamy results in the formation of :
- (1) Zygote
(2) Primary endosperm nucleus
(3) Endosperm
(4) Fruit
- 29.** Embryo develops at which end of embryosac?
- (1) Micropylar end
(2) Chalazal end
(3) Funiculus
(4) Outside the ovary
- 30.** The microsporangia develop further and become pollen sacs. In anther these pollen sacs extends
- (1) Transversely
(2) Longitudinally
(3) Obliquely
(4) Sometimes transversely and some times longitudinally
- 31.** From outer to inner what is the sequence of wall layers in anther lobes?
- (1) Epidermis, middle layers, tapetum, endothecium
(2) Epidermis, endothecium, tapetum, middle layers
(3) Epidermis, endothecium, middle layer, tapetum
(4) Tapetum, middle layers, endothecium, epidermis
- 32.** Due to which of the following chemical deposition pollen grains are well preserved as fossils
- (1) Pollenkitt (2) Callose
(3) Sporopollenin (4) Pectocellulose
- 33.** Which of the following pollen structure exhibits a fascinating array of patterns and designs (Sculpturing pattern)?
- (1) Germ pores (2) Exine
(3) Intine (4) Tapetum
- 34.** Regarding to formation of pollen grain from microspore which of the following statement is incorrect
- (1) Generative cell is bigger
(2) Vegetative cell possess irregularly shaped nucleus
(3) Generative cell floats in cytoplasm of vegetative cell
(4) Vacuole is present in vegetative cell
- 35.** Which of the following is not a pollen grain caused disease?
- (1) Asthma (2) Bronchitis
(3) Hayfever (4) Malaria
- 36.** Regarding to number of ovules in ovary select out the odd one
- (1) Wheat (2) Orchids
(3) Paddy (4) Mango
- 37.** Nucellus, the mass of cells enclosed within the integuments, provide nutrition to
- (1) Embryosac (2) Embryo
(3) Seed (4) Ovule
- 38.** During embryo sac formation how many nuclei out of eight nucleus go through cytokinesis or wall formation?
- (1) All eight (2) Two
(3) Six (4) Four
- 39.** Geitonogamy is the transfer of pollen grains from anther to stigma of another flower of the same plant is :-
- (1) Functionally cross pollination
(2) Genetically self pollination
(3) Ecologically cross pollination
(4) All the above

- 40.** Regarding to cross pollination which of the following statement is incorrect?
- (1) Plants use two abiotic and one biotic agent
 - (2) Majority of plants use abiotic agents for pollination
 - (3) Production of enormous amount of pollen grains is concerned to compensate uncertainty and loss of pollens
 - (4) Pollination by wind is more common among abiotic pollinations
- 41.** About wind pollination which of the following is incorrect?
- (1) Light and non sticky pollengrains
 - (2) Well exposed stamens
 - (3) Feathery stigma
 - (4) Highly scented flowers
- 42.** Which of the following is probable reason of limited distribution of bryophytes and pteridophytes?
- (1) Jacketed multicellular sex organs
 - (2) Absence of roots
 - (3) Absence of seeds
 - (4) Need of water for transfer of male gametes
- 43.** Regarding to type of pollination which of the following is odd one
- (1) *Vallisneria*
 - (2) *Hydrilla*
 - (3) Water lily
 - (4) *Zostera*
- 44.** The genetic mechanism which inhibit pollen germination or pollentube growth in pistil so that self pollination can be prevented is known as
- (1) Inbreeding depression
 - (2) Self incompatibility
 - (3) Inter specific incompatibility
 - (4) Heterosis
- 45.** In which of the following plants both autogamy and geitonogamy is absent
- (1) Maize
 - (2) Mango
 - (3) Papaya
 - (4) Castor
- 46.** Perisperm is present in
- (1) Mango
 - (2) Guava
 - (3) Black pepper
 - (4) Pea
- 47.** Which of the following is not involved in post fertilisation events
- (1) Endosperm and embryo development
 - (2) Maturation of ovules into seed
 - (3) Maturation of ovary into fruit
 - (4) Degeneration of nucellus
- 48.** The structure in which few leaf primordia and shoot apex of monocot embryo remain enclosed is
- (1) Coleoptile
 - (2) Coleorhiza
 - (3) Epiblast
 - (4) Epicotyl
- 49.** In mature seed how much amount of moisture is present
- (1) 5-10 percent
 - (2) 10-15 percent
 - (3) 15-20 percent
 - (4) 20-25 percent
- 50.** Seed is the basis of our agriculture. Which of the following is/are crucial for storage of seeds, so that they can be used as food through out the year and also to raise crop in the next season
- (1) Dehydration
 - (2) Dormancy
 - (3) Vermiculture
 - (4) Both 1 and 2