

◆

-

- 12.** How much amount of incident solar radiation and PAR is capture as GPP respectively :-  
 (1) 1–5% and 2–10%  
 (2) 2–10% and 1–5%  
 (3) 1–4% and 2–8%  
 (4) 0.4–4% and 0.8–8%
- 13.** In an aquatic ecosystem which type of food chain is major conduit for energy flow is  
 (1) GFC (2) Parasitic food chain  
 (3) DFC (4) Both 1 and 3
- 14.** About flow of food energy by the process of eating and being eaten, which of the following is incorrect  
 (1) In an aquatic ecosystem, GFC is major conduit for energy flow  
 (2) In terrestrial ecosystem, DFC major conduit for energy flow  
 (3) In predator food chain there is increase in size of organism with trophic level  
 (4) DFC can never be connected with GFC
- 15.** Mass of the living material at a particular time called as the standing crop. Biomass of a species is expressed in terms of ..... is more accurate  
 (1) Fresh weight  
 (2) Dry weight  
 (3) Both (1) and (2)  
 (4)  $\text{Kcal m}^{-2}/\text{yr}^{-1}$
- 16.** In an ecosystem based on production of nearly 6 million plants, how many top consumers can be supported ?  
 (1) 708000 (2) 354000  
 (3) 3 (4) 30000
- 17.** In an ecosystem if dry weight of producers is  $809 \text{ kgm}^{-2}$ . Then what will be the biomass of tertiary consumers  
 (1) 37 dry weight ( $\text{Kg m}^{-2}$ )  
 (2) 11 ( $\text{Kg m}^{-2}$ )  
 (3) 15  $\text{kg m}^{-2}$   
 (4) 1.5  $\text{kgm}^{-2}$
- 18.** Ecological pyramids show diagramatic representation of ecological parameters like number, biomass and energy. Which is / are limitation of ecological pyramids ?  
 (1) It does not take into account the same species belonging to two or more trophic levels  
 (2) It does not accomodate a food web  
 (3) Saprophytes are not given any place in pyramids  
 (4) All the above
- 19.** The gradual and fairly predictable changes in the species composition of a given area is called :-  
 (1) Bioprospecting  
 (2) Biofortification  
 (3) Ecological succession  
 (4) Ecological assessment
- 20.** The gradual and fairly predictable changes in the species composition of a given area is not characterised by :-  
 (1) Increase in number of species  
 (2) Increase in number of individuals of species  
 (3) Increase in biomass  
 (4) Decrease in niche specialisation
- 21.** About succession, which of the following statement is correct :-  
 (1) In xerosere, xeric conditions progress to hydric conditions  
 (2) In hydrosere, mesic environment progress to hydric conditions  
 (3) In hydrosere, hydric environment progress to mesic conditions  
 (4) Abandoned farm lands show primary succession
- 22.** All successions whether taking place in water or on land proceeds to which climax community :-  
 (1) Hydric (2) Xeric  
 (3) Mesic (4) Halophytic
- 23.** Which of the following regulate the rate of release of nutrients into atmosphere  
 (1) Soil (2) Moisture  
 (3) pH and Temperature (4) All the above

**24.** What percentage of carbon constitute the dry weight of organisms

- (1) 49 %                      (2) 71 %
- (3) 30 %                      (4) 20 %

**25.** How much amount of carbon is fixed in biosphere through photosynthesis annually

- (1)  $2 \times 10^{13}$  kg              (2)  $4 \times 10^{13}$  kg
- (3)  $5 \times 10^{13}$  kg              (4)  $6 \times 10^{13}$  kg

**26.** Which among the following is not considered as an ecological service?

- (1) Generation of fertile soil
- (2) Wild life habitat formation
- (3) Products of antibiotics
- (4) Crop pollination

**27.** Robert Constanza and his colleagues have put price tags on nature's life support services with reference to this which of the following is not true?

- (1) Fundamental ecosystem services = \$ 33 trillions
- (2) Soil formation = \$ 16.5 trillions
- (3) Nutrient cycling = less than \$ 3.3 trillions
- (4) Climate regulation = \$ 5 trillions