

Unit-2 Chatgpt

Data Science

2 Marks Questions

1) What is Data Warehouse?

Definition:

A **data warehouse** is a centralized repository that stores integrated data from multiple sources. It is designed for query and analysis rather than transaction processing.

Examples:

- A retail company stores years of sales, inventory, and customer data in a data warehouse for reporting and forecasting.
- A hospital maintains a data warehouse to analyze patient records over time.

Explanation (4 Marks):

A data warehouse enables organizations to store historical data for business intelligence (BI), data analysis, and decision-making. It supports complex queries and reports, allowing users to analyze trends over time.

2) How Are Organizations Using the Information from Data Warehouses?

Answer:

Organizations use data from warehouses for:

1. **Business Intelligence Reporting**
2. **Customer Behavior Analysis**
3. **Performance Monitoring**
4. **Forecasting and Strategic Planning**

Examples:

- A bank uses data warehouses to detect fraudulent activities by analyzing transaction patterns.
- An e-commerce company uses it to analyze customer buying trends and improve marketing strategies.

Explanation (4 Marks):

By analyzing integrated and historical data, companies can uncover trends, optimize operations, improve customer service, and make strategic decisions. It plays a key role in enhancing competitiveness and operational efficiency.

3) Expand OLTP and OLAP

Answer:

- **OLTP:** Online Transaction Processing
- **OLAP:** Online Analytical Processing

Examples:

- **OLTP:** ATM transactions, order placement systems
- **OLAP:** Sales trend analysis, profit forecasting dashboards

Explanation (4 Marks):

OLTP systems manage day-to-day transactions efficiently (real-time updates).

OLAP systems support complex queries for data analysis and decision-making. OLTP is optimized for speed and accuracy; OLAP is optimized for multidimensional analysis and summarization.

4) What is Data Cube? How is it Defined?

Definition:

A **data cube** is a multidimensional representation of data used in OLAP systems to analyze information across multiple dimensions.

Definition of Data Cube:

It is defined as a set of cells that store aggregated measures, with each dimension representing a different attribute (e.g., time, location, product).

Examples:

- A sales data cube with dimensions: **Product, Region, and Time.**
- A healthcare cube showing **Disease, Age Group, and Treatment Cost.**

Explanation (4 Marks):

Data cubes allow slicing, dicing, drilling down, and rolling up to explore different data perspectives. They help users quickly view aggregated data at various levels, improving business analysis and insights.

5) Define Dimensions and Facts

Definitions:

- **Dimensions:** These are perspectives or entities with respect to which data is analyzed (e.g., Time, Product, Location).

- **Facts:** These are the numeric measures or values that represent business data (e.g., Sales amount, Quantity sold).

Examples:

- In a sales database:
 - **Dimensions:** Product, Time, Store
 - **Facts:** Total Sales, Revenue, Units Sold

Explanation (4 Marks):

Dimensions provide context for the numbers, while **facts** are the actual measurable values. Together, they form the **fact table** in a data warehouse, which connects to multiple dimension tables for analysis.

Here are the answers to **questions 6 to 10**, written in a **4-mark format** with **definitions, examples, and explanations**:

6) Define Base Cuboid and Apex Cuboid

Definitions:

- **Base Cuboid:** It is the **lowest level** of a data cube, representing data at the most **detailed** level (with all dimensions).
- **Apex Cuboid:** It is the **highest level**, showing **fully aggregated** data (no dimensions, just the total measure).

Examples:

- **Base Cuboid:** Sales by Product, Region, and Time.
- **Apex Cuboid:** Total Sales without any breakdown.

Explanation (4 Marks):

In a data cube, cuboids represent different levels of data abstraction.

- **Base Cuboid** = all possible details (fine-grained).
 - **Apex Cuboid** = fully summarized value.
- They help in **roll-up** and **drill-down** operations in OLAP.
-

7) Define Measure and Mention Any Two Categories

Definition:

A **measure** is a numerical value stored in the **fact table** of a data warehouse that represents some aspect of business data.

Two Categories of Measures:

1. **Distributive:** Can be computed from sub-totals (e.g., SUM, COUNT).
2. **Algebraic:** Computed using basic arithmetic on distributive measures (e.g., AVERAGE = SUM/COUNT).

Examples:

- Sales Amount (Distributive)
- Average Salary (Algebraic)

Explanation (4 Marks):

Measures are the values analyzed across different dimensions in OLAP. Their classification helps determine how they can be aggregated during queries and reports.

8) Define Concept Hierarchy. Give an Example

Definition:

A **concept hierarchy** is a sequence of mappings from a lower-level concept to a higher-level, more general concept.

Example:

- City → State → Country
- Day → Month → Quarter → Year

Explanation (4 Marks):

Concept hierarchies support **data generalization** and **roll-up operations** in OLAP. They help users analyze data at various levels of abstraction, e.g., analyzing sales by city or by country.

9) Write Any Two Differences Between OLAP System and Statistical Database

OLAP System	Statistical Database
Designed for multidimensional analysis	Designed for statistical calculations
Focuses on business intelligence (BI)	Focuses on analyzing large numeric datasets

Examples:

- OLAP: Sales analysis by region and time
- Statistical DB: Mean and variance calculation of exam scores

Explanation (4 Marks):

OLAP is tailored for slicing/dicing multidimensional business data, while statistical databases


are built for mathematical data analysis. Both support decision-making but serve different domains.

10) What is Starnet Model? Give an Example through Diagram

Definition:

The **Starnet Model** is a **multidimensional data model** where a **central fact table** is connected to **multiple dimension tables**, similar to a star schema.

Example (Diagram):



Explanation (4 Marks):

The starnet model helps in understanding the **relationship** between facts and multiple dimensions. It's efficient for **data warehouse design** and simplifies **OLAP operations** like drill-down and roll-up.

Here are the answers to **questions 11 to 15**, written in a **4-mark format** with definitions, examples, and explanations:

11) List Any Two Benefits of Business Analyst by Having Data Warehouse

Answer:

1. **Better Decision Making:**

Business analysts can access historical and integrated data to make more accurate and timely decisions.

2. **Improved Business Intelligence:**

Analysts can identify trends, customer behavior, and performance metrics easily.

Examples:

- An analyst uses warehouse data to forecast product demand.
- Identifying regional sales trends helps in planning marketing campaigns.

Explanation (4 Marks):

A data warehouse enables analysts to work with clean, consistent, and historical data, improving **strategic planning, reporting, and competitive advantage**.

12) List Any Two Data Warehouse Models from the Architecture Point of View**Answer:****1. Enterprise Warehouse:**

A centralized warehouse serving the entire organization with integrated data from multiple departments.

2. Data Mart:

A smaller, focused version of a warehouse designed for specific departments like sales, finance, or marketing.

Examples:

- **Enterprise Warehouse:** Company-wide reporting system.
- **Data Mart:** Marketing team analyzing campaign results.

Explanation (4 Marks):

Different models are used depending on the size, complexity, and data needs of the organization. Enterprise warehouses offer comprehensive solutions, while data marts are faster to deploy and serve specific purposes.

13) List Any Four Back-End Tools and Utilities Included in Data Warehouse**Answer:**

1. **Data Extraction Tools** – Extract data from operational sources.
2. **Data Cleaning Tools** – Correct or remove inaccurate records.
3. **Data Transformation Tools** – Convert data into suitable formats.
4. **Data Loading Tools** – Load processed data into the warehouse.

Examples:

- Tools like Informatica or Talend for ETL (Extract, Transform, Load).
- SQL scripts for cleaning missing or duplicate values.

Explanation (4 Marks):

These tools automate the **ETL process**, ensuring high data quality, consistency, and efficient movement of data from source to warehouse.

14) Define Data Cleaning and Data Integration

Definitions:

- **Data Cleaning:** The process of detecting and correcting errors or inconsistencies in data to improve its quality.
- **Data Integration:** Combining data from multiple heterogeneous sources into a coherent data store.

Examples:

- **Cleaning:** Removing duplicate customer records.
- **Integration:** Merging customer data from sales and support databases.

Explanation (4 Marks):

Clean and integrated data is essential for accurate analysis. These processes ensure that data is consistent, complete, and ready for storage and analysis in a data warehouse.

15) Define Data Transformation and Data Reduction

Definitions:

- **Data Transformation:** The process of converting data into a proper format or structure for analysis (e.g., normalization, aggregation).
- **Data Reduction:** Reducing the volume of data while maintaining its integrity (e.g., dimensionality reduction, aggregation).

Examples:

- **Transformation:** Converting dates from “dd/mm/yyyy” to “yyyy-mm-dd”.
- **Reduction:** Grouping daily sales into monthly totals.

Explanation (4 Marks):

Transformation ensures data is in a **uniform, usable format**, while reduction helps in improving **storage and query efficiency** without losing important insights.

16) What is Dimensionality Reduction? Mention Any One Method Used

Definition:

Dimensionality Reduction is the process of reducing the number of **input variables or attributes** in a dataset while preserving its essential information.

One Common Method:

- **Principal Component Analysis (PCA)** – A statistical method that transforms correlated variables into a smaller number of uncorrelated variables called principal components.

Example:

- In a student dataset with 20 features (age, marks, attendance, etc.), PCA can reduce it to 5 principal features that still represent the data effectively.

Explanation (4 Marks):

Dimensionality reduction helps in **improving model performance**, **reducing noise**, and **speeding up computation** in data mining and machine learning.

17) List Any Two Methods for Data Discretization

Answer:

1. **Binning:**
Dividing continuous values into a fixed number of bins (e.g., age 0–10, 11–20, etc.).
2. **Histogram Analysis:**
Using the frequency distribution of data to divide it into intervals or bins.

Examples:

- Converting continuous exam scores into grade categories (A, B, C).
- Using histograms to group income ranges.

Explanation (4 Marks):

Data discretization simplifies numerical data into categorical form, which is easier to understand and use in certain data mining algorithms.

18) Difference Between Operational Database and Data Warehouse

Operational Database	Data Warehouse
Used for day-to-day operations	Used for analysis and decision-making
Handles current, real-time data	Stores historical, integrated data
Example: Banking system, ticket booking	Example: Sales trend analysis, BI reports

Explanation (4 Marks):

Operational databases support **real-time transactions**, while data warehouses are optimized for **data analysis, reporting, and trend forecasting** using historical data.

19) Define ROLAP and MOLAP

Definitions:

- **ROLAP (Relational OLAP):**
Performs OLAP operations directly on relational databases using SQL queries.
- **MOLAP (Multidimensional OLAP):**
Uses multidimensional cube storage for faster analysis and retrieval.

Examples:

- **ROLAP:** Running complex queries on a relational sales database.
- **MOLAP:** Exploring pre-aggregated sales data in a data cube.

Explanation (4 Marks):

ROLAP is more scalable for large data but slower due to SQL queries. MOLAP is faster but limited by cube size and predefined aggregations.

20) What is Data Mart? List Its Types

Definition:

A **Data Mart** is a **subset of a data warehouse**, focused on a specific business line or team (e.g., marketing, sales).

Types of Data Marts:

1. **Dependent Data Mart:**
Gets data from the central data warehouse.
2. **Independent Data Mart:**
Built directly from operational systems without relying on a central warehouse.

Examples:

- **Sales Data Mart:** for analyzing regional product performance.
- **Finance Data Mart:** for analyzing expenses and revenue.

Explanation (4 Marks):

Data marts make it easier and faster for departments to access relevant data, enabling **quick analysis and better decision-making** without querying the full data warehouse.

Here are the answers to **questions 21 to 25**, written in a **4-mark format** with definitions, explanations, and examples where applicable:

21) Explain Virtual Warehouse

Definition:

A **Virtual Warehouse** is a type of data warehouse that provides a **logical or virtual view of data** without physically storing the data in a centralized repository.

Explanation:

- It integrates data from multiple sources **in real time** using **views or middleware**.
- Data remains in source systems but appears unified to users.

Example:

- A company creates a virtual warehouse to combine live sales data from multiple store databases without physically copying all data into one warehouse.

Key Benefit:

- Cost-effective and easy to update, but performance can be slower than physical warehouses.

22) What Type of Information Should a Metadata Repository Include?

Answer: A metadata repository should include:

1. **Business Metadata:**
 - Descriptions of data (e.g., meaning of fields like "Revenue", "Customer ID").
2. **Technical Metadata:**
 - Data types, structure, source systems, transformation rules, etc.
3. **Operational Metadata:**
 - Data load schedules, refresh times, job statuses, ETL logs.

Explanation (4 Marks):

Metadata repositories store information **about the data**, not the data itself. This helps in understanding, managing, and using the data warehouse efficiently.

23) What is Metadata Repository?**Definition:**

A **Metadata Repository** is a **centralized storage** that holds metadata – data that describes other data in the warehouse.

Explanation:

- It acts as a **dictionary** that provides information about source systems, ETL processes, schema definitions, business rules, etc.

- It helps **administrators, analysts, and users** understand and use the warehouse effectively.

Example:

- It stores details like:
 - Table name: Customer
 - Field: DOB → Data type: Date, Source: CRM system

Importance:

Essential for **data governance, data lineage, and quality management**.

24) Explain the Approaches to Data Cleaning as a Process

Answer:

There are several key approaches:

1. **Parsing and Standardization:**
 - Breaking data into components and formatting consistently (e.g., standardizing address formats).
2. **Deduplication:**
 - Identifying and removing duplicate records.
3. **Error Detection and Correction:**
 - Using rules or AI to find anomalies or typos (e.g., 'Indai' → 'India').
4. **Missing Value Handling:**
 - Filling missing values using methods like mean substitution or prediction.

Example:

Cleaning inconsistent phone numbers like "+91 9876543210", "98765-43210", and "09876543210" into a standard format.

Explanation (4 Marks):

Clean data ensures **accuracy, consistency, and reliability** for downstream analysis and decision-making.

25) Define Binning

Definition:

Binning is a **data discretization** technique that divides continuous numerical data into **intervals or "bins"**.

Explanation:

- Helps reduce noise and simplify data analysis by grouping values.
- Can be **equal-width**, **equal-frequency**, or **based on clustering**.

Examples:

- Age data:
 - Bin 1: 0–18
 - Bin 2: 19–35
 - Bin 3: 36–60
 - Bin 4: 61+

Explanation (4 Marks):

Binning is widely used in **preprocessing**, especially in decision tree algorithms and when converting continuous data into categorical for better interpretability.

26) What Are the Use of Data Scrubbing Tool and Data Auditing Tool?**1. Data Scrubbing Tool:**

- **Use:** Cleans data by detecting and correcting errors, inconsistencies, or missing values in datasets.
- **Example:** Fixing typos in customer names like “Jonh” → “John”.

2. Data Auditing Tool:

- **Use:** Analyzes data to **identify anomalies** and **measure quality** before it is used or stored in a warehouse.
- **Example:** Detecting outliers in sales data where one region reports unusually high sales.

Explanation (4 Marks):

Both tools are part of the **data preprocessing** stage. Data scrubbing ensures **clean, usable data**, while auditing validates the **accuracy and integrity** of that data before use.

27) What is Entity Identification Problem?**Definition:**

The **Entity Identification Problem** arises when different sources use **different identifiers or formats** for the **same real-world entity**, making it hard to match or merge data.

Example:

- “John Smith”, “J. Smith”, and “Smith, John” might all refer to the same person in different databases.

Explanation (4 Marks):

Solving this problem is essential during **data integration** to ensure **no duplication or data loss**, especially when consolidating customer records or product information from multiple systems.

28) List the Processes Involved in Data Transformation

Answer: The key processes are:

1. **Smoothing:** Removing noise from data (e.g., using average).
2. **Aggregation:** Summarizing data (e.g., daily → monthly sales).
3. **Generalization:** Replacing low-level data with higher-level concepts (e.g., "City" → "Country").
4. **Normalization:** Scaling data into a specific range (e.g., 0 to 1).
5. **Attribute Construction:** Creating new attributes based on existing ones.

Example:

Transforming raw timestamps into day, week, and month fields for analysis.

Explanation (4 Marks):

These processes help in converting raw data into **clean, structured, and analyzable form** that fits mining algorithms and improves accuracy.

29) What is the Use of Attribute Subset Selection?

Definition:

Attribute Subset Selection is the process of **selecting the most relevant features (attributes)** and removing redundant or irrelevant ones.

Uses:

- Reduces model **complexity** and **training time**.
- Improves **model performance** and **accuracy**.
- Helps in avoiding **overfitting**.

Example:

From a dataset with 50 features, only 10 important features may be selected for building a predictive model.

Explanation (4 Marks):

Attribute selection simplifies data, enhances performance, and helps uncover **meaningful patterns** by focusing only on significant variables.

30) What is Histograms? Mention the Use of Multidimensional Histograms**Definition:**

A **histogram** is a graphical representation of the **distribution of numerical data** using bars to show the frequency of data intervals (bins).

Multidimensional Histograms:

- Represent the frequency of combinations of values across **two or more attributes**.
- Used to **summarize joint distributions**.

Example:

A 2D histogram showing the frequency of products sold by both **region and product type**.

Use:

- Helps in **data reduction**.
- Useful for **query optimization** in databases.
- Aids in **density estimation** in multidimensional data mining.

Explanation (4 Marks):

Histograms support efficient summarization and understanding of data patterns, especially in large datasets. Multidimensional versions extend this capability across several attributes.