

```
← → ↻ ⓘ localhost/awt/a4/p1/index.php

Length: 11
Word count: 2
Reverse: dlroW olleH
Position of 'World': 6
Replace: Hello PHP
Uppercase: HELLO WORLD
Lowercase: hello world
Ucfirst: Hello world
Ucwords: Hello World
```

1

```
← → ↻ ⓘ localhost/awt/a4/p2/index.php

Ascending order: Array ( [0] => 1 [1] => 2 [2] => 5 [3] => 7 [4] => 9 )
Descending order: Array ( [0] => 9 [1] => 7 [2] => 5 [3] => 2 [4] => 1 )
Sort by value (asc): Array ( [B] => 75 [A] => 85 [C] => 95 )
Sort by key (asc): Array ( [A] => 85 [B] => 75 [C] => 95 )
```

2


```
← → ↻ ⓘ localhost/awt/a4/p3/index.php

Element frequencies:
1 => 1
2 => 2
3 => 3
4 => 1
```


```
← → ↻ ⓘ localhost/awt/a4/p4/index.php

Original Number: 12345
Reversed Number: 54321
Sum of digits: 15
```


4



Second most frequent element: 3




Maximum element: 20
Minimum element: 5



Name:

Email:

Age:







Submitted Data:

Name: Vikas
Email: vikas@gmail.com
Age: 22

All Records

2 - Prakash - prakash@gmail.com



← → ↻ ⓘ localhost/awt/a4/p10/login.php

Login successful!
[Go to Dashboard](#)

Username:

← → ↻ ⓘ localhost/awt/a4/p10/dashboard.php

Welcome, vikas@gmail.com
[Logout](#)

← → ↻ ⓘ localhost/awt/a4/p11/crud.php

CRUD Operations

ID (for update/delete):

Name:

Email:

All Records

CRUD Operations

ID (for update/delete):

Name:

Email:

CRUD Operations

ID (for update/delete):

Name:

Email:

All Records

1 - Vikas - vikas@gmail.com

2 - Prakash - prakash@gmail.com

CRUD Operations

ID (for update/delete):

Name:

Email:

All Records

1 - Vikas - vikas@gmail.com

2 - Prakash - prakash@gmail.com

All Records

1 - Vikas SR - vikas@gmail.com

2 - Prakash - prakash@gmail.com