Assignment-1 MERN-LAB

1. Write a React program to display “Hello World” using <h1> without server.

```
<!DOCTYPE html>
<html lang="en">

<head>
    <meta charset="UTF-8">
    <meta name="viewport" content="width=device-width, initial-scale=1.0">
    <title>React App</title>

    <script src="https://unpkg.com/react@16/umd/react.development.js"></script>

    <script
src="https://unpkg.com/react-dom@16/umd/react-dom.development.js"></script>
</head>

<body>


    <div id="content"></div>

    <script>
        const element = React.createElement('h1', null, "Hello world");

        ReactDOM.render(element, document.getElementById("content"));
    </script>

</body>

</html>
```



2. Write a React program to get username and age and display using alert message , without server.

```
<!DOCTYPE html>
<html lang="en">

<head>
    <meta charset="UTF-8">
    <meta name="viewport" content="width=device-width, initial-scale=1.0">
    <title>React App</title>

    <script src="https://unpkg.com/react@16/umd/react.development.js"></script>
    <script
src="https://unpkg.com/react-dom@16/umd/react-dom.development.js"></script>
</head>

<body>

    <div id="content"></div>


    <script>
        function show() {
            const username = document.getElementById("txtname").value;
            const age = document.getElementById("txtage").value;
            alert("Username: " + username + ", Age: " + age);
        }


        const element = React.createElement('div', null,
            React.createElement('h1', null, "Student Information"),
            React.createElement('br'),
            React.createElement('label', null, "Username"),
            React.createElement('input', {type: 'text', id: 'txtname'}),
            React.createElement('br'),
            React.createElement('label', null, "Age"),
            React.createElement('input', {type: 'number', id: 'txtage'}),
            React.createElement('br'),
            React.createElement('button', {type: 'submit', onClick: show}, "Submit")
        );

        ReactDOM.render(element, document.getElementById("content"));
    </script>

</body>
```

</html>





3. Write a React program to find sum of two number without using server.

```
<!DOCTYPE html>
<html lang="en">

<head>
    <meta charset="UTF-8">
    <meta name="viewport" content="width=device-width, initial-scale=1.0">
    <title>React App</title>

    <script src="https://unpkg.com/react@16/umd/react.development.js"></script>
    <script
src="https://unpkg.com/react-dom@16/umd/react-dom.development.js"></script>
</head>

<body>

    <div id="content"></div>
```

```
  <script>
    function show() {
      const num1 = document.getElementById("txtnum1").value;
      const num2 = document.getElementById("txtnum2").value;
      const sum = Number(num1) + Number(num2);

      alert("Sum: " + sum);
    }

    const element = React.createElement('div', null,
      React.createElement('h1', null, "Sum of Two Numbers"),
      React.createElement('br'),
      React.createElement('label', null, "Number 1"),
      React.createElement('input', {type: 'number', id: 'txtnum1'}),
      React.createElement('br'),
      React.createElement('label', null, "Number 2"),
      React.createElement('input', {type: 'number', id: 'txtnum2'}),
      React.createElement('br'),
      React.createElement('button', {type: 'submit', onClick: show}, "Calculate")
    );

    ReactDOM.render(element, document.getElementById("content"));
  </script>

</body>
</html>
```



