Airbnb API

Move your app forward with the airbnb API

Version 1.0.0

Paths

`/airbnb`

GET /airbnb

Summary

All listing by Countries

Description

The allListings endpoint returns information about the *Airbnb* listing offered at a given location. The response includes the countries name,and lists the products in the proper display order.

Responses

Code	Description	Schema

200	An array of Cities	⇄ ▼ [
		  ▼ Cities {
		    city_id: ▸ string
		    city_name: ▸ string
		  }
		]

default	Unexpected error	⇄ ▼ Error {
		  code: integer
		  message: string
		  fields: string
		}

Try this operation

/airbnb/search

Summary

Searching the list for a particular data and city

Description

Searching the list for a particular data and city

Responses

Code	Description	Schema
200	An array of listing	⇄
default	Unexpected error	⇄

```
▼ [
  ▼ cityListing {
      list_id:        ▶ string
      list_price:     ▶ string
      list_name:      ▶ string
      list_type:      ▶ string
      list_reviews:   ▶ number
      list_ratings:   ▶ number
      list_images:    ▶ string
      host_avatar:    ▶ string
      userId:         ▶ string
  }
]
```

```
▼ Error {
    code:     integer
    message:  string
    fields:   string
}
```

Try this operation

/airbnb/activity

```
POST /airbnb/activity
```

Summary

Logging the user activity in log files for analytics

Description

Logging the user activity in log files for analytics

Responses

Code	Description		Schema
200	An object of user Clicks	⇄	▼ [▼ **activity {** userId: ▶ string pageId: ▶ string propertyId: ▶ string timestamp: ▶ Time city: ▶ string info: ▶ string }]
default	Unexpected error	⇄	▼ **Error {** code: integer message: string fields: string }

Try this operation

```
/airbnb/trace
```

Summary

trace the user activity in log files for analytics

Description

trace the user activity in log files for analytics

Responses

Code	Description		Schema

▼ [
  ▼ **trace {**
    userId: ▶ string
    pageId: ▶ string
    propertyId: ▶ string

200   An object of user Clicks   ⇄   timestamp: ▶ Time
    city: ▶ string
    info: ▶ string
    trace: ▶ string
  }
]

▼ **Error {**
  code: integer

default   Unexpected error   ⇄   message: string
  fields: string
}

[Try this operation]

/airbnb/uploadAvatar

POST /airbnb/uploadAvatar

Summary

upload the user avatar images or properties images

Description

upload the user avatar images or properties images

Parameters

Name	Located in	Description	Required	Schema
userId	query	userId of the user.	Yes	⇄ string
imagefile	query	avatar of the user.	Yes	⇄ string

Responses

Code	Description	Schema
200	Successfully uploaded the photo	

default	Unexpected error	⇄ ▾ Error {
		  code: integer
		  message: string
		  fields: string
		}

Try this operation

/airbnb/uploadPropertyImage

POST /airbnb/uploadPropertyImage

Summary

upload the user avatar images or properties images

Description

upload the user avatar images or properties images

Parameters

Name	Located in	Description	Required	Schema
userId	query	userId of the user.	Yes	⇄ string
imagefile	query	images of the user property.	Yes	⇄ string
listId	query	listId of the property for which images are uplaoded.	Yes	⇄ string

Responses

Code	Description	Schema
200	Successfully uploaded the photo	

default	Unexpected error	⇄ ▾ Error {
		    code: integer
		    message: string
		    fields: string
		}

Try this operation

`/airbnb/cityname`

```
GET /airbnb/cityname
```

Summary

City Listing

Description

All the listing for that particular city,

Responses

Code	Description	Schema
		▼ [
		▼ **cityListing {**
		list_id: ▸ string
		list_price: ▸ string
		list_name: ▸ string
		list_type: ▸ string
200	An array of listings in that city ⇄	list_reviews: ▸ number
		list_ratings: ▸ number
		list_images: ▸ string
		host_avatar: ▸ string
		userId: ▸ string
		}
		]
default	Unexpected error ⇄	▼ **Error {**
		code: integer
		message: string
		fields: string
		}

[Try this operation]

```
/airbnb/cityname/listid
```

GET /airbnb/cityname/listid

Summary

get details of a listing

Description

All details of the listing

Responses

Code	Description		Schema
			▾ [
			▾ **roomDetails** {
			list_name: ▸ string
			list_space: ▸ string
			list_amenties: ▸ string
			list_price: ▸ string
			list_description: ▸ string
			list_rules: ▸ string
200	An array having room details	⇄	list_safetyFeatures: ▸ string
			list_availability: ▸ string
			list_reviews: ▸ string
			list_address: ▸ string
			list_images: ▸ string
			host_avatar: ▸ string
			userId: ▸ string
			}
			]
			▾ **Error** {
			code: integer
default	Unexpected error	⇄	message: string
			fields: string
			}

Try this operation

`/user/newListing`

GET /user/newListing

Summary

list a new property

Description

User will list a new property on airbnb.

Parameters

Name	Located in	Description	Required	Schema
list_Id	query	list_Id of the location.	Yes	⇄ string
host_Id	query	host_Id of the location.	Yes	⇄ string
list_space	query	category of the location.	Yes	⇄ string
list_address	query	address of the location.	Yes	⇄ string
list_city	query	city of the location.	Yes	⇄ string
list_state	query	state of the location.	Yes	⇄ string
list_zipCode	query	zipCode of the location.	Yes	⇄ string
list_availability	query	availability of the location.	Yes	⇄ number (double)
list_description	query	description of the location.	Yes	⇄ string

Responses

Code	Description	Schema

200	List successfully created	⇄	▼ **newListing {**	
			list_id:	▸ string
			list_space:	▸ string
			list_amenties:	▸ string
			list_price:	▸ string
			list_description:	▸ string
			list_rules:	▸ string
			list_safetyFeatures:	▸ string
			list_address:	▸ string
			list_availability:	▸ string
			list_images:	▸ string
			list_videos:	▸ string
			}	

default	Unexpected error	⇄	▼ **Error {**
			code: integer
			message: string
			fields: string
			}

Try this operation

/user/deleteListing

GET /user/deleteListing

deleteListing

Summary

delete an existing property listing

Description

User will delete the property on airbnb.

Parameters

Name	Located in	Description	Required	Schema
list_Id	query	list_Id of the location.	Yes	⇄ string

Responses

Code	Description		Schema
200	delete the property listed by a user and send success if removed		

default	Unexpected error	⇄	▾ Error {
			  code: integer
			  message: string
			  fields: string
			}

Try this operation

/user/confirmProperty

GET /user/confirmProperty

Summary

user gets the response from host for their booking request

Description

host will receive the request for new booking and reply back to user with booking status either cancel or .

Parameters

Name	Located in	Description	Required	Schema
list_Id	query	list_Id of the property.	Yes	⇄string
user_Id	query	user_Id of the property.	Yes	⇄string
pending_rowId	query	pending_rowId of the property to match in db which need to be deleted after confirming property	Yes	⇄string

Responses

Code	Description	Schema
200	change status to approved	
default	Unexpected error	⇄ ▾ Error { code: integer message: string fields: string }

[Try this operation]

/user/pendingRequest

GET /user/pendingRequest

Summary

list all the pending request for host

Description

list all the pending request for host

Parameters

Name	Located in	Description	Required	Schema
userId	query	userId of the location.	Yes	⇄ string

Responses

Code	Description		Schema

200	array of all the pending request for host	⇄	▾ **pendingRequest** {
			  userId: ▸ string
			  list_id: ▸ string
			  list_checkInDate: ▸ string
			  list_checkOutDate: ▸ string
			  list_noofguest: ▸ string
			}

default	Unexpected error	⇄	▾ **Error** {
			  code: integer
			  message: string
			  fields: string
			}

[Try this operation]

/user/allHostListing

```
GET /user/allHostListing
```

Summary

City Listing

Description

All the listing for that particular city,

Responses

Code	Description		Schema

▼ [
  ▼ **allHostListing** {
    list_id: ▶ string
    list_price: ▶ string
    list_name: ▶ string

200 — An array of listings in that city — ⇄

    list_type: ▶ string
    list_reviews: ▶ number
    list_ratings: ▶ number
    list_images: ▶ string
  }
]

▼ **Error** {
  code: integer

default — Unexpected error — ⇄

  message: string
  fields: string
}

Try this operation

```
/user/placeBid
```

```
GET /user/placeBid
```

User

Summary

Show listing.

Description

Show listing Details.

Parameters

Name	Located in	Description	Required	Schema
list_id	query	Placing bid for a particular list_id.	Yes	⇄ string
bidAmount	query	Amount of bid for listing.	Yes	⇄ integer
userId	query	ID of user who places bid for the item.	Yes	⇄ integer

Responses

Code	Description	Schema
200	Show Acknowledgement after placing bid.	⇄ ▾ [▾ **bidPlaceAcknowledgement {** bidPlacedStatus: ▸ boolean }]
default	Unexpected error	⇄ ▾ **Error {** code: integer message: string fields: string }

Try this operation

/user

POST /user

Summary

User Profile

Description

The User endpoint creates user.

Responses

Code	Description		Schema
			▼ **User {**
			userId: ▶ string
			firstName: ▶ string
			lastName: ▶ string
			birthDay: ▶ Date
			emailId: ▶ string
			avatar: ▶ string
200	Profile information for a user	⇄	address: ▶ string
			city: ▶ string
			state: ▶ string
			zipCode: ▶ string
			phoneNumber: ▶ string
			rating: ▶ string
			reviews: ▶ string
			creditCard: ▶ string
			}
default	Unexpected error	⇄	▼ **Error {**
			code: integer
			message: string
			fields: string
			}

Try this operation

```
/user/userId
```

```
GET /user/userId
```

Summary

Get User Profile

Description

The getUserProfile endpoint returns the profile of the user

Responses

Code	Description		Schema
200	returns Profile information for a user	⇄	▾ **User {** userId: ▸ string firstName: ▸ string lastName: ▸ string birthDay: ▸ Date emailId: ▸ string avatar: ▸ string address: ▸ string city: ▸ string state: ▸ string zipCode: ▸ string phoneNumber: ▸ string rating: ▸ string reviews: ▸ string creditCard: ▸ string **}**
default	Unexpected error	⇄	▾ **Error {** code: integer message: string fields: string **}**

Try this operation

/user/myTrips/booktrip

```
POST /user/myTrips/booktrip
```

Summary

Book a Property

Description

User is trying to book a new property.

Parameters

Name	Located in	Description	Required	Schema
userId	query	ID of host user to fetch user details.	Yes	⇄ string
list_id	query	ID of property which needs to be booked	Yes	⇄ string
noofguest	query	number of guest will be staying in the property	Yes	⇄ integer
from_date	query	date trip will be starting	Yes	⇄ string
to_date	query	date trip will be ending	Yes	⇄ string
list_price	query	price of the property	Yes	⇄ string

Responses

Code	Description		Schema

200	booking successfull but pending approval	⇄	▾ bookTripsresponse {
			 tripId: ▸ string
			 list_id: ▸ integer
			 noofguest: ▸ integer
			 from_date: ▸ string
			 to_date: ▸ string
			 list_price: ▸ integer
			}

Code	Description		Schema
401	Cannot book a trip since dates are not avaiable	⇄	▾ **bookTripsfailure401 {** code: ▸ integer message: ▸ string **}**
405	Cannot book a trip due to internal issue	⇄	▾ **bookTripsfailure405 {** code: ▸ integer message: ▸ string **}**
default	Unexpected error	⇄	▾ **Error {** code: integer message: string fields: string **}**

Try this operation

/user/myTrips/edittrip

POST /user/myTrips/edittrip

Summary

Edit a already booked Property

Description

User is trying to edit a already booked property.

Parameters

Name	Located in	Description	Required	Schema
userId	query	ID of host user to fetch user details.	Yes	⇄ string
tripId	query	ID of booked trip.	Yes	⇄ string
list_id	query	ID of property which needs to be booked	Yes	⇄ string
noofguest	query	number of guest will be staying in the property	Yes	⇄ integer
from_date	query	date trip will be starting	Yes	⇄ string
to_date	query	date trip will be ending	Yes	⇄ string
list_price	query	price of the property	Yes	⇄ string

Responses

Code	Description		Schema
200	successfull edited the trip but pending approval	⇄	▾ **bookTripsresponse {** 　tripId:　▸ string 　list_id:　▸ integer 　noofguest:　▸ integer 　from_date:　▸ string 　to_date:　▸ string 　list_price:　▸ integer **}**

Code	Description	Schema
401	Cannot edit a trip since dates are not avaiable	⇄ ▾ **bookTripsfailure401 {** code: ▸ integer message: ▸ string **}**
405	Cannot edit a trip due to internal issue	⇄ ▾ **bookTripsfailure405 {** code: ▸ integer message: ▸ string **}**
default	Unexpected error	⇄ ▾ **Error {** code: integer message: string fields: string **}**

Try this operation

/user/myTrips/canceltrip

```
POST /user/myTrips/canceltrip
```

Summary

Cancel a already booked Property/trip

Description

User is trying to cancel a already booked property which is not yet completerd.

Parameters

Name	Located in	Description	Required	Schema
tripId	query	ID of trip user want to cancel.	Yes	⇄ string

Responses

Code	Description		Schema
200	successfull cancelled the trip	⇄	▾ **cancelTripsresponse {** code: ▸ integer message: ▸ string **}**
401	Cannot cancel a trip since trip dates are nearby, depends on the house rules	⇄	▾ **cancelTripsresponse401 {** code: ▸ integer message: ▸ string **}**
405	Cannot cancel a trip due to internal issue	⇄	▾ **cancelTripsresponse405 {** code: ▸ integer message: ▸ string **}**
default	Unexpected error	⇄	▾ **Error {** code: integer message: string fields: string **}**

Try this operation

/user/myTrips/triphistory/

```
GET /user/myTrips/triphistory/
```

Summary

View Trip History for this user

Description

User is trying to veiw his/her booking/trip history

Parameters

Name	Located in	Description	Required	Schema
userId	query	ID of user to fetch all the trip details.	Yes	⇄ string

Responses

Code	Description	Schema

200	Array of all the trips from this user including completed trips,pending approval trips,rejected trips and accepted trips(which are yet to be taken)	⇄ ▾ myTrips {
		  userId: ▸ string
		  list_id: ▸ integer
		  noofguest: ▸ integer
		  from_date: ▸ string
		  to_date: ▸ string
		  list_price: ▸ integer
		}

405	Cannot fetch trip history due to internal issue	⇄ ▾ cancelTripsresponse405 {
		  code: ▸ integer
		  message: ▸ string
		}

Code	Description	Schema

default	Unexpected error	⇄ ▾ Error {
		    code: integer
		    message: string
		    fields: string
		}

Try this operation

/user/payment

POST /user/payment

Summary

Pay for the trip

Description

User is trying to mmake a new payment for the trip.

Parameters

Name	Located in	Description	Required	Schema
tripid	query	trip id for which payment has to be made.	Yes	⇄ integer
creditcardnumber	query	Credit card number of the user.	Yes	⇄ integer
expiry	query	expiry date of the credit card	Yes	⇄ integer
cvv	query	cvv number of the credit cart	Yes	⇄ integer

Responses

Code	Description		Schema

200	payment successfull	⇄	▾ Error {
			    code: integer
			    message: string
			    fields: string
			}

401	payment failed due to invalid card details	⇄	▾ Error {
			    code: integer
			    message: string
			    fields: string
			}

Code	Description	Schema

405	cannot make the payment due to internal issue	⇄ ▾ `Error {`
		    `code:      integer`
		    `message: string`
		    `fields:   string`
		`}`

default	Unexpected error	⇄ ▾ `Error {`
		    `code:      integer`
		    `message: string`
		    `fields:   string`
		`}`

Try this operation

`/airbnb/review`

GET /airbnb/review

Summary

user can reveiw the property and host can review the user

Description

Review prooperty or guest

Parameters

Name	Located in	Description	Required	Schema
list_Id	query	list_Id of the location.	No	⇄ number (double)
user_Id	query	user_Id of the guest	No	⇄ number (double)

Responses

Code	Description	Schema	
200	Success	⇄	▾ { }

default	Unexpected error	⇄	▾ Error {
			  code: integer
			  message: string
			  fields: string
			}

Try this operation

/airbnb/rating

```
GET /airbnb/rating
```

Summary

user can rate the property

Description

Rating for property,

Parameters

Name	Located in	Description	Required	Schema
list_Id	query	list_Id of the location.	Yes	⇄ number (double)

Responses

Code	Description	Schema		
200	Success	⇄	▾ { }	

default	Unexpected error	⇄	▾ Error {
			  code: integer
			  message: string
			  fields: string
			}	

Try this operation

```
/user/trip/bill
```

GET /user/trip/bill

Summary

get data for printing bill

Description

all the booking details for the bill.

Parameters

Name	Located in	Description	Required	Schema
tripid	query	send tripid for selected	Yes	⇄ number (double)

Responses

Code	Description	Schema

200	An object having bill details ⇄	▾ Bill {
		　user_billConfirmationCode:　▸ string
		　user_billingDate:　▸ string
		　user_receiptNumber:　▸ string
		　user_name:　▸ string
		　list_address:　▸ string
		　list_name:　▸ string
		　list_type:　▸ string
		　trip_guests:　▸ number
		　trip_checkin:　▸ string
		　trip_checkout:　▸ string
		　trip_securityDeposit:　▸ number
		　trip_accommodationPerNight:　▸ number
		　trip_serviceFee:　▸ number
		　trip_airbnbConcierge:　▸ number
		}

Code	Description	Schema

default	Unexpected error	⇄ ▾ `Error {`
		  `code:     integer`
		  `message: string`
		  `fields:  string`
		`}`

Try this operation

/admin/listings

```
GET /admin/listings
```

Summary

Display list of all listings.

Description

Display list of all listings.

Parameters

Name	Located in	Description	Required	Schema
all	query	Signifies that we need all the listings.	Yes	⇄ string

Responses

Code	Description	Schema	
200	All Listings	⇄	▾ [　▾ **listing {** 　　list_id:　　▸ string 　　list_price:　▸ string 　　list_name:　▸ string 　　list_type:　▸ string 　　list_reviews:　▸ number 　　list_ratings:　▸ number 　　list_images:　▸ string 　　host_avatar:　▸ string 　　userId:　　▸ string 　　list_status:　▸ string 　**}**]
default	Unexpected error	⇄	▾ **Error {** 　code:　　integer 　message: string 　fields:　string **}**

Try this operation

/admin/hosts

GET /admin/hosts

Summary

List of all hosts

Description

Displays list of all users who have listed property for rent.

Parameters

Name	Located in	Description	Required	Schema
all	query	return list of all users.	Yes	⇄ boolean

Responses

Code	Description	Schema	
200	An array of all hosts	⇄	▾ [▾ **Host {** userId: ▸ string host_avatar: ▸ string host_name: ▸ string **}**]
default	Unexpected error	⇄	▾ **Error {** code: integer message: string fields: string **}**

Try this operation

`/admin/hosts/cityName`

GET `/admin/hosts/cityName`

Admin

Summary

List of all hosts in a particular city.

Description

Displays list of all users who have listed property for rent in the specified city.

Parameters

Name	Located in	Description	Required	Schema
cityName	query	cityName to fetch data of hosts in that area.	Yes	⇄ string

Responses

Code	Description	Schema

200	An array of all hosts	⇄ ▾ [
		  ▾ **Host** {
		    userId: ▸ string
		    host_avatar: ▸ string
		    host_name: ▸ string
		  }
		]

default	Unexpected error	⇄ ▾ **Error** {
		  code: integer
		  message: string
		  fields: string
		}

Try this operation

`/admin/host/profile`

GET /admin/host/profile

Summary

Display details of the host.

Description

Displays details of the host user who has listed the property for rent.

Parameters

Name	Located in	Description	Required	Schema
userId	query	ID of host user to fetch user details.	Yes	⇄ string

Responses

Code	Description	Schema
200	All User Details	⇄

```
▼ [
    ▼ User {
        userId:        ▶ string
        firstName:     ▶ string
        lastName:      ▶ string
        birthDay:      ▶ Date
        emailId:       ▶ string
        avatar:        ▶ string
        address:       ▶ string
        city:          ▶ string
        state:         ▶ string
        zipCode:       ▶ string
        phoneNumber:   ▶ string
        rating:        ▶ string
        reviews:       ▶ string
        creditCard:    ▶ string
    }
]
```

Code	Description	Schema

default	Unexpected error	⇄ ▾ `Error {`
		  `code:     integer`
		  `message: string`
		  `fields:  string`
		`}`

Try this operation

`/admin/listings/pendingStatus`

```
GET /admin/listings/pendingStatus
```

Summary

Display list of all listings that are waiting for Admin's approval.

Description

Display list of all listings that are waiting for Admin's approval.

Parameters

Name	Located in	Description	Required	Schema
list_status	query	Show lsitings where list_status = Pending.	Yes	⇄ string

Responses

Code	Description	Schema	
200	Pending Listings	⇄	▾ [▾ **listing {** list_id: ▸ string list_price: ▸ string list_name: ▸ string list_type: ▸ string list_reviews: ▸ number list_ratings: ▸ number list_images: ▸ string host_avatar: ▸ string userId: ▸ string list_status: ▸ string **}**]
default	Unexpected error	⇄	▾ **Error {** code: integer message: string fields: string **}**

`/admin/listings/approvedStatus`

GET /admin/listings/approvedStatus

Summary

Display list of all listings that have been approved by Admin.

Description

Display list of all listings that have been approved by Admin.

Parameters

Name	Located in	Description	Required	Schema
list_status	query	Show lsitings where list_status = Approved.	Yes	⇄ string

Responses

Code	Description	Schema	

200	Approved Listings	⇄	▾ [
			  ▾ **listing** {
			    list_id: ▸ string
			    list_price: ▸ string
			    list_name: ▸ string
			    list_type: ▸ string
			    list_reviews: ▸ number
			    list_ratings: ▸ number
			    list_images: ▸ string
			    host_avatar: ▸ string
			    userId: ▸ string
			    list_status: ▸ string
			  }
			]

default	Unexpected error	⇄	▾ **Error** {
			  code: integer
			  message: string
			  fields: string
			}

Try this operation

`/admin/listings/rejectedStatus`

GET /admin/listings/rejectedStatus

Admin

Summary

Display list of all listings that have been rejected by Admin.

Description

Display list of all listings that have been rejected by Admin.

Parameters

Name	Located in	Description	Required	Schema
list_status	query	Show lsitings where list_status = Rejected.	Yes	⇄ string

Responses

Code	Description	Schema	
200	Rejected Listings	⇄	▼ [▼ **listing {** list_id: ▶ string list_price: ▶ string list_name: ▶ string list_type: ▶ string list_reviews: ▶ number list_ratings: ▶ number list_images: ▶ string host_avatar: ▶ string userId: ▶ string list_status: ▶ string **}**]
default	Unexpected error	⇄	▼ **Error {** code: integer message: string fields: string **}**

Try this operation

/admin/listing/updateStatus

GET /admin/listing/updateStatus

Admin

Summary

Update status of listing.

Description

Update status of listing.

Parameters

Name	Located in	Description	Required	Schema
list_status	query	Send list_status = "Admin's Choice".	Yes	⇄ string

Responses

Code	Description	Schema
200	Status Update Acknowledgement	⇄ ▾ [▾ **statusUpdateAcknowledgement {** updatedStatus: ▸ boolean }]
default	Unexpected error	⇄ ▾ **Error {** code: integer message: string fields: string }

Try this operation

/admin/listing/showListing

Summary

Show listing.

Description

Show listing Details.

Parameters

Name	Located in	Description	Required	Schema
list_id	query	Fetching Listing Details as per list_id.	Yes	⇄ string

Responses

Code	Description	Schema	
200	Show Listing Details	⇄	▾ [▾ **listing {** list_id: ▸ string list_price: ▸ string list_name: ▸ string list_type: ▸ string list_reviews: ▸ number list_ratings: ▸ number list_images: ▸ string host_avatar: ▸ string userId: ▸ string list_status: ▸ string **}**]
default	Unexpected error	⇄	▾ **Error {** code: integer message: string fields: string **}**

Try this operation

`/admin/user`

```
GET /admin/user
```

Summary

get list of all the users

Description

for admin pannel where admins can view all the users in single screen

Responses

Code	Description	Schema
200	Array of uses	⇄ ▾ **User {** userId: ▸ string firstName: ▸ string lastName: ▸ string birthDay: ▸ Date emailId: ▸ string avatar: ▸ string address: ▸ string city: ▸ string state: ▸ string zipCode: ▸ string phoneNumber: ▸ string rating: ▸ string reviews: ▸ string creditCard: ▸ string **}**
default	Unexpected error	⇄ ▾ **Error {** code: integer message: string fields: string **}**

[Try this operation]

/admin/user/allApprovedRequests

Admin

Summary

get list of all the user's approved requests.

Description

for admin pannel where admins can view all approved requests by the user.

Responses

Code	Description	Schema

200	Array of uses approved requests	⇄ ▾ UserRequest {
		   userid: ▸ string
		   userRequestDate: ▸ string
		   list_name: ▸ string
		   list_type: ▸ string
		   list_address: ▸ string
		   noofguest: ▸ string
		   from_date: ▸ string
		   to_date: ▸ string
		   list_price: ▸ string
		   bookingStatus: ▸ string
		 }

default	Unexpected error	⇄ ▾ Error {
		   code: integer
		   message: string
		   fields: string
		 }

Try this operation

/admin/user/allPendingRequests

GET /admin/user/allPendingRequests

Admin

Summary

get list of all the user's pending requests.

Description

for admin pannel where admins can view all pendeing requests by the user.

Responses

Code	Description		Schema
200	Array of uses pending requests	⇄	▾ **UserRequest {** userid: ▸ string userRequestDate: ▸ string list_name: ▸ string list_type: ▸ string list_address: ▸ string noofguest: ▸ string from_date: ▸ string to_date: ▸ string list_price: ▸ string bookingStatus: ▸ string **}**
default	Unexpected error	⇄	▾ **Error {** code: integer message: string fields: string **}**

Try this operation