

# Airbnb APIs

## Paths

/airbnb

GET /airbnb

airbnb

### Summary

All listing by Countries

### Description

The allListings endpoint returns information about the *Airbnb* listing offered at a given location. The response includes the countries name, and lists the products in the proper display order.

### Responses

Code	Description	Schema
200	An array of Cities	<div><div>▼ [</div><div>▼ Cities {</div><div>city_id: string</div><div>city name: string</div><div>}</div><div>←</div></div>
default	Unexpected error	<div><div>▼ Error {</div><div>code: integer</div><div>message: string</div><div>fields: string</div><div>}</div><div>←</div></div>

Try this operation

/airbnb/search

Summary

Searching the list for a particular data and city

Description

Searching thelistfora particulardata and city

Responses

Code	Description	Schema
200	An array of listing	<div><div>▼ [</div><div><div>▼ cityListing {</div><div><div>list_id: ▶ string</div><div>list_price: ▶ string</div><div>list_name: ▶ string</div><div>list_type: ▶ string</div><div>list_reviews: ▶ number</div><div>list_ratings: ▶ number</div><div>list_images: ▶ string</div><div>host_avatar: ▶ string</div><div>userId: ▶ string</div></div></div><div>}</div></div> <div>]</div>

Try this operation

Summary

Logging the user activity in log files for analytics

Description

Logging the user activity in log files for analytics

Responses

Code	Description	Schema
200	An object of user Clicks	<div><div>↔</div><div><div>▼ [</div><div><div>▼ activity {</div><div><div>userId: ▶ string</div><div>pageId: ▶ string</div><div>propertyId: ▶ string</div><div>timestamp: ▶ Time</div><div>city: ▶ string</div><div>info: ▶ string</div></div></div><div>}</div></div><div>]</div></div>
default	Unexpected error	<div><div>↔</div><div><div>▼ Error {</div><div><div>code: integer</div><div>message: string</div><div>fields: string</div></div></div><div>}</div></div>

Try this operation

Summary

trace the user activity in log files for analytics

Description

trace the user activity in log files for analytics

Responses

Code	Description	Schema
200	An object of user Clicks	<div><div>↔</div><div><div>▼ [</div><div><div>▼ trace {</div><div><div>userId: ▶ string</div><div>pageId: ▶ string</div><div>propertyId: ▶ string</div><div>timestamp: ▶ Time</div><div>city: ▶ string</div><div>info: ▶ string</div><div>trace: ▶ string</div></div></div><div>}</div><div>]</div></div></div>
default	Unexpected error	<div><div>↔</div><div><div>▼ Error {</div><div><div>code: integer</div><div>message: string</div><div>fields: string</div></div></div><div>}</div></div>

Try this operation

POST /airbnb/uploadAvatar

upload

## Summary

upload the user avatar images or properties images

## Description

upload the user avatar images or properties images

## Parameters

Name	Located in	Description	Required	Schema
userId	query	userId of the user.	Yes	← number (double)
imagefile	query	avatar of the user.	Yes	← string (double)

## Responses

Code	Description	Schema
200	Successfully uploaded the photo	
default	Unexpected error	<pre>▼ Error {   code: integer   message: string   fields: string }</pre>

Try this operation

/airbnb/uploadPropertyImage

Summary

upload the user avatar images or properties images

Description

upload the user avatar images or properties images

Parameters

Name	Located in	Description	Required	Schema
userId	query	userId of the user.	Yes	↔ number (double)
imagefile	query	images of the user property.	Yes	↔ string (double)
listId	query	listId of the property for which images are uplaoded.	Yes	↔ string (double)

Responses

Code	Description	Schema
200	Successfully uploaded the photo	
default	Unexpected error	↔ ▼ Error { code: integer message: string fields: string }

Try this operation

GET /airbnb/cityname

showListing

## Summary

City Listing

## Description

All the listing for that particular city,

## Responses

Code	Description	Schema
200	An array of listings in that city	<pre>↔ [   ▼ cityListing {     list_id:      ► string     list_price:   ► string     list_name:    ► string     list_type:    ► string     list_reviews: ► number     list_ratings: ► number     list_images:  ► string     host_avatar:  ► string     userId:       ► string   } ]</pre>
default	Unexpected error	<pre>↔ ▼ Error {   code:    integer   message: string   fields:  string }</pre>

Try this operation

/airbnb/cityname/listid

Summary

get details of a listing

Description

All details of the listing

Responses

Code	Description	Schema
200	An array having room details	<div><div>▼ [</div><div><div>▼ roomDetails {</div><div><div>list_name: ▶ string</div><div>list_space: ▶ string</div><div>list_amenties: ▶ string</div><div>list_price: ▶ string</div><div>list_description: ▶ string</div><div>list_rules: ▶ string</div><div>list_safetyFeatures: ▶ string</div><div>list_availability: ▶ string</div><div>list_reviews: ▶ string</div><div>list_address: ▶ string</div><div>list_images: ▶ string</div><div>host_avatar: ▶ string</div><div>userId: ▶ string</div></div></div></div>

Try this operation



## Summary

list a new property

## Description

User will list a new property on airbnb.

## Responses

Code	Description	Schema
200	Profile information for a user	<div><div>↔</div><div><div>▼ newListing {</div><div><div>list_space: ▶ string</div><div>list_amenties: ▶ string</div><div>list_price: ▶ string</div><div>list_description: ▶ string</div><div>list_rules: ▶ string</div><div>list_safetyFeatures: ▶ string</div><div>list_address: ▶ string</div><div>list_availability: ▶ string</div><div>list_images: ▶ string</div><div>list_videos: ▶ string</div></div><div>}</div></div></div>
default	Unexpected error	<div><div>↔</div><div><div>▼ Error {</div><div><div>code: integer</div><div>message: string</div><div>fields: string</div></div><div>}</div></div></div>

Try this operation

Summary

delete an existing property listing

Description

User will delete the property on airbnb.

Parameters

Name	Located in	Description	Required	Schema
list_Id	query	list_Id of the location.	Yes	← number (double)

Responses

Code	Description	Schema
200	delete the property listed by a user and send success if removed	
default	Unexpected error	<div>▼ Error { code: integer message: string fields: string }</div>

Try this operation

/user/confirmProperty

## Summary

user gets the response from host for their booking request

## Description

host will receive the request for new booking and reply back to user with booking status either cancel or .

## Parameters

Name	Located in	Description	Required	Schema
list_Id	query	list_Id of the property.	Yes	$\Rightarrow$ number (double)
user_Id	query	user_Id of the property.	Yes	$\Rightarrow$ number (double)
pending_rowId	query	pending_rowId of the property to match in db which need to be deleted after confirming property	Yes	$\Rightarrow$ number (double)

## Responses

Code	Description	Schema
200	change status to approved	
default	Unexpected error	$\Rightarrow$ <pre>▼ Error {   code: integer   message: string   fields: string }</pre>

[Try this operation](#)

/user/pendingRequest

## Summary

list all the pending request for host

## Description

list all the pending request for host

## Parameters

Name	Located in	Description	Required	Schema
userId	query	userId of the location.	Yes	$\Rightarrow$ number (double)

## Responses

Code	Description	Schema
200	array of all the pending request for host	$\Rightarrow$ <pre>▼ pendingRequest {   userId:      ► string   list_id:     ► string   list_checkInDate: ► string   list_checkOutDate: ► string   list_noofguest: ► string }</pre>
default	Unexpected error	$\Rightarrow$ <pre>▼ Error {   code:  integer   message: string   fields: string }</pre>

[Try this operation](#)

/user/allHostListing

Summary

City Listing

Description

All the listing for that particular city,

Responses

Code	Description	Schema
200	An array of listings in that city	<div>▼ [</div> <div>▼ allHostListing {</div> <div>list_id: ▶ string</div> <div>list_price: ▶ string</div> <div>list_name: ▶ string</div> <div>list_type: ▶ string</div> <div>list_reviews: ▶ number</div> <div>list_ratings: ▶ number</div> <div>list_images: ▶ string</div> <div>}</div> <div>]</div>
default	Unexpected error	<div>▼ Error {</div> <div>code: integer</div> <div>message: string</div> <div>fields: string</div> <div>}</div>

Try this operation

/user/placeBid

Summary

Show listing.

Description

Show listing Details.

Parameters

Name	Located in	Description	Required	Schema
list_id	query	Placing bid for a particular list_id.	Yes	⇔ string
bidAmount	query	Amount of bid for listing.	Yes	⇔ integer
userId	query	ID of user who places bid for the item.	Yes	⇔ integer

Responses

Code	Description	Schema
200	Show Acknowledgement after placing bid.	⇔ ▼ [ ▼ bidPlaceAcknowledgement { bidPlacedStatus: ► boolean } ]
default	Unexpected error	⇔ ▼ Error { code: integer message: string fields: string }

Try this operation

Summary

User Profile

Description

The User endpoint creates user.

Responses

Code	Description	Schema
200	Profile information for a user	<div><div>↔</div><div><div>▼ User {</div><div><div>userId:integer</div><div>firstName:string</div><div>lastName:string</div><div>birthDay:Date</div><div>emailId:string</div><div>avatar:string</div><div>address:string</div><div>city:string</div><div>state:string</div><div>zipCode:string</div><div>phoneNumber:string</div><div>rating:string</div><div>reviews:string</div><div>creditCard:string</div></div><div>}</div></div></div>
default	Unexpected error	<div><div>↔</div><div><div>▼ Error {</div><div><div>code:integer</div><div>message:string</div><div>fields:string</div></div><div>}</div></div></div>

Try this operation

/user/userId

Summary

Get User Profile

Description

The getUserProfile endpoint returns the profile of the user

Responses

Code	Description	Schema
200	returns Profile information for a user	<div><div>↔</div><div><div>▼ User {</div><div>userId: ▶ integer</div><div>firstName: ▶ string</div><div>lastName: ▶ string</div><div>birthDay: ▶ Date</div><div>emailId: ▶ string</div><div>avatar: ▶ string</div><div>address: ▶ string</div><div>city: ▶ string</div><div>state: ▶ string</div><div>zipCode: ▶ string</div><div>phoneNumber: ▶ string</div><div>rating: ▶ string</div><div>reviews: ▶ string</div><div>creditCard: ▶ string</div><div>}</div></div></div>
default	Unexpected error	<div><div>↔</div><div><div>▼ Error {</div><div>code: integer</div><div>message: string</div><div>fields: string</div><div>}</div></div></div>

Try this operation



## Summary

Book a Property

## Description

User is trying to book a new property.

## Parameters

Name	Located in Description		Required	Schema
userId	query	ID of host user to fetch user details.	Yes	$\Rightarrow$ string
list_id	query	ID of property which needs to be booked	Yes	$\Rightarrow$ string
noofguest	query	number of guest will be staying in the property	Yes	$\Rightarrow$ integer
from_date	query	date trip will be starting	Yes	$\Rightarrow$ string
to_date	query	date trip will be ending	Yes	$\Rightarrow$ string
list_price	query	price of the property	Yes	$\Rightarrow$ string

## Responses

Code	Description	Schema
200	booking successfull but pending approval	$\Rightarrow$ <pre> ▼ bookTripsresponse {   tripId:      ► string   list_id:     ► integer   noofguest:   ► integer   from_date:   ► string   to_date:     ► string   list_price:  ► integer } </pre>
401	Cannot book a trip since dates are not available	$\Rightarrow$ <pre> ▼ bookTripsfailure401 {   code:      ► integer   message:   ► string } </pre>
405	Cannot book a trip due to internal issue	$\Rightarrow$ <pre> ▼ bookTripsfailure405 {   code:      ► integer   message:   ► string } </pre>
default	Unexpected error	$\Rightarrow$ <pre> ▼ Error {   code:      integer   message:   string   fields:    string } </pre>

Try this operation

POST /user/myTrips/edittrip

mytrips

## Summary

Edit a already booked Property

## Description

User is trying to edit a already booked property.

## Parameters

Name	Located in Description		Required	Schema
userId	query	ID of host user to fetch user details.	Yes	⇒ string
tripId	query	ID of booked trip.	Yes	⇒ string
list_id	query	ID of property which needs to be booked	Yes	⇒ string
noofguest	query	number of guest will be staying in the property	Yes	⇒ integer
from_date	query	date trip will be starting	Yes	⇒ string
to_date	query	date trip will be ending	Yes	⇒ string
list_price	query	price of the property	Yes	⇒ string

## Responses

Code	Description	Schema
200	successfull edited the trip but pending approval	⇒ ▼ <b>bookTripsresponse</b> { tripId: ▶ string list_id: ▶ integer noofguest: ▶ integer from_date: ▶ string to_date: ▶ string list_price: ▶ integer }
401	Cannot edit a trip since dates are not avaiable	⇒ ▼ <b>bookTripsfailure401</b> { code: ▶ integer message: ▶ string }
405	Cannot edit a trip due to internal issue	⇒ ▼ <b>bookTripsfailure405</b> { code: ▶ integer message: ▶ string }
default	Unexpected error	⇒ ▼ <b>Error</b> { code: integer message: string fields: string }

/user/myTrips/canceltrip

POST /user/myTrips/canceltrip

mytrips

Summary

Cancel a already booked Property/trip

Description

User is trying to cancel a already booked property which is not yet completerd.

Parameters

Name	Located in	Description	Required	Schema
tripId	query	ID of trip user want to cancel.	Yes	$\Rightarrow$ string

Responses

Code	Description	Schema
200	successfull cancelled the trip	$\Rightarrow$ <div><div><div>▼ cancelTripsresponse</div><div>{code: integermessage: string}</div></div></div>
401	Cannot cancel a trip since trip dates are nearby, depends on the house rules	$\Rightarrow$ <div><div><div>▼ cancelTripsresponse401</div><div>{code: integermessage: string}</div></div></div>
405	Cannot cancel a trip due to internal issue	$\Rightarrow$ <div><div><div>▼ cancelTripsresponse405</div><div>{code: integermessage: string}</div></div></div>
default	Unexpected error	$\Rightarrow$ <div><div><div>▼ Error {</div><div>code: integermessage: stringfields: string</div></div></div>

GET /user/myTrips/triphistory/

mytrips

Summary

View Trip History for this user

Description

User is trying to veiw his/her booking/trip history

Parameters

Name	Located in	Description	Required	Schema
userId	query	ID of user to fetch all the trip details.	Yes	⇔ string

Responses

Code	Description	Schema
200	Array of all the trips from this user including completed trips,pending approval trips,rejected trips and accepted trips(which are yet to be taken)	<div>⇔</div> <div><div>▼ myTrips {</div><div>userId: ▶ string</div><div>list_id: ▶ integer</div><div>noofguest: ▶ integer</div><div>from_date: ▶ string</div><div>to_date: ▶ string</div><div>list_price: ▶ integer</div><div>}</div></div>
405	Cannot fetch trip history due to internal issue	<div>⇔</div> <div><div>▼ cancelTripsresponse405 {</div><div>code: ▶ integer</div><div>message: ▶ string</div><div>}</div></div>
default	Unexpected error	<div>⇔</div> <div><div>▼ Error {</div><div>code: integer</div><div>message: string</div><div>fields: string</div><div>}</div></div>

/user/payment

POST /user/payment

payment

Summary

Pay for the trip

Description

User is trying to mmake a new payment for the trip.

Parameters

Name	Located in	Description	Required	Schema
tripid	query	trip id for which payment has to be made.	Yes	⇔ integer
creditcardnumber	query	Credit card number of the user.	Yes	⇔ integer
expiry	query	expiry date of the credit card	Yes	⇔ integer
cvv	query	cvv number of the credit cart	Yes	⇔ integer

Responses

Code	Description	Schema
200	payment successfull	⇔ ▼ Error { code: integer message: string fields: string }
401	payment failed due to invalid card details	⇔ ▼ Error { code: integer message: string fields: string }
405	cannot make the payment due to internal issue	⇔ ▼ Error { code: integer message: string fields: string }
default	Unexpected error	⇔ ▼ Error { code: integer message: string fields: string }

GET /airbnb/review

review

Summary

user can reveiw the property and host can review the user

Description

Review prooperty or guest

Parameters

Name	Located in	Description	Required	Schema
list_Id	query	list_Id of the location.	No	← number (double)
user_Id	query	user_Id of the guest	No	← number (double)

Responses

Code	Description	Schema
200	Success	▼ { ← }
default	Unexpected error	⇒ ▼ Error { code: integer message: string fields: string }

Try this operation

Summary

user can rate the property

Description

Rating for property,

Parameters

Name	Located in	Description	Required	Schema
list_Id	query	list_Id of the location.	Yes	← number (double)

Responses

Code	Description	Schema
200	Success	▼ { ← }
default	Unexpected error	⇒ ▼ Error { code: integer message: string fields: string }

Try this operation

/user/trip/bill

Summary

get data for printing bill

Description

all the booking details for the bill.

Parameters

Name	Located in	Description	Required	Schema
tripid	query	send tripid for selected	Yes	⇔ number (double)

Responses

Code	Description	Schema
200	An object having bill details	⇔ <div>▼ Bill {   user_billConfirmationCode: ▶ string   user_billingDate: ▶ string   user_receiptNumber: ▶ string   user_name: ▶ string   list_address: ▶ string   list_name: ▶ string   list_type: ▶ string   trip_guests: ▶ number   trip_checkin: ▶ string   trip_checkout: ▶ string   trip_securityDeposit: ▶ number   trip_accommodationPerNight: ▶ number   trip_serviceFee: ▶ number   trip_airbnbConcierge: ▶ number }</div>
default	Unexpected error	⇔ <div>▼ Error {   code: integer   message: string   fields: string }</div>

Try this operation



Summary

Display list of all listings.

Description

Display list of all listings.

Parameters

Name	Located in	Description	Required	Schema
all	query	Signifies that we need all the listings.	Yes	⇔ string

Responses

Code	Description	Schema
200	All Listings	⇔ <pre>▼ [   ▼ listing {     list_id:      ► string     list_price:   ► string     list_name:    ► string     list_type:    ► string     list_reviews: ► number     list_ratings: ► number     list_images:  ► string     host_avatar:  ► string     userId:       ► string     list_status:  ► string   } ]</pre>
default	Unexpected error	⇔ <pre>▼ Error {   code:  integer   message: string   fields: string }</pre>

Try this operation

Summary

List of all hosts

Description

Displays list of all users who have listed property for rent.

Parameters

Name	Located in	Description	Required	Schema
all	query	return list of all users.	Yes	← boolean

Responses

Code	Description	Schema
200	An array of all hosts	<div>▼ [</div> <div>▼ Host {</div> <div>    userId: ▶ string</div> <div>    host_avatar: ▶ string</div> <div>    host_name: ▶ string</div> <div>  }</div> <div>←</div> <div>]</div>
default	Unexpected error	<div>▼ Error {</div> <div>    code: integer</div> <div>    message: string</div> <div>    fields: string</div> <div>  }</div> <div>←</div>

Try this operation

/admin/hosts/cityName

Summary

List of all hosts in a particular city.

Description

Displays list of all users who have listed property for rent in the specified city.

Parameters

Name	Located in	Description	Required	Schema
cityName	query	cityName to fetch data of hosts in that area.	Yes	← string

Responses

Code	Description	Schema
200	An array of all hosts	<div>←<div>▼ [<div>▼ Host {<div>userId: string</div><div>host_avatar: string</div><div>host_name: string</div></div></div>]</div>

Try this operation

/admin/host/profile

Summary

Display details of the host.

Description

Displays details of the host user who has listed the property for rent.

Parameters

Name	Located in	Description	Required	Schema
userId	query	ID of host user to fetch user details.	Yes	⇔ string

Responses

Code	Description	Schema
200	All User Details	⇔ <pre>▼ [   ▼ User {     userId:    ► integer     firstName: ► string     lastName:  ► string     birthDay:  ► Date     emailId:   ► string     avatar:    ► string     address:   ► string     city:      ► string     state:     ► string     zipCode:   ► string     phoneNumber: ► string     rating:    ► string     reviews:   ► string     creditCard: ► string   } ]</pre>
default	Unexpected error	⇔ <pre>▼ Error {   code:    integer   message: string   fields:  string }</pre>

Try this operation

Summary

Display list of all listings that are waiting for Admin's approval.

Description

Display list of all listings that are waiting for Admin's approval.

Parameters

Name	Located in	Description	Required	Schema
list_status	query	Show listings where list_status = Pending.	Yes	⇔ string

Responses

Code	Description	Schema
200	Pending Listings	⇔ ▼ [ ▼ listing { list_id: ▶ string list_price: ▶ string list_name: ▶ string list_type: ▶ string list_reviews: ▶ number list_ratings: ▶ number list_images: ▶ string host_avatar: ▶ string userId: ▶ string list_status: ▶ string } ]
default	Unexpected error	⇔ ▼ Error { code: integer message: string fields: string }

Try this operation

Summary

Display list of all listings that have been approved by Admin.

Description

Display list of all listings that have been approved by Admin.

Parameters

Name	Located in	Description	Required	Schema
list_status	query	Show listings where list_status = Approved.	Yes	⇔ string

Responses

Code	Description	Schema
200	Approved Listings	⇔ <pre>▼ [   ▼ listing {     list_id:      ► string     list_price:   ► string     list_name:    ► string     list_type:    ► string     list_reviews: ► number     list_ratings: ► number     list_images:  ► string     host_avatar:  ► string     userId:       ► string     list_status:  ► string   } ]</pre>
default	Unexpected error	⇔ <pre>▼ Error {   code:    integer   message: string   fields:  string }</pre>

Try this operation

Summary

Display list of all listings that have been rejected by Admin.

Description

Display list of all listings that have been rejected by Admin.

Parameters

Name	Located in	Description	Required	Schema
list_status	query	Show listings where list_status = Rejected.	Yes	⇔ string

Responses

Code	Description	Schema
200	Rejected Listings	<div>⇔<pre>▼ [   ▼ listing {     list_id:      ► string     list_price:   ► string     list_name:    ► string     list_type:    ► string     list_reviews: ► number     list_ratings: ► number     list_images:  ► string     host_avatar:  ► string     userId:       ► string     list_status:  ► string   } ]</pre></div>
default	Unexpected error	<div>⇔<pre>▼ Error {   code:    integer   message: string   fields:  string }</pre></div>

Try this operation

Summary

Update status of listing.

Description

Update status of listing.

Parameters

Name	Located in	Description	Required	Schema
list_status	query	Send list_status = "Admin's Choice".	Yes	← string

Responses

Code	Description	Schema
200	Status Update Acknowledgement	← ▼ [ ▼ statusUpdateAcknowledgement { updatedStatus: ► boolean } ]
default	Unexpected error	← ▼ Error { code: integer message: string fields: string }

Try this operation



Summary

Show listing.

Description

Show listing Details.

Parameters

Name	Located in	Description	Required	Schema
list_id	query	Fetching Listing Details as per list_id.	Yes	⇔ string

Responses

Code	Description	Schema
200	Show Listing Details	⇔ ▼ [ ▼ listing { list_id: ▶ string list_price: ▶ string list_name: ▶ string list_type: ▶ string list_reviews: ▶ number list_ratings: ▶ number list_images: ▶ string host_avatar: ▶ string userId: ▶ string list_status: ▶ string } ]
default	Unexpected error	⇔ ▼ Error { code: integer message: string fields: string }

Try this operation

Summary

get list of all the users

Description

for admin pannel where admins can view all the users in single screen

Responses

Code	Description	Schema
200	Array of uses	<div><div>↕</div><div><div>▼ User {</div><div><div>userId:integer</div><div>firstName:string</div><div>lastName:string</div><div>birthDay:Date</div><div>emailId:string</div><div>avatar:string</div><div>address:string</div><div>city:string</div><div>state:string</div><div>zipCode:string</div><div>phoneNumber:string</div><div>rating:string</div><div>reviews:string</div><div>creditCard:string</div></div></div></div>

Try this operation

/admin/user/allApprovedRequests

Summary

get list of all the user's approved requests.

Description

for admin pannel where admins can view all approved requests by the user.

Responses

Code	Description	Schema
200	Array of uses approved requests	<div><div>↔</div><div><div>▼ UserRequest {</div><div><div>userid:integer</div><div>userRequestDate:string</div><div>list_name:string</div><div>list_type:string</div><div>list_address:string</div><div>noofguest:string</div><div>from_date:string</div><div>to_date:string</div><div>list_price:string</div><div>bookingStatus:string</div></div><div>}</div></div></div>
default	Unexpected error	<div><div>↔</div><div><div>▼ Error {</div><div><div>code:integer</div><div>message:string</div><div>fields:string</div></div><div>}</div></div></div>

Try this operation

/admin/user/allPendingRequests

Summary

get list of all the user's pending requests.

Description

for admin pannel where admins can view all pendeing requests by the user.

Responses

Code	Description	Schema
200	Array of uses pending requests	<div><div>↔</div><div><div>▼ UserRequest {</div><div><div>userid:integer</div><div>userRequestDate:string</div><div>list_name:string</div><div>list_type:string</div><div>list_address:string</div><div>noofguest:string</div><div>from_date:string</div><div>to_date:string</div><div>list_price:string</div><div>bookingStatus:string</div></div><div>}</div></div></div>
default	Unexpected error	<div><div>↔</div><div><div>▼ Error {</div><div><div>code:integer</div><div>message:string</div><div>fields:string</div></div><div>}</div></div></div>

