

Chance of Admission for Higher Studies

Predict the chances of admission of a student to a Graduate program based on:

- 1. GRE Scores (290 to 340)
- 2. TOEFL Scores (92 to 120)
- 3. University Rating (1 to 5)
- 4. Statement of Purpose (1 to 5)
- 5. Letter of Recommendation Strength (1 to 5)
- 6. Undergraduate CGPA (6.8 to 9.92)
- 7. Research Experience (0 to 1)
- 8. Chance of Admit (0.34 to 0.97)

```
import pandas as pd

admission = pd.read_csv('https://github.com/ybifoundation/Dataset/raw/main/Admission%20Chance.csv')

admission.head()
```

	Serial No	GRE Score	TOEFL Score	University Rating	SOP	LOR	CGPA	Research	Chance of Admit
0	1	337	118	4	4.5	4.5	9.65	1	0.92
1	2	324	107	4	4.0	4.5	8.87	1	0.76
2	3	316	104	3	3.0	3.5	8.00	1	0.72
3	4	322	110	3	3.5	2.5	8.67	1	0.80
4	5	314	103	2	2.0	3.0	8.21	0	0.65

```
admission.info()

<class 'pandas.core.frame.DataFrame'>
RangeIndex: 400 entries, 0 to 399
Data columns (total 9 columns):
#   Column                Non-Null Count  Dtype
---  -
0   Serial No             400 non-null   int64
1   GRE Score             400 non-null   int64
2   TOEFL Score           400 non-null   int64
3   University Rating     400 non-null   int64
4   SOP                   400 non-null   float64
5   LOR                   400 non-null   float64
6   CGPA                  400 non-null   float64
7   Research              400 non-null   int64
8   Chance of Admit       400 non-null   float64
dtypes: float64(4), int64(5)
memory usage: 28.2 KB
```

```
admission.describe()
```

	Serial No	GRE Score	TOEFL Score	University Rating	SOP	LOR	CGPA	Research	Chance of Admit
count	400.000000	400.000000	400.000000	400.000000	400.000000	400.000000	400.000000	400.000000	400.000000
mean	200.500000	316.807500	107.410000	3.087500	3.400000	3.452500	8.598925	0.547500	0.724350
std	115.614301	11.473646	6.069514	1.143728	1.006869	0.898478	0.596317	0.498362	0.142609
min	1.000000	290.000000	92.000000	1.000000	1.000000	1.000000	6.800000	0.000000	0.340000
25%	100.750000	308.000000	103.000000	2.000000	2.500000	3.000000	8.170000	0.000000	0.640000
50%	200.500000	317.000000	107.000000	3.000000	3.500000	3.500000	8.610000	1.000000	0.730000
75%	300.250000	325.000000	112.000000	4.000000	4.000000	4.000000	9.062500	1.000000	0.830000
max	400.000000	340.000000	120.000000	5.000000	5.000000	5.000000	9.920000	1.000000	0.970000

```
admission.columns
```

```

Index(['Serial No', 'GRE Score', 'TOEFL Score', 'University Rating', 'SOP',
      'LOR ', 'CGPA', 'Research', 'Chance of Admit '],
      dtype='object')

y = admission['Chance of Admit ']

X = admission.drop(['Serial No', 'Chance of Admit '], axis=1)

from sklearn.model_selection import train_test_split
X_train, X_test, y_train, y_test = train_test_split(X, y, train_size=0.7, random_state=2529)

X_train.shape, X_test.shape, y_train.shape, y_test.shape

((280, 7), (120, 7), (280,), (120,))

from sklearn.linear_model import LinearRegression
model = LinearRegression()

model.fit(X_train, y_train)

LinearRegression()

model.intercept_

-1.2831244932033998

model.coef_

array([ 0.00204057,  0.00287273,  0.00566887, -0.00380559,  0.01973175,
        0.11314449,  0.02061553])

y_pred = model.predict(X_test)

y_pred

array([0.71426327, 0.72534136, 0.69677103, 0.66566584, 0.57483872,
       0.93087527, 0.93701113, 0.72361387, 0.81130158, 0.62223963,
       0.59629648, 0.80084072, 0.52537944, 0.79174558, 0.84064992,
       0.66429594, 0.65136589, 0.66990687, 0.75794085, 0.86072023,
       0.66088101, 0.85570763, 0.84777425, 0.95033179, 0.68750762,
       0.65907671, 0.65279623, 0.5709259 , 0.55895645, 0.57990205,
       0.54497918, 0.7570717 , 0.69682571, 0.77286067, 0.64320811,
       0.5183554 , 0.43816818, 0.84654064, 0.90398354, 0.80517781,
       0.72218971, 0.72882587, 0.68145136, 0.88592237, 0.77208852,
       0.78778085, 0.95526121, 0.88586486, 0.59980416, 0.50690214,
       0.59947098, 0.63380406, 0.82841217, 0.44911724, 0.71068577,
       0.77335748, 0.68851557, 0.64486026, 0.85537724, 0.65517768,
       0.65046031, 0.90818978, 0.63422429, 0.68658606, 0.72150268,
       0.69030545, 0.59381287, 0.93813035, 0.58997351, 0.91542587,
       0.59283415, 0.93351713, 0.59478751, 0.71380389, 0.54346237,
       0.84710913, 0.6084418 , 0.7257337 , 0.67545704, 0.81387503,
       0.70259527, 0.88600461, 0.67084016, 0.53064995, 0.77790726,
       0.65780713, 0.78970635, 0.54709634, 0.77924705, 0.66750436,
       0.69363338, 0.69891086, 0.92185813, 0.70469056, 0.62554306,
       0.62208829, 0.73828086, 0.67369114, 0.76391913, 0.61985049,
       0.92865957, 0.70430038, 0.9828821 , 0.82502993, 0.78261009,
       0.83438446, 0.66840368, 0.70165011, 0.64534281, 0.5715406 ,
       0.80739359, 0.69273815, 0.80585447, 0.6102703 , 0.54641206,
       0.76301749, 0.71080317, 0.6261331 , 0.83951248, 0.68578269])

from sklearn.metrics import mean_absolute_error, mean_absolute_percentage_error, mean_squared_error

mean_absolute_error(y_test, y_pred)

0.04400128934232651

mean_absolute_percentage_error(y_test, y_pred)

```

```
0.07575278864605438

mean_squared_error(y_test,y_pred)

0.004038263715495693
```

Colab paid products - [Cancel contracts here](#)

✓ 0s completed at 8:34 PM

×