Oncology Prognosticator

Dataset Information:

Target variable (y):

• Diagnosis (M = malignant, B = benign)

Ten features (X) are computed for each cell nucleus:

- 1. radius (mean of distances from center to points on the parimeter)
- 2. texture (standard deviation of gray-scale values)
- 3. perimeter
- 4. area
- 5. smothness (local variation in radius lengths)
- 6. compactness (perimeter^2/area-1.0)
- 7. concave points (number of concave portions of the contour)
- 8. concavity(severity of concave portions of the contour)
- 9. symmetry
- 10. fractal dimension (coastline approximation 1)

For each characteristic three measures are given:

- 1. Mean
- 2. Standard error
- 3. Largest/ Worst

```
import pandas as pd

cancer = pd.read_csv('https://github.com/YBIFoundation/Dataset/raw/main/Cancer.csv')

cancer.head()
```

	id	diagnosis	radius_mean	texture_mean	perimeter_mean	area_mean	smoothness
0	842302	М	17.99	10.38	122.80	1001.0	0
1	842517	М	20.57	17.77	132.90	1326.0	0

cancer.info()

<class 'pandas.core.frame.DataFrame'>
RangeIndex: 569 entries, 0 to 568
Data columns (total 33 columns):

#	Column	Non-Null Count	Dtype 		
 0	id	569 non-null	 int64		
1	diagnosis	569 non-null	object		
2	radius mean	569 non-null	float64		
3	texture_mean	569 non-null	float64		
4	perimeter_mean	569 non-null	float64		
5	area_mean	569 non-null	float64		
6	smoothness_mean	569 non-null	float64		
7	compactness_mean	569 non-null	float64		
8	concavity_mean	569 non-null	float64		
9	concave points_mean	569 non-null	float64		
10	symmetry_mean	569 non-null	float64		
11	fractal_dimension_mean	569 non-null	float64		
12	radius_se	569 non-null	float64		
13	texture_se	569 non-null	float64		
14	perimeter_se	569 non-null	float64		
15	area_se	569 non-null	float64		
16	smoothness_se	569 non-null	float64		
17	compactness_se	569 non-null	float64		
18	concavity_se	569 non-null	float64		
19	concave points_se	569 non-null	float64		
20	symmetry_se	569 non-null	float64		
21	<pre>fractal_dimension_se</pre>	569 non-null	float64		
22	radius_worst	569 non-null	float64		
23	texture_worst	569 non-null	float64		
24	perimeter_worst	569 non-null	float64		
25	area_worst	569 non-null	float64		
26	smoothness_worst	569 non-null	float64		
27	compactness_worst	569 non-null	float64		
28	concavity_worst	569 non-null	float64		
29	concave points_worst	569 non-null	float64		
30	symmetry_worst	569 non-null	float64		
31	<pre>fractal_dimension_worst</pre>	569 non-null	float64		
32	Unnamed: 32	0 non-null	float64		
dtypes: float64(31), int64(1), object(1)					

dtypes: float64(31), int64(1), object(1)

memory usage: 146.8+ KB

cancer.describe()

	id	radius_mean	texture_mean	perimeter_mean	area_mean	smoothness_ı
count	5.690000e+02	569.000000	569.000000	569.000000	569.000000	569.000
mean	3.037183e+07	14.127292	19.289649	91.969033	654.889104	0.090
std	1.250206e+08	3.524049	4.301036	24.298981	351.914129	0.014
min	8.670000e+03	6.981000	9.710000	43.790000	143.500000	0.05;
25%	8.692180e+05	11.700000	16.170000	75.170000	420.300000	0.080
50%	9.060240e+05	13.370000	18.840000	86.240000	551.100000	0.09
75%	8.813129e+06	15.780000	21.800000	104.100000	782.700000	0.10
max	9.113205e+08	28.110000	39.280000	188.500000	2501.000000	0.16

8 rows × 32 columns



cancer.columns

```
Index(['id', 'diagnosis', 'radius_mean', 'texture_mean', 'perimeter_mean',
            'area_mean', 'smoothness_mean', 'compactness_mean', 'concavity_mean',
            'concave points_mean', 'symmetry_mean', 'fractal_dimension_mean',
            'radius_se', 'texture_se', 'perimeter_se', 'area_se', 'smoothness_se',
            'compactness_se', 'concavity_se', 'concave points_se', 'symmetry_se',
            'fractal_dimension_se', 'radius_worst', 'texture_worst',
            'perimeter_worst', 'area_worst', 'smoothness_worst',
            'compactness_worst', 'concavity_worst', 'concave points_worst',
            'symmetry worst', 'fractal_dimension_worst', 'Unnamed: 32'],
           dtype='object')
y = cancer['diagnosis']
X = cancer.drop(['id','diagnosis','Unnamed: 32'],axis=1)
from sklearn.model_selection import train_test_split
X_train, X_test, y_train, y_test = train_test_split(X,y, train_size=0.7, random_state=2529)
X_train.shape, X_test.shape, y_train.shape, y_test.shape
     ((398, 30), (171, 30), (398,), (171,))
from sklearn.linear_model import LogisticRegression
model = LogisticRegression(max_iter=5000)
model.fit(X_train,y_train)
```

```
LogisticRegression
    LogisticRegression(max_iter=5000)
model.intercept
    array([-30.20269391])
model.coef
   array([[-0.8644508, -0.1823121, 0.26510852, -0.02688942, 0.13284582,
           0.19445151, 0.40918278, 0.20206338, 0.17199488, 0.03798515,
           0.0192444 , -1.13284188, -0.13597054, 0.11911954, 0.02266663,
          -0.03006638, 0.04691738, 0.02805721, 0.03329433, -0.00980702,
          -0.27140621, 0.44034405, 0.16566196, 0.01286379, 0.2719812,
           0.59704539,
                    1.06177846, 0.40903862, 0.51193487, 0.08436947]])
y_pred = model.predict(X_test)
y_pred
   array(['B', 'M', 'M', 'B', 'M', 'B', 'M', 'B', 'M', 'B', 'M', 'B',
                        'B', 'M', 'B', 'B', 'B', 'B',
         'M', 'B', 'B', 'M',
                                               'B',
         'B', 'B',
                        'M', 'B',
                                'B', 'M', 'M',
         'M', 'M', 'M', 'M',
                                           'M',
         'B', 'M',
                 'B', 'M',
                                           'Β',
                        'M', 'B',
                                'M', 'B', 'M',
         'B', 'B',
         'M', 'B'
                                               'B', 'B',
         'B', 'B',
         'M', 'B', 'M', 'M', 'B', 'B', 'M', 'B', 'M',
                                               'B', 'M',
         'M', 'M', 'M', 'M', 'B', 'B', 'B', 'M', 'B', 'M', 'B',
         'B', 'B'], dtype=object)
from sklearn.metrics import confusion matrix, accuracy score, classification report
confusion matrix(y test,y pred)
   array([[97, 5],
         [ 2, 67]])
accuracy_score(y_test,y_pred)
   0.9590643274853801
print(classification_report(y_test,y_pred))
```

support	f1-score	recall	precision	
102	0.97	0.95	0.98	В
69	0.95	0.97	0.93	М
171	0.96			accuracy
171	0.96	0.96	0.96	macro avg
171	0.96	0.96	0.96	weighted avg

Colab paid products - Cancel contracts here

✓ 0s completed at 5:31 PM

X